
MILITARY STANDARD

MIL-STD-1323-345
(NAVY)
11 JANUARY 1988

UNIT LOAD
FOR UNDERWAY REPLENISHMENT


BATTERY, LITHIUM SULFUR DIOXIDE, AN/SLQ-44, AN/SLQ-45, BA 5391/SLQ OR BATTERY, LITHIUM THIONYL CHLORIDE, BA 6511/SLQ FOR OFFBOARD DECEPTION DEVICES (ODDS) IN PALLET ADAPTER, ADU-615/U



UNIT LOAD DATA

	AN/SLQ-44	AN/SLQ-45	BA 5391/SLQ	BA 6511/SLQ
CONFIGURATION				
NUMBER OF BATTERIES PER CONTAINER	10	10	5	1
NUMBER OF CONTAINERS PER UNIT LOAD	4	4	4	4
NUMBER OF BATTERIES PER UNIT LOAD	40	40	20	4
GROSS WEIGHT OF ONE CONTAINER (APPROX)	98 LBS	164 LBS	93 LBS	266 LBS
WEIGHT OF ADAPTERS (APPROX)	126 LBS	126 LBS	126 LBS	126 LBS
WEIGHT OF PALLET (APPROX)	94 LBS	94 LBS	94 LBS	94 LBS
GROSS WEIGHT OF UNIT LOAD (APPROX)	612 LBS	876 LBS	592 LBS	1284 LBS
DIMENSION A (UNIT LOAD HEIGHT)	34 IN	34 IN	34 IN	37.5 IN
DIMENSION X (CONTAINER HEIGHT)	29 IN	29 IN	29 IN	32.5 IN
CUBE	39 CU FT	39 CU FT	39 CUT FT	43 CUT FT

DO NOT STACK MORE THAN
5 UNIT LOADS HIGH IN STORAGE



AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED

NOTES:
1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS MIL-HDBK-236 (NAVY).

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSPER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

SIGNATURE TECHNICAL DIRECTION AGENT (TDA) — DATE 1-11-88

SIGNATURE SEASYSCOM, BY DIRECTION — DATE 1-11-88

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR — DATE 1/11/88

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

A. THREAD STRAPPING, ITEM 5 BETWEEN DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL A.

B. PLACE BOTTOM FRAME, ITEM 2, ON PALLET DECK.

C. POSITION THE CONTAINERS ON THE BOTTOM FRAME.

D. PLACE TOP FRAME, ITEM 3, ON THE CONTAINERS.


E. POSITION STRAPPING, ITEM 4, UNDER THE PALLET DECK BELOW THE 6TH AND 7TH WIRES AND AROUND THE UNIT LOAD. TENSION AND DOUBLE NOTCH SEAL, WITH ITEM 6.

F. WRAP STRAPPING, ITEM 5, AROUND THE UNIT LOAD. TENSION AND DOUBLE NOTCH SEAL WITH ITEM 6.


G. MARK IN ACCORDANCE WITH MIL-STD-1323.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129.



DETAIL A



SEE DETAIL A

NOTES:

1. UNLESS OTHERWISE SPECIFIED, THE MATERIAL SHALL BE IN ACCORDANCE WITH MIL-STD-1323.
2. DO NOT USE TYPE I STRAPPING WITH POWER MACHINES.

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
4	6	SEAL	SEE NOTE 1	1-1/4 X .035
2	5	LONGITUDINAL STRAP	SEE NOTES 1 & 2	1-1/4 X .035 X 15
2	4	LATERAL STRAP	SEE NOTES 1 & 2	1-1/4 X .035 X 14
1	3	TOP FRAME	DL 1984AS100	41.5 X 48 X 2-1/2
1	2	BOTTOM FRAME	DL 1984AS100	41.5 X 48 X 2-1/2
1	1	PALLET, MK 3 MOD 0	564200	40 X 48 X 4-3/4

LIST OF MATERIALS

REVIEW ACTIVITY:
NAVY-OS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8140-A720)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DoD-316

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station
NWHC, Code 80311-M. Shelly
Colts Neck, NJ 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER (Number) AND TITLE

MIL-STD-1323-345

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY (Printed or typed name and address — Optional)

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

Replaces edition of 1 Jan 72 which may be used.

S/N 0102-LF-001-4260

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.