# MILITARY STANDARD

MIL-STD-1323-370
(NAVY)
11 FEBRUARY 1991


## UNIT LOAD
## FOR UNDERWAY REPLENISHMENT
## CARTRIDGE, COUNTERMEASURES, PRACTICE, MK 229 MOD 0
## CARTRIDGE, COUNTERMEASURES, 5.125 INCH, DUMMY, MK 232 MOD 0
## IN PALLET ADAPTER, MK 144

**UNIT LOAD DATA**


| | (MK 229) | (MK 232) |
|---|---|---|
| DODIC/NALC | 4W61 | 5W95 |
| NUMBER OF CARTRIDGES PER CONTAINER | 1 | 1 |
| NUMBER OF CONTAINERS PER ADAPTER UNIT | 12 | 12 |
| NUMBER OF ADAPTER UNITS PER UNIT LOAD | 2 | 2 |
| NUMBER OF CARTRIDGES PER UNIT LOAD | 24 | 24 |
| GROSS WEIGHT OF ONE CONTAINER (LBS) | 60 | 60 |
| GROSS WEIGHT OF ONE ADAPTER UNIT (LBS) | 782 | 782 |
| WEIGHT OF ADAPTERS (2 AT 58 LBS) (LBS) | 116 | 116 |
| GROSS WEIGHT OF STEEL PALLET (LBS) | 90 | 90 |
| WEIGHT OF STEEL STRAPPING (LBS) | 12 | 12 |
| GROSS WEIGHT OF UNIT LOAD (LBS) △ | 1658 | 1658 |
| CUBE (CU FT) | 42.1 | 42.1 |
| DOT HAZARD CLASS | C | INERT |
| CO CLASS | 1 | INERT |

△ DO NOT USE FOR SHIPPING WEIGHT

DO NOT STACK MORE THAN 5 UNIT LOADS HIGH IN STORAGE.




SHIPPING CONDITION DRAWING
RF SEDUCTION 53711 - 6133075
RF DISTRACTION 53711 - 6348315




AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

NOTE:
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

| REV LTR | REVISION DESCRIPTION | DATE | TDA | SYSCOM |
|---|---|---|---|---|
| | | | APPROVAL | |

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

SIGNATURE — TDA, WPNSTA EARLE — DATE 2/11/91

SIGNATURE — SEASYSCOM BY DIRECTION — DATE 2/11/91

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY).

ORIGINATOR — DATE 2/8/91

WPNSTA EARLE, NEW JERSEY



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.

# UNITIZING PROCEDURE

(A) THREAD LONGITUDINAL STRAPS, ITEM 7, THROUGH THE DECK WIRES OF THE PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(B) THREAD LATERAL STRAPS, ITEM 8, THROUGH THE SQUARE OPENINGS IN THE PALLET DECK AS SHOWN IN DETAIL A.

(C) POSITION LONGITUDINAL STRAPPING, ITEM 5, USED TO UNITIZE MODULE, ON THE PALLET DECK ABOVE STRAPPING, ITEM 7, AS SHOWN IN DETAIL B.

(D) THREAD HORIZONTAL STRAPPING, ITEM 6, THROUGH THE STRAP LOOPS OF THE FRONT AND REAR FRAMES, ITEMS 2 AND 3, AND POSITION THE FRAMES ON THE PALLET AS SHOWN IN DETAIL B.

(E) POSITION TWO CONTAINERS IN THE FRAMES WITH THEIR COVER ENDS AGAINST THE FLANGE OF THE FRONT FRAME, ITEM 2, AND THEIR BOTTOM ENDS ON THE SPACER BLOCKS OF THE REAR FRAME, ITEM 3, AS SHOWN IN DETAILS B AND C.

(F) POSITION A THIRD CONTAINER BETWEEN THE TWO CONTAINERS WITH THE COVER END AGAINST THE FLANGE OF THE REAR FRAME.

(G) POSITION THE REMAINING THREE ROWS OF CONTAINERS, ALTERNATING THE DIRECTION OF THE CONTAINERS BETWEEN ROWS, AS SHOWN IN DETAIL B.

(H) POSITION THE TOP FRAME, ITEM 4, OVER THE FRAMES AND CONTAINERS WITH WITH THE TWO SPACER BLOCK END OVER THE FRONT FRAME.

(I) POSITION STRAPPING, ITEM 5, IN THE CORNER NOTCHES AND OVER THE TOP FRAME. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 9.


(J) THREAD STRAPPING, ITEM 6, THROUGH THE OUTBOARD STRAP LOOPS OF THE FRONT AND REAR FRAMES. TENSION AND DOUBLE NOTCH THE SEALS, ITEM 9.

(K) REPEAT STEPS (C) THROUGH (I) FOR THE SECOND ADAPTER UNIT.

(L) THREAD STRAPPING, ITEM 8, UP THROUGH THE STRAP LOOPS OF THE FRONT AND REAR FRAMES AND OVER THE TOP FRAMES. TENSION AND DOUBLE NOTCH THE SEALS, ITEM 9.

(M) POSITION STRAPPING, ITEM 7, TO SECURE LOAD TO PALLET, OVER THE ADAPTER UNIT STRAPPING, ITEM 5. TENSION AND DOUBLE NOTCH THE SEALS, ITEM 9.

MARKING:
IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323 (NAVY).




## DEUNITIZING PROCEDURE

(A) CUT AND REMOVE STRAPPING, ITEM 7 AND 8

**CAUTION**

DO NOT CUT ADAPTER UNIT STRAPPING, ITEMS 5 AND 6, IF THE ADAPTER UNITS ARE TO BE HANDLED/TRANSFERRED BEFORE REMOVING THE CONTAINERS.

(B) CUT AND REMOVE THE ADAPTER UNIT STRAPPING ITEMS 5 AND 6.

(C) REMOVE TOP FRAME.

(D) REMOVE CONTAINERS.

(E) REMOVE FRONT AND REAR FRAMES.

NOTES:

ALL MATERIALS SHALL BE IN ACCORDANCE WITH THE BASIC DOCUMENT, MIL-STD-1323 (NAVY).


DO NOT USE TYPE I STRAPPING WITH POWER MACHINES.

| REQ'D | ITEM | DESCRIPTION | MAT'L/DWG | DIMENSIONS |
|---|---|---|---|---|
| 10 | 9 | SEAL | STEEL | 3/4 |
| 2 | 8 | LATERAL STRAP | STEEL | 3/4 X .035 X 13 FT |
| 2 | 7 | LONGITUDINAL STRAP | STEEL | 3/4 X .035 X 15 FT |
| 4 | 6 | HORIZONTAL STRAP | STEEL | 3/4 X .035 X 14 FT |
| 2 | 5 | LONGITUDINAL STRAP | STEEL | 3/4 X .035 X 15 FT |
| 2 | 4 | FRAME, TOP (ADAPTER MK 144) | 5166444 | 53 3/8 X 21 1/8 X 2 |
| 2 | 3 | FRAME, REAR (ADAPTER MK 144) | 5166446 | 20 5/8 X 6 1/2 X 27 |
| 2 | 2 | FRAME, FRONT (ADAPTER MK 144) | 5166445 | 20 5/8 X 6 1/2 X 27 |
| 1 | 1 | PALLET, MK 3 MOD 0 | 564200 | 40 X 48 X 4 3/4 |

LIST OF MATERIALS




Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.




DETAIL A

THREAD STRAPPING BETWEEN THE 6TH AND 7TH WIRE




DETAIL B

ADAPTER UNIT ASSEMBLY




DETAIL C

POSITIONING OF END FRAMES



Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.