
MILITARY STANDARD

MIL STD-132 - 77
(NAVY)

UNIT LOAD
FOR UNDERWAY REPLENISHMENT

2 DECEMBER 1991

MORTAR, 81MM, M984, M983, OR M879
IN PA156 CONTAINER



UNIT LOAD DATA


NUMBER OF CARTRIDGES/CONTAINER	3
NUMBER OF CONTAINERS/PALLET	2
NUMBER OF CARTRIDGES/UNIT LOAD	81
GROSS WT OF ONE CONTAINER	52 LBS
WEIGHT OF WOOD FRAMES (2)	17 LBS
WEIGHT OF STEEL STRAPPING	4 LBS
WEIGHT OF STEEL PALLET	94 LBS
GROSS WEIGHT OF UNIT LOAD	1519 LBS △
CUBE	37 85 CU FT

△DO NOT USE FOR SHIPPING WEIGHT

FOR HAZARD CLASSIFICATION SEE NAVSEA OP 2165

DO NOT STACK MORE THAN 6

UNIT LOADS HIGH IN STORAGE



AMSC NO N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE
DISTRIBUTION IS UNLIMITED

NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCK LOADING CONTAINER LOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS MIL HDBK 236 (NAVY)

REV LTR	REVISION DESCRIPTION	DATE	TDA / SYSCOM APPROVAL

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER AT SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS

SIGNATURE TDA — WPNSTA EARLE — DATE 12/6/91

SIGNATURE NAVSEASYSCOM — BY DIRECTION — DATE 12/6/91

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1367 (NAVY).


ORIGINATOR — DATE

WPNSTA EARLE NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) THREAD CENTER LONGITUDINAL STRAP ITEM 2 BETWEEN 11TH AND 12TH WIRES OF PALLET DECK AS SHOWN IN DETAIL A THREAD OUTER LONGITUDINAL STRAPS ITEM 2 BETWEEN 4TH AND 5TH WIRES
(B) POSITION CENTER ROW OF NINE CONTAINERS ON THE PALLET WITH EQUAL OVERHANG ON BOTH ENDS
(C) POSITION ONE GATE ASSEMBLY (SEE DETAIL B) ON EACH SIDE OF CENTER ROW
(D) POSITION THE REMAINING TWO ROWS (18 CONTAINERS) ON THE PALLET WITH EQUAL OVERHANG ON BOTH SIDES AND ENDS
(E) BRING LONGITUDINAL STRAPS ITEM 2 OVER THE TOP OF THE UNIT LOAD PLACING SIX (6) EDGE PROTECTORS ITEM 8 UNDER STRAPS AS SHOWN
(F) TENSION LONGITUDINAL STRAPS ITEM 2 AND DOUBLE NOTCH THE SEALS ITEM 7 THE CENTER STRAP SHOULD BE TENSIONED FIRST
(G) POSITION LOWER PERIMETER STRAP ITEM 4 AROUND UNIT LOAD AS SHOWN TENSION AND DOUBLE NOTCH THE SEAL ITEM 7
(H) FEED UPPER PERIMETER STRAP ITEM 4 AROUND THE UNIT LOAD AND THROUGH THE HANDLES (SEE DETAIL C) OF THE FOUR CONTAINERS ON THE CORNERS OF THE PALLET TENSION AND DOUBLE NOTCH THE SEALS ITEM 7
(J) FEED LATERAL STRAPS ITEM 3 UNDER THE PALLET AND OVER THE UNIT LOAD AS SHOWN DO NOT FEED LATERAL STRAPS ITEM 3 UNDER PERIMETER STRAPS ITEM 4
(K) POSITION EDGE PROTECTORS UNDER THE LATERAL STRAPS ITEM 3 AS SHOWN TENSION AND DOUBLE NOTCH THE SEALS



NOTE
1 UNLESS OTHERWISE SPECIFIED ALL MATERIALS SHALL BE IAW MIL STD 1323 (NAVY)
2 DO NOT USE TYPE 1 STRAPPING WITH POWER MACHINES


DEPALLETIZING PROCEDURE

(A) CUT AND REMOVE LATERAL STRAPS ITEM 3
(B) CUT AND REMOVE UPPER PERIMETER STRAP ITEM 4
(C) CUT AND REMOVE LOWER PERIMETER STRAP ITEM 4
(D) CUT AND REMOVE LONGITUDINAL STRAPS ITEM 2
(E) REMOVE CONTAINERS AND GATE ASSEMBLIES

REQ	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
12	8	EDGE PROTECTOR	FSN-8135-00-291-0982	
8	7	SEAL	STEEL	3/4 SIZE
4	6	SPACER BAR VERTICAL	WOOD	2 X 4 X 8
4	5	SPACER BAR HORIZONTAL	WOOD	2 X 4 X 48
2	4	STRAPPING PERIMETER	STEEL	3/4 X .035 X 18 FT
3	3	STRAPPING LATERAL	STEEL	3/4 X .035 X 13 FT
3	2	STRAPPING LONGITUDINAL	STEEL	3/4 X .035 X 14 FT
1	1	PALLET MK 3 MOD 0	564200	40 X 48 X 4 3/4


LIST OF MATERIALS PAGE 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.




DETAIL A

(2) THREAD STRAPPING ITEM 2 BETWEEN THE 4TH & 5th WIRE 2PL AND BETWEEN THE 11th AND 12th WIRE



DETAIL B

SPACER ASSY 2 REQ D



DETAIL C

NOTE STRAP TO RUN THROUGH HANDLE AT EACH CORNER ONLY 4PL

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Attn: Code 502
Colts Neck, New Jersey 07722-5000

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS. The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1323-377 - Mortar, 81MM, M984, M983 or M879 in PA156 Container

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID.

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes" in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO
	DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED.

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.