
MILITARY STANDARD

MIL-STD-1323-405
(NAVY)
10 JULY 1995

UNIT LOAD
FOR UNDERWAY REPLENISHMENT

AIRFOIL GROUP, MXU-650/B (FOR MK 82 OR BLU-111A/B BOMB) IN DRUM ON MK 3 MOD 0 PALLET



SHIPPING, PACKING CONDITION
18894-763530-10

UNIT LOAD DATA


NUMBER OF AIRFOIL GROUPS PER DRUM 1
NUMBER OF DRUMS PER UNIT LOAD 2
NUMBER OF AIRFOIL GROUPS PER UNIT LOAD 2
GROSS WEIGHT OF ONE DRUM . . . . . 162 LBS
WEIGHT OF STEEL STRAPPING (APPROX.) . . . . . 8 LBS
WEIGHT OF MK 3-0 PALLET . . . . . 94 LBS
WEIGHT OF WOOD DUNNAGE (APPROX.) . . . . . 143 LBS
GROSS WEIGHT OF UNIT LOAD ■ . . . . . 569 LBS
CUBE . . . . . 49.46 CU FT

■ DO NOT USE FOR SHIPPING WEIGHT.

HAZARD CLASSIFICATION - INERT

DO NOT STACK MORE THAN 5 UNIT LOADS HIGH IN STORAGE.

FOR UNIT LOAD QUALIFICATION SEE NWSE TEST REPORT NO. 95025.



AMSC NO.-NA

NOTES:
1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING, AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236.

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

REV	REVISION DESCRIPTION	DATE	TDA	SYSCOM

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE, AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

SIGNATURE — TDA, WPNSTA EARLE — 95/7/10 DATE

SIGNATURE — AIRSYSCOM BY DIRECTION — 95/7/10 DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY).

ORIGINATOR — 950710 DATE

NAVAL WEAPONS STATION EARLE
COLTS NECK, NEW JERSEY

Source: https://assist.dla.mil — Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE:

(A) CONSTRUCT BOTTOM AND TOP FRAME ASSEMBLIES AS SHOWN ON PAGE3 3 AND 4.

(B) THREAD LONGITUDINAL STRAPS, ITEM 2, BETWEEN 7TH AND 8TH WIRES ON BOTH SIDES OF PALLET DECK, ITEM 1, AS SHOWN IN DETAIL A.

(C) POSITION BOTTOM FRAME ASSEMBLY ON PALLET DECK WITH EQUAL OVERHANG ON BOTH SIDES AND ENDS OF PALLET.

(D) POSITION DRUMS IN BOTTOM FRAME AS SHOWN WITH COVER SECUREMENT BOLT FACING DIRECTLY TOWARD ANY CORNER OF PALLET.


(E) POSITION TOP FRAME ASSEMBLY OVER TOP OF DRUMS AS SHOWN.


(F) POSITION LATERAL STRAPPING, ITEM 3, UNDER PALLET DECK AND OVER UNIT LOAD IN POSITIONS INDICATED BELOW. TENSION AND SECURE EACH STRAP WITH ONE DOUBLE NOTCHED SEAL, ITEM 4.

(G) POSITION LONGITUDINAL STRAPS, ITEM 2, OVER THE UNIT LOAD. TENSION AND SECURE EACH STRAP WITH ONE DOUBLE NOTCHED SEAL, ITEM 4.

(H) STAPLE STRAPS, ITEMS 2 AND 3, TOP FRAME ASSEMBLY WITH STAPLES ITEM 5.

MARKING: IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129-1 (NAVY).





DETAIL A

NOTES:

3. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS SHALL BE IN ACCORDANCE WITH MIL-STD-1323.

DEPALLETIZING PROCEDURE:

(A) REMOVE STAPLES.

(B) CUT AND REMOVE ALL STRAPPING.

(C) REMOVE TOP FRAME ASSEMBLY.

(D) REMOVE DRUMS.


REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
8	5	STAPLE, STRAP	STEEL	3/4" SIZE
4	4	STRAP SEAL	STEEL	3/4" SIZE
2	3	STRAPPING, LATERAL	STEEL	3/4 X .035 X 13 FT
2	2	STRAPPING, LONGITUDINAL	STEEL	3/4 X .035 X 15 FT
1	1	PALLET, MK 3 MOD 0	564200	40 X 48 X 4 3/4


LIST OF MATERIALS

Source: https://assist.dla.mil -- Downloaded: 2020-10-24 16:00:02
Check this source to verify that this is the current version before use.

BOTTOM AND TOP FRAME CONSTRUCTION (PAGES 3 AND 4)

ALL NAILS SHALL BE 10d (SEE NOTE 5)





NOTES:

4. LENGTH OF SMALL INNER CLEAT, ITEM 10, IS 5 INCHES FOR BOTTOM FRAME AND 4-3/8 INCHES FOR TOP FRAME.


5. 3-INCH SHEET ROCK SCREWS MAY BE USED AS AN ALTERNATE TO 10d NAILS.

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
1	11	CENTER BRACE (TOP ONLY)	WOOD	2 X 4 X 25
20	10	INNER CLEAT, SMALL	WOOD	2 X 4 (SEE NOTE 4)
4	9	INNER SUPPORT	WOOD	2 X 4 X 51-1/2
4	8	END PIECE	WOOD	2 X 4 X 38
16	7	INNER CLEAT, LARGE	WOOD	2 X 4 X 17-1/4
4	6	SIDE PIECE	WOOD	2 X 4 X 54-1/2

LIST OF MATERIALS

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.

BOTTOM AND TOP FRAME CONSTRUCTION - CONTINUED



NAIL PLANKS TO FRAME ASSEMBLY WITH 10d NAILS. (SEE NOTE 5)

NOTES:

6. ANY COMBINATION OF 1 X 4s, 1 X 6s, AND 1 X 8s MAY BE USED. LENGTH OF ALL PLANKS SHALL BE 41 INCHES.

7. STENCIL THE WORD "BOTTOM" ON INSIDE OF BOTTOM ADAPTER AND THE WORD "TOP" ON INSIDE OF TOP ADAPTER. LETTERS SHALL BE 1" OR HIGHER USING A CONTRASTING COLOR OF STENCIL INK A-A-208.

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
4	15	STAPLES	STEEL	3/4" SIZE
2	14	STRAP SEAL	STEEL	3/4" SIZE
2	13	STRAP, PERIMETER	STEEL	3/4 X .035 X 18 FT
AR	12	PLANKING	WOOD	SEE NOTE 6

LIST OF MATERIALS

PREPARING ACTIVITY
NAVY - OS
(PROJECT NO. 6140-N1140)

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.