MILITARY STANDARD

RAILCAR LOADING OF HAZARDOUS MATERIALS

PROPELLANT GRAIN MK 88 MOD 0
IN PALLET CRATE MK 107 MOD 0
DOMESTIC UNIT LOAD


MIL-STD-1325-17Q (NAVY)

22 JANUARY 1974

UNIT LOAD DATA

UNIT LOAD DRAWING WR-53/845
WEIGHT (APPROXIMATE) ..... 1798 LBS
DIMENSIONS .... 65 1/4 L x 33 1/4 W x 33 3/4 H
CUBE ..... 42.3 CU. FT.
DOT HAZARD CLASSIFICATION .... EXPLOSIVES B

BUREAU APPROVAL NO. 750.
THIS BA NO. 750 MUST BE SHOWN ON ALL GOVERNMENT BILLS OF LADING COVERING SHIPMENTS OF THIS UNIT LOAD AND ON THE PALLET CRATES.



INDEX

ITEM	PAGE
GENERAL NOTES	2
DODX CARLOAD	2, 3, & 4

NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, PRECLOADING AND CONTAINERLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS MIL-HDBK-236 (NAVY).

FSC 8140

AUTHORIZED AND RELEASED FOR GENERAL USE.

W.S. Gray NWHL 1/10/74
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J.E. Lee 1/10/74
SIGNATURE (AIR) SYSCOM BY DIRECTION DATE

APPROVED BY BUREAU OF EXPLOSIVES

J. Brassanuck 12/18/73
SIGNATURE SUPERVISOR, MILITARY & INTERMODEL SERVICES DATE

ORIGINATOR Charles McCord 1/10/74
SIGNATURE

NAVAL WEAPONS HANDLING LABORATORY
N A D EARLE, NEW JERSEY


Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:03Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1. FOR GENERAL INFORMATION CONCERNING ORDERING, INSPECTING, AND PREPARING CARS, AND FOR DUNNAGING MATERIALS, DESIGN, AND INSTALLATION OF DUNNAGE SEE THE GENERAL DOCUMENT MIL-STD-1325 (NAVY) "RAILCAR LOADING OF HAZARDOUS MATERIALS".
2. WHEN PLANNING SHIPMENTS ORDER THE MINIMUM NUMBER OF CARS OF THE CAPACITY REQUIRED FOR THE SHIPMENT. UTILITY LOADER CARS SHALL BE SERIES DODX 28000.
3. LOADING PLANS SHOWN ARE FOR DODX UTILITY LOADER CAR WITH 50 FT 6 INCHES INSIDE LENGTH, 107 3/4 INCHES INSIDE WIDTH BETWEEN RAILS (111 INCHES INSIDE WIDTH BETWEEN SIDE WALLS).
4. THE "LOAD LIMIT" OF A CAR MUST NOT BE EXCEEDED NO SHOULD THE RAILCAR BE LOADED SO THAT MORE THAN ONE-HALF OF THE "LOAD LIMIT" IS CARRIED BY ONE SET OF TRUCKS.
5. IF END WALLS OF CARS ARE NOT SQUARE THEY MUST BE SQUARED OFF BEFORE STARTING TO LOAD CAR.
6. THE LOAD CONSISTS OF PROPELLANT GRAIN MK 88 MOD 0 IN INNER CONTAINER MK 537 MOD 0 PACKED IN PALLET CRATE MK 107 MOD 0 IN ACCORDANCE WITH WR-53/845.
7. THE UNIT LOADS ARE HANDLED AND LOADED WITH A SUITABLE FORK LIFT TRUCK.
8. UNLESS OTHERWISE SPECIFIED NAILING SHALL BE IN ACCORDANCE WITH MIL-STD-1325 (NAVY).
9. APPLICABLE MATERIAL SPECIFICATIONS:
   DUNNAGE LUMBER - FED. SPEC MM-L-751
   NAILS - FED. SPEC FF-N-105
10. AFTER BLOCKING AND BRACING HAS BEEN INSPECTED ATTACH SHIPPING DOCUMENTS INSIDE THE CAR IN AN ACCESSIBLE AREA, CLOSE AND SEAL BOXCAR DOORS, AND ATTACH APPLICABLE PLACARDS TO THE OUTSIDE OF CAR AS PRESCRIBED IN OP 2165 (VOL 1).

50 FT 6 IN. BOXCAR, DODX

1. THE CARLOAD CONSISTS OF 48 UNIT LOADS WHICH MUST BE LOADED AND DUNNAGED IN ACCORDANCE WITH THIS PROCEDURAL DRAWING.
2. A DETAILED DESCRIPTION AND OPERATING INSTRUCTIONS FOR THE UTILITY LOADER ARE CONTAINED IN OP 1750.
3. TO PREVENT UNUSED "DF" EQUIPMENT FROM BECOMING DISLODGED DURING TRANSIT OF DODX CARS SECURE IT AT ANY LOCATION IN THE BOXCAR WHICH WILL NOT INTERFERE WITH UNLOADING.
4. WHEN LESS THAN CARLOAD (LCL) QUANTITIES ARE REQUIRED TO BE SHIPPED IN DODX BOXCARS THE SAME PROCEDURES AND METHODS OF BLOCKING ARE APPLICABLE. ANY BAYS OR PORTION THEREOF MAY BE USED PROVIDING THE WEIGHT DISTRIBUTION REQUIREMENTS OF THE AAR ARE COMPLIED WITH, SEE MIL-STD-1325 (NAVY). EACH CROSSMEMBER WILL BE USED IN SUCH A MANNER THAT IT WILL RETAIN NOT MORE THAN 2500 LBS OF THE LADING.



DETAIL A


SHOWING LOCATION OF WALL MEMBERS USED FOR CROSS MEMBERS

" DOORWAY MEMBER LOCATIONS

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:03Z
Check the source to verify that this is the current version before use.

CARLOAD DATA

NUMBER OF UNIT LOADS	48
NUMBER OF CROSSMEMBERS REQD	59
LOAD WEIGHT (APPROXIMATE)	86,304 LBS.
DUNNAGE WEIGHT (APPROXIMATE)	880 LBS.
CARLOAD WEIGHT (APPROXIMATE)	87,184 LBS.




SEE DETAIL B PAGE 4


PIECE NO.	DESCRIPTION	SIZE	NO. PCS REQD	NAIL TO	NAILS NUMBER	NAILS SIZE
3	LATERAL FLOOR MEMBER	2 x 6 x 107	2	CAR FLOOR	2 PER FOOT	16d
2	SWAY BRACE HORIZONTAL	2 x 6 x 61 1/2	48	SEE 1	-	-
1	SWAY BRACE VERTICAL	2 x 6 x 66	16	2	2 PER JOINT	16d

LIST OF MATERIALS AND NAILING DATA

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:03Z
Check the source to verify that this is the current version before use.



LOADING PLAN



DETAIL B

SWAY BRACE FRAME
8 REQUIRED

REVIEW ACTIVITY
NAVY OS, AS

PREPARING ACTIVITY
NAVY OS
(PROJECT 8140-N 222)

☆ U.S. GOVERNMENT PRINTING OFFICE: 1974—713-150/3314

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:03Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Ammunition Depot Earle (NWHL/E. Connolly)
Colts Neck, New Jersey 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:03Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-STD -1325-170 (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

☆ U.S. GOVERNMENT PRINTING OFFICE: 1972—714-863/3404 2-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:03Z
Check the source to verify that this is the current version before use.