
MILITARY SPECIFICATION SHEET

CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, CRIMP REMOVABLE (8.5 AMPERES)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the connectors described herein shall consist of this specification and the latest issue of MIL-C-28731.




INCHES	MM
.010	0.25
.022	0.56
.060	1.52
.065	1.65
.066	1.68
.115	2.92
.120	3.05
.123	3.12
.195	4.95
.496	12.00
.739	18.77
.857	21.77

FIGURE 1. Contact, fork type, crimp removable.

Ⓓ denotes changes

FSC 5935


Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:58Z
Check the source to verify that this is the current version before use.



Material: Medium alloy steel bonded titanium carbide, rockwell-C-67-69


Configuration A , test gage.

INCHES	MM
.0000050	0.00027
.0000100	0.000254
.005	0.13
.100	2.54
.120	3.05
.250	6.35
.266	6.76
.480	12.19



DETAIL A

Manufacturers identification symbol shall be imprinted approximately as shown.



DETAIL B

FIGURE 1. Contact, fork type, crimp removable - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:58Z
Check the source to verify that this is the current version before use.

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Tolerance shall be ±.005 (0.13 mm) unless otherwise specified. All dimensions are for parts after plating.
4. Trim area not to exceed width of contact across retaining lance area "X".
(D) 5. Contact crimp for use with (AWG) wire range No. 26 to No. 18. Wire size No. 16 can be used with the following exception: Insulation crimp must be crimped over conductor member only. No insulating material is permitted in insulator crimp barrel which will hamper insertion of contact into connector cavity.
6. Remove all burrs and sharp edges .0005 (0.013 mm) maximum.
7. Crimp tool MIL-C-22520/17-01.
(D) 8. Insertion and removal tool MIL-I-81969/13-01 and MIL-I-81969/11-01.
9. Patent Notice. Patent No. 3,248,686 owned by Elco corporation. The government has a royalty-free license under the above patent for the benefit of manufacturers of the items called for in this specification, either for the government or for use in equipment to be delivered to the government.

FIGURE 1. Contact, fork type, crimp removable - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:58Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Ⓓ Contact separation force (see configuration A):

Polished steel gage from unplated contacts:	2 to 10 ounces.
Plated gold over nickel contacts:	2 to 16 ounces.

Crimp tensile strength: Minimum tensile strength during crimp tensile strength testing shall be 40.0 pounds for AWG 16 wire.

Ⓓ Contact mating area: Contacts may be supplied with either overall plating or localized finish. For localized finish the contact mating area shall be in accordance with detail B and 3.3.1.1.1 of MIL-C-28731.

Identification of contact: Contacts shall be permanently imprinted with manufacturer's symbol for purpose of identifying manufacturer's product (see figure 1, detail A).

Ⓓ Part number:
M28731/20-0001 - supplied loose for hand crimping installation.
M28731/20-0002 - supplied on a reel for automatic crimping machine installation.

Custodians:
Army - CR
Navy - EC
Air Force - 85

Review activities:
Army - AR, AT, MI
Navy - AS
Air Force - 11, 17, 99
DLA - ES

User activities:
Army - AL, AV, ME
Navy - MC, OS
Air Force - 19

Agent:
DLA - ES

Preparing activity:
Navy - EC

(Project 5935-3345-18)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:58Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-C-28731/20D	Connectors, Electrical, Contact, Fork Type, Crimp Removable (8.5 Amperes)

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:58Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY
Naval Electronic Systems Command
Washington, DC 20363

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20363
ATTN: ELEX 8111

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T13:58Z
Check the source to verify that this is the current version before use.