INCH-POUND

A-A-55244A
August 28, 2026
SUPERSEDING
A-A-55244
November 2, 1993

COMMERCIAL ITEM DESCRIPTION

INSECT NET PROTECTOR

The General Services Administration has authorized the use of this Commercial Item Description (CID) by all federal agencies in preference to MIL-I-10901.

1. SCOPE. This CID covers the requirements for an insect net protector made from nylon netting and is intended to be used for protection from insects.

2. CLASSIFICATION. The insect net protector shall be available in one (1) type and size.

3. SALIENT CHARACTERISTICS.

3.1 Description. The construction of the insect net protector shall conform in all respects to Drawing 5-4-502. (See 7.1.4).

3.2 Materials.

3.2.1 Basic material. The basic material shall be woven nylon netting conforming to Type I or II of PIA-C-3395. (See 7.2.4).

3.2.1.2 Cloth, oxford, nylon. The material for the buttonhole stays and tie tape reinforcements shall be in accordance with Type I, Class 2 of MIL-DTL-508.

3.2.2 Color. The color shall be Camouflage Green (CG) 483 or as specified in the contract or purchase order. The finished insect net protector shall match the standard sample for shade and appearance and shall be equal to or better than the standard sample with respect to all characteristics for which the standard sample is referenced (see 7.7).

Beneficial comments, recommendations, additions, deletions, clarifications, and any other data that may improve this document should be sent to trpsptctstandardiz@dla.mil.

AMSC N/A FSC 7210

DISTRIBUTION STATEMENT A. Approved for public release. Distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

3.2.2.1 Visual shade matching. The color and appearance of the insect net protector shall match the standard sample when viewed using the AATCC EP 9, Option C, (see 7.5.1) with a primary light source simulating the spectral quality of average daylight, CIE Illuminant D65, with a color temperature of 6500 (± 200) Kelvin (K) illumination of 100 (± 20) foot candles. Alternatively, the color and appearance of the insect net protector shall match the standard sample with a primary light source simulating artificial daylight, CIE Illuminant D75, with a color temperature of 7500K (± 200) illumination of 100 (± 20) foot candles in lieu of D65. (See 7.5.1). The insect net protector shall also be a good match to the standard sample with a secondary source simulating the spectral quality of incandescent lamplight, CIE Illuminant A, with a color temperature of 2856K (± 200).

3.3 Requirements. The finished insect net protector shall conform to the documents and drawing as specified herein.

3.4 Thread. The thread for seams and stitching shall be polyester, conforming to Type I or II, any Class, and Subclass A of A-A-59963. The thread shall be dyed CG 483.

3.4.1 Stitches, seams and stitching. All stitching shall be Type 301, 7 - 11 stitches per inch in accordance with Drawing 5-4-502 and conform to ASTM D6193. (See 7.2.3)

3.5 Tape, nylon. The nylon for the tie tapes shall be 3/4-inch in accordance with Type III, Class 1 of MIL-DTL-5038. The color of the tape shall be CG 483. The four (4) tie tapes shall be positioned on the ridge seam evenly in half (± 1-inch), catching the seam material in the fold and bartack with a 1/2-inch bartack, 1/4 to 5/16-inch from the folded edge, through the double thickness of the tie tape and seam. Bartacks shall not run off the edge of the tape.

3.6 Thread, gimp. The gimp for reinforcing the buttonholes shall be in accordance with Type I or II, Class 1 or 2 of A-A-50198 or, as an alternate Type II, Class A, Size FF conforming to A-A-59826 may be used, and the color shall be CG 483.

3.7 Label. The identification label shall measure 3-1/2 (± 1/8) inch by 2-1/2 (± 1/8) inch and shall conform to Type VI, Class 5 of MIL-DTL-32075. The label shall be located as shown on Drawing 5-4-502 and contain the following information:

INSECT NET PROTECTOR CG 483
Contract Number:
National Stock Number (NSN):
Contractor's name:
Lot number:

3.7.1 Barcode hang tag. Each insect net protector shall have a barcode label/hangtag conforming to Type VIII, Class 17 of MIL-DTL-32075. The bar coding element shall be a 13-digit National Stock Number (NSN). There shall be a 12-digit Universal Product Code (UPC) number assigned for all NSNs by the contracting activity. The initials "UPC" must appear beneath the code. The barcode for NSN and UPC type shall be a medium to high density and shall be located so that it is completely visible on the insect bar when it is folded and/or packaged as specified so it causes no damage to the insect net protector.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

3.8 Patterns. Patterns shall be made by the contractor and shall provide a 1/2-inch seam allowance for the nylon netting and nylon oxford. Allowance shall be incorporated into the patterns for the seams, hems and seaming take-up.

3.9 Measurements. The finished insect net protectors shall conform to the measurements specified on Drawing 5-4-502.

3.10 Workmanship. The finished insect net protectors shall conform to the quality of the product established in this document. The insect net protectors shall be free from defects which would affect its serviceability, appearance, uniformity and quality assurance standards defined by the technical data in the procurement documents.

4. REGULATORY REQUIREMENTS. Unless otherwise specified, the offeror/contractor is encouraged to use recovered, recycled, bio based, and environmentally preferable materials to the maximum extent practicable, in accordance with paragraph 23.403, 23.404(b) of the Federal Acquisition Regulation (FAR), or the sustainable acquisition of EO 13834; as applicable. (See 7.1.2 and 7.1.3).

5. PRODUCT CONFORMANCE PROVISIONS.

5.1 Product conformance. The insect net protector shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance.

5.2 Market acceptability. The finished insect net protector offered must have been sold to the government or commercial market.

5.3 End item inspection procedures. Sampling for inspection shall be conducted in accordance with ASQ/ANSI Z1.4 - Sampling Procedures and Tables for Inspection of Attributes (see 7.2.2).

5.4 Visual examination. Each finished insect net protector shall be examined for the defects listed in Table I as defined in ASTM D3990. The lot size shall be expressed in units of insect net protectors. The sample unit shall be one (1) insect net protector.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

TABLE I. Visual examination defects.

Material defects: Any hole, cut, tear, permanent fold, pleat, crease, or smash; any spot or stain on outside, discoloration or color not as specified, any outwardly visible part shaded, any serious material defects or objectionable odor.
Stitches, seams and stitching: Loose or tight stitching tension, broken or skipped stitches, needle chew, any part caught in an unrelated operation or stitching, raw edge, thread ends not removed, any seam slippage, re-stitching, pleating or puckering; distorted, open, pulled or snagged stitches, twisted, ragged or inconsistent edge. Body constructed with more than two vertical splices or more than one vertical splice in any panel; hems constructed with a single turn-under instead of double; body tapes attached through single thickness of tie tape reinforcement; ridge tapes not attached through seam; ends of tapes not fused; any tape spliced or not cut in one piece as specified;, loose or broken; buttonholes not parallel to ridge seam; eyelet end reversed; any bartack omitted; stitching loose, incomplete or broken; end of bartack runs off edge of tie tape.
Workmanship: Any component part omitted, twisted, not specified size, missing, misplaced or distorted parts; poorly shaped, any dimension of item not as specified; design not as specified. Failure to meet product conformance; serviceability, reliability and quality of materials as defined by this document.
Labels: Label(s) missing, incorrect, or illegible or size of characters and label not as specified; label located on incorrect side of insect net protector; measurement of item not as specified; bar code or UPC code label omitted or not readable by scanner; human-readable interpretation (HRI) omitted or illegible; bar code not visible on folded packaged item, bar code label causes damage to the item.
Packaging: Not packaged in accordance with the contract or procurement documents.

5.5 Visual examination. The insect net protectors shall be examined for the defects listed below. The lot size shall be expressed in units of insect net protectors. The sample unit is one (1) insect net protector.

5.6 Dimensional examination. The finished insect net protector shall conform to the dimensions specified. Any dimension that is not within the established tolerance shall be classified as a defect. The sample unit shall be one insect net protector.

5.7 Acceptance criteria. Acceptance criteria shall be as specified in the contract or procurement documents (see 7.7).

6. PACKAGING. The preservation, packing and marking shall be as specified in the contract or order (see 7.7).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

7. NOTES.

7.1 Source of Government documents:

7.1.1 Copies of Government documents are available online at https://quicksearch.dla.mil.

7.1.2 Federal Acquisition Regulations (FAR) are available online at https://aquisition.gov.

7.1.3 EPA information is available online at https://www.epa.gov and EO 13834 information is available online at https://www.fedcenter.gov/.

7.1.4 Comments, suggestions, or questions on this document should be addressed to: Department of the U.S. Army, DEVCOM, Soldier Center, ATTN: FCDD-SCD-PEC, 10 General Greene Avenue, Natick, MA 01760-5019.

(Copies of specifications, standards, drawings and publications required by contractors in connection with specification procurement functions should be obtained from the procuring activity or as directed by the Contracting Officer.)

7.2 Source of non-Government documents.

7.2.1 AATCC Test Methods are available for purchase online at https://aatcc.org.

7.2.2 ASQ/ANSI Z1.4 – Sampling Procedures are available online at https://asq.org.

7.2.3 ASTM Standards are available for purchase online at https://www.astm.org.

7.2.4 PIA documents are available for purchase online at https://www.PIA.com.

7.3 Intended use. The insect net protector is intended to be used for protection from insects.

7.4 Standard samples. For access to standard shade samples of cloth, address the contracting activity issuing the invitation for bids or request for proposal.

7.5 Shade.

7.5.1 Visual shade matching. In 2017, Option A of AATCC EP9 was changed to Option C. NOTE: In case of confusion, the viewing geometry should be "The specimen plane and illumination source will be parallel to each other and aligned so that the light flux is incident at the center of the specimen plane, which is set at a 35 (± 5º) angle relative to the horizontal. The observer will view the specimens at a 90º angle, relative to the plane of the specimens".

7.5.2 Lighting sources. In 2022, the U.S. Military (All Services) accepted D65 as the new preferred light source for visual shade matching due to the supply chain issues with D75. DD1222's should reflect which light source is used. If the light source is not indicated on the DD1222, D65 will be assumed by the Government Shade Laboratory.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

7.6 Certificate of compliance. The contracting activity may select to accept a certificate of compliance for a stated requirement.

7.7 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this CID.
b. Type and size required (see 2).
c. Color required (see 3.2.2).
d. Product conformance (see 5.1).
e. Acceptance criteria (see 5.7).
f. Packaging requirements (see 6).

7.8 National Stock Number (NSN). The NSN assigned that corresponds to this CID is as follows. This may not represent all potential NSNs linked to the CID and is provided solely for reference.

NSN
7210-00-266-9736

7.9 Key words.

Barrier
Mesh
Screen
Shield

MILITARY INTERESTS:

Custodians:
Army - GL
Navy - NU

Review Activities:
Navy - MC
Air Force - 11

CIVIL AGENCY COORDINATING ACTIVITY
GSA-FAS

Preparing activity:
DLA-CT

(Project: 7210-2026-001)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using ASSIST at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.