INCH-POUND

A-A-55259
April 10, 1995

COMMERCIAL ITEM DESCRIPTION

GLOVE SHELLS, FLYER'S

The General Services Administration has authorized the use of this commercial item description in preference to MIL-G-38227.

1. SCOPE. This commercial item description covers a leather (Sheepskin) flight glove for use, with or without wool inserts, by flying personnel of the Department of Defense in the Temperate Zone.

2. SALIENT CHARACTERISTICS

2.1 Salient characteristics. The glove shall be made from a finished sheepskin that is soft and pliable. The design shall be an extension thumb with a continuous fourchette. It shall have the necessary elasticity and strength to permit adequate stretch across the hand (see Figure 1).

2.2 Materials. The basic component shall be sheepskin, sewn together with a nylon sewing thread. An elastic webbing (1/2 inch in width) is to be incorporated for wrist take-up.

2.3 Label/marking. A commercial-type label is acceptable, provided that an additional printed cloth label containing the contractor's name, contract number, size and National Stock Number (NSN) is caught on the stitching of the commercial label. The commercial label shall include fiber content and laundering information.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Clothing and Textiles Directorate, Attn: DPSC-FQSC, 2800 South 20th Street, Philadelphia, PA 19145-5099.

AMSC N/A

FSC 8415

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

2.4 Label/tag. Each item shall be individually bar-coded with a paper tag for personal clothing items, standard bleached sulfate, with a basis weight of 100 pounds. The paper used for the tags shall have a smooth finish to accept thermal transfer and direct printing. Bar coded tags shall have a hole and shall be attached to each glove by a fastener, clearly legible and readable by a scanner. The bar coding element shall be a 13 digit national stock number (NSN). The bar code type shall be a medium to high code density and shall be human-readable interpretation (HRI). This label/tag shall be located so that it is completely visible on the item when it is folded and/or packaged as specified and so that it causes no damage to the item.

2.5 Sizes and lengths. The glove shall be provided in the following lengths and widths by sizes:

Size	1	2	3	4	5	6	Tolerance (all sizes)
Fin. length	10 3/4	10 7/8	11	11 1/4	11 1/2	11 3/4	± 1/4
Fin. width	3 1/2	3 3/4	4	4 1/2	5	5 1/2	+ 1/4, -0
Fin. stretch width	4 1/4	4 1/2	4 3/4	5 1/4	5 3/4	6 1/4	Minimum

2.6 Patterns. The Government shall furnish a single size pattern. The contractor is responsible for grading patterns for additional sizes. The pattern generally provides for a seam allowance of 1/16 to 3/32 inch for joining seams. Commercial patterns may be used in lieu of the Government-furnished pattern provided they conform to the finished measurements.

3. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. QUALITY ASSURANCE PROVISIONS

4.1 Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this commercial item description; conforms to the producer's own drawings, specifications, standards, and quality assurance practices; and is the same product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4.2 Market acceptability. The item offered, or a generic equivalent, must have been sold to the commercial market or to the Government for at least 2 years.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.

4.3 Visual examination. Each glove shall be examined for the defects listed below:

Defects. The product shall be examined for pairing, color not as specified, wrong design, inferior materials, and workmanship defects: inferior leather, distortion of product; wrinkles, pleats or excess fullness; operation not properly performed; protruding tack, staple or nail; any hole, cut, tear, spot or stain (outside); label (when required) missing; required markings missing, incorrect, or illegible; measurements (when required) not as specified; bar code omitted or not readable by scanner, human-readable interpretation (HRI) omitted or illegible; not visible on folded, packaged item; causes damage to the item

5. PACKAGING. The preservation, packing, and marking shall be as specified in the contract or order.

6. NOTES

6.1 Source of Government documents. Copies of military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

6.2 Source of non-Government documents

ASTM Test Methods

(Applications for copies should be addressed to American Society For Testing and Materials, 1916 Race Street, Philadelphia, PA 19103-1187.)

AATCC Test Method

(Applications for copies should be addressed to American Association of Textile Chemists and Colorists (AATCC), P.O. Box 12215, Triangle Park, NC 27709-2215.)

6.3 Acceptance criteria. Acceptance criteria shall be as specified in the contract or purchase order.

Custodian:
Army - GL
Navy - AS
Air Force - 82

Review Activity:
Army - MD

Civil Agency Coordinating Activity:
GSA - FSS

Preparing Activity:
DLA - CT

Project No. 8415-0942

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.




FIGURE 1. GLOVE SHELLS, FLYER'S
"EXTENSION THUMB WITH A CONTINUOUS FOURCHETTE"

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:45Z
Check the source to verify that this is the current version before use.