|INCH-POUND|

MIL-H-83534/1(USAF)
01 September 1989

MILITARY SPECIFICATION SHEET

HEADSET-MICROPHONE, MONAURAL, LIGHTWEIGHT, INTRA-AURAL, AMPLIFIED RECEIVER

This specification is approved for use within the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation: MIL-H-83534(USAF).




FIGURE 1. Headset-microphone, M83534/1-XX.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:43Z
Check the source to verify that this is the current version before use.




FIGURE 2. Wiring diagram.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:43Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Design and construction: See figures 1 and 2. The headset-microphone shall incorporate a receiver amplifier with compresssion and a three-position volume control.

Cable assemblies:

M83534/1-01: The length of the coiled portion of the connector cable assembly shall be 20 inches nominal when retracted and 10 feet nominal when extended.

M83534/1-02: The length of the coiled portion of the connector cable assembly shall be 30 inches nominal when retracted and 15 feet nominal when extended.

M83534/1-03: The length of the coiled portion of the connector cable assembly shall be 50 inches nominal when retracted and 25 feet nominal when extended.

CONCLUDING MATERIAL

Custodian:
Air Force - 85

Preparing activity:
Air Force - 85

Agent:
DLA - ES

Project 5965-F194-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:43Z
Check the source to verify that this is the current version before use.