INCH-POUND

MIL-C-64037 (AR)
AMENDMENT 6
16 September 2002
SUPERSEDING
AMENDMENT 5
16 January 2001

MILITARY SPECIFICATION

CARTRIDGE, HE 60MM, M888 W/FUZE M935
LOADING, ASSEMBLING AND PACKING

This amendment forms a part of MIL-C-64037 (AR), dated 28 February 1983, and is approved for use by the U.S. Army Armament Research, Development and Engineering Center, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

TITLE: Delete prefix "X" from "XM888" and "XM935" in title and all places.

2.1.1, Under "MILITARY STANDARDS" Delete, "MIL-STD-105 – Sampling Procedures and Table for Inspection by attributes."

PAGE 4

3.7.6, Line 2: Delete "11 meters" and substitute, "15 meters."

PAGE 7

4.4.2, Delete first sentence in its entirety and substitute the following:

"Unless otherwise specified in the Classification of Defects and Test Table, sampling plans for major defects shall be in accordance with MIL-STD-1916, Verification Level IV (VL IV), and minor defects shall be in accordance with Verification Level III (VL III)."

PAGE 8

4.4.2.1:

Delete "AQL or 100% and substitute, "CONFORMANCE CRITERIA" in all places.

Delete "0.40%" and substitute, "VL IV" in all places.

Delete "0.65% and substitute, "VL III" in all places.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.

* Delete "Critical, 1 in its entirety and substitute the following:

"Critical I, 1 Foreign object in charge cavity 100% 3.4 Visual"

* Add "Critical II, None defined"

PAGE 9

4.4.2.2:

Delete "AQL or 100% and substitute, "CONFORMANCE CRITERIA" in all places.

Delete "0.40%" and substitute, "VL IV" in all places.

Delete "0.65% and substitute, "VL III" in all places.

* Delete Critical 1 and 2 in their entirety and substitute the following:

"Critical I, 1 High explosives on threads 100% 3.5 Visual /Standards

Critical II, A High explosive on exterior of projectile body 100% 3.6 Visual/Standards"

Add Under "Critical" as follows, "2 High explosives on threads … 100% … 3.5 … Visual."

Delete Minor 202 in its entirety.

PAGE 10

4.4.2.3:

Delete "AQL or 100% and substitute, "CONFORMANCE CRITERIA" in all places.

Delete "0.40%" and substitute, "VL IV" in all places.

Delete "0.65% and substitute, "VL III" in all places.

PAGE 11

4.4.2.4:

Delete "AQL or 100% and substitute, "CONFORMANCE CRITERIA" in all places.

Delete "0.40%" and substitute, "VL IV" in all places.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.

Delete "0.65% and substitute, "VL III" in all places.

Critical 1: Delete in its entirety and substitute:

"Major 111 Minimum distance from top of ignition cartridge assembly to edge of fin, incorrect."

* Delete Critical, 2, 3 and 4 in their entirety and substitute the following:

"Critical I, 2 Propellant charge missing or damaged to the extent that propellant shall escape 100% 3.2 Visual/Manual (see 4.5.4)

Critical I, 3 Obturating ring missing 100% 3.2 Gage (note a)

Critical I, 4 Pull wire missing or not fully seated 100% 3.2 Visual/Manual

Critical I, 5 Fin blade distorted 100% 3.2 Gage"

* Delete Special, A and B in their entirety and substitute the following:

"Critical II, A Warning label missing, illegible, or not fully attached 100% 3.2 Visual

Critical II, B Stencil warning notice missing or illegible 100% 3.2 Visual"

Special A: Change "label" to "notice(s)."

Major 102: Delete in its entirety.

PAGE 13

4.4.2.5:

Delete "AQL or 100% and substitute, "CONFORMANCE CRITERIA" in all places.

Delete "0.40%" and substitute, "VL IV" in all places.

Delete "0.65% and substitute, "VL III" in all places.

PAGE 14

4.4.2.6:

Delete "AQL or 100% and substitute, "CONFORMANCE CRITERIA" in all places.

Delete "0.40%" and substitute, "VL IV" in all places.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.

Delete "0.65% and substitute, "VL III" in all places.

* Add "Critical I, None defined"

* Delete Special A and B in their entirety and substitute the following:

"Critical II, A Propelling charge support assembly missing 100% 5.1 Visual

Critical II, B Support assembly position or orientation improper 100% 5.1 Visual"

PAGE 15

4.4.2.7:

Delete "AQL or 100% and substitute, "CONFORMANCE CRITERIA" in all places.

Delete "0.40%" and substitute, "VL IV" in all places.

Delete "0.65% and substitute, "VL III" in all places.

PAGE 16

4.4.2.8:

Delete "AQL or 100% and substitute, "CONFORMANCE CRITERIA" in all places.

Delete "0.40%" and substitute, "VL IV" in all places.

Delete "0.65% and substitute, "VL III" in all places.

Add new minor defect as follows:

"201 firing table/graphical firing scale missing … 0.65% … 5.1 ... Visual"

PAGE 17

4.4.2.9:

Delete "AQL or 100% and substitute, "CONFORMANCE CRITERIA" in all places.

Delete "0.40%" and substitute, "VL IV" in all places.

Delete "0.65% and substitute, "VL III" in all places.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.

PAGE 18

4.4.2.10:

Delete “AQL or 100% and substitute, “CONFORMANCE CRITERIA” in all places.

Delete “0.40%” and substitute, “VL IV” in all places.

Delete “0.65% and substitute, “VL III” in all places.

PAGE 19

4.4.3.2, Line 7: Delete "e. Metal parts separation, critical defect (see 3.7.5)." and substitute, "e … Metal parts separation, Special defect (see 3.7.5).”

PAGE 20

4.5.2, Sub-paragraph 5, line 5: Delete, "All fuzes shall be set for impact functioning" and substitute, "All fuzes shall be set to superquick (SQ).”

PAGE 21

4.5.3.1, Line 1: Delete "6 ¾ inches" and substitute, "4 ¼ inches."

The margins of this amendment are marked with an asterisk, or vertical line to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1310-0629)

Source: https://assist.dla.mil -- Downloaded: 202640-23T03:11Z
Check the source to verify that this is the currentversion before use.