MIL-T-55418(EL)
AMENDMENT 2
23 January 1967
SUPERSEDING
AMENDMENT 1
6 July 1966

MILITARY SPECIFICATION

TELETYPEWRITER RELAY CENTRAL AN/MGC-23( )

This amendment forms a part of Specification MIL-T-55418EL dated 24 February 1965.

Paragraph 3.1 Description.- Add to the listing of installed major components:

"1 each Low Level Signalling Device TT-523( )/FGC"
"1 each Low Level Signalling Device TT-524( )/FGC"
"1 each Interconnecting Box J-2671( )/FGC( )XC-1"

Paragraph 3.1.1 Semitrailer, Van, Electrical Facility V-318( )/MGC-23.- Delete: "(See 6.2(d))" and substitute: "(See 6.2(b))".

Paragraph 3.4.2.5 Continuity of ZVA control circuits.- Delete.

Paragraph 3.5. System Operation.- Delete and substitute the following: "The system operation shall be performed on the preproduction samples only. With all operating components of the Teletypewriter Relay Central AN/MGC-23( ) installed as indicated by the drawings, the equipment shall function in accordance with the following requirements:"

Paragraph 3.18.4 Statement of treatment.- Delete the sentence "period" and "(See 6.2)" from the end of the paragraph and add the following: "for material such as canvas, webbing, cloth, etc., cited on drawings listed on SC-DL-506300.".

Paragraph 4.3 Preproduction inspection.- In next to last line, delete the first "III" and substitute "II".

Paragraph 4.5.1 Group A inspection.- Table II.- Group A inspection.- Relocate the double asterisks "**" from the "Minor" column to the "Major" column of the "AQL" heading in line with "Electrical". Delete ZVA Control circuits 3.4.2.5, 4.6.2.20".

Paragraph 4.5.4 Reinspection of conforming group B and group C sample units.- Delete the word "visible" in last line.

FSC 5815

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:19Z
Check the source to verify that this is the current version before use.

Paragraph 4.6.1.1 Breakdown voltage test.- In subparagraph (b) delete the sentence "period" and add: "and bell."

Paragraph 4.6.1.4 Test of Distribution Panel No. 1, Breaker 3 circuit.- In subparagraph (h) delete "T" in third line and substitute: "D".

Paragraph 4.6.1.7 Test of Distribution Panel No. 1, Breaker 4 circuit.- Replace first sentence with the following: "Note: This breaker controls the ZVA-TTY and TT-524-ZVA outlets and 4 equipment outlets through individual switches with individual indicator lamps".
Replace subparagraph "(b)" with the following: "(b) Plug 115 VAC test lamp into ZVA-TTY outlet; lamp shall light. Plug 115 VAC test lamp into TT-524-ZVA outlet; lamp shall not light. Turn outlet switch on; lamp shall light."

Paragraph 4.6.1.12 Test of Distribution Panel No. 1, Breaker 9 circuit.- In subparagraph (b), first line, after TT-346( )/FG insert: "Rec".

Paragraph 4.6.1.14 Test of Distribution Panel No. 2, Breaker 2 circuit.- Delete subparagraph (b) and substitute the following: "(b) Repeat 4.6.1.12 (b), (c), and (d) for TT-346( )/FG Rec Pos #1 and #2, Mon Pos #1 and #2, and TH-22( )/TG Pos #1 and #2."

Paragraph 4.6.1.15 Test of Distribution Panel No. 2, Breaker 3 circuit.- Replace subparagraph (b) with the following: "(b) Repeat 4.6.1.12 (b), (c), and (d) for TT-346( )/FG Spare, Spare Mon-Pos, TT-346( )/F Rec Pos #7 and #8, Mon-Pos #7 and #8, and TH-22( )/TG Pos #7 and #8."

Paragraph 4.6.1.22 Test of Distribution Panel No. 3, Breaker 2 circuit.- In subparagraph (b), first line, after TT-346( )/FG insert: "Rec".

Paragraph 4.6.2.19 Test of Ammeter Circuits (Red and Black Patch Panels).- In subparagraph (b) delete "PJ-039" and substitute: "PJ-309".

Paragraph 4.6.2.20 Test of ZVA Control circuits.- Delete.

Paragraph 4.6.3.5 ZVA Position operation.- In subparagraph (b) delete second sentence. Replace subparagraph (c) with the following: "(c) Reference Drawing SC-D-506301 Sheet #6, View "N". Connect low level signalling device cable assemblies to the TT-178( )/FG and to the (four) TT-346( )/FG Receive Plug tie points as indicated in the low level signalling device instruction manual. Connect the low level signalling device to its power receptacle."

Source: https://assist.dla.mil -- Downloaded: 202640-22T23:19Z
Check the source to verify that this is the currentversion before use.

In subparagraph (e) add a "period" after the number "4" and delete all thereafter.

Paragraph 4.7 Vehicular transportation test.- Delete subparagraph "(a)". In subparagraph (b) delete "fourth sentence" and subsubparagraphs "(2) (3) and (4)" and change "10 laps" to read: "20 laps" in subsubparagraph (1).

Paragraph 6.2 Ordering data.- Delete subparagraphs (b) through (h) inclusive and substitute the following:

(b) Procurement of Semitrailer, Van Electrical Facility V-318( )/MGC-23 should be in accordance with this specification. Preproduction inspection of the V-318( )/MGC-23 should be performed using Government furnished live-loads for testing purposes unless otherwise specified in bid request or contract.

(c) A list of each individual component item to be used for testing the equipment where a complete AN/MGC-23( ) assemblage is not available for transfer of major components. (See 3.1).

(d) Submission of the statement of treatment referenced in 3.18.4, as soon as possible after award of contract. This statement should be submitted to the contracting officer.

Custodian
Army EL

Preparing Activity
Army EL

Project Number 5815-A038

Source: https://assist.dla.mil -- Downloaded: 20261O-22T23:19Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:19Z
Check the source to verify that this is the current version before use.