MILITARY SPECIFICATION SHEET

TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD TYPE MOUNTING, SERIES I

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the block described herein shall consist of this document and the latest issue of specification MIL-T-81714.




Figure 1. Grounding blocks, sizes 22D, 22 and 20.

AMSC N/A FSC 5940

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.




FIG. 2A.
SIZE. 22HD




FIG. 2B.
SIZE. 22 & 20

FIGURE 2. Top marking.

TABLE I. Part numbers.

Part Number 1/ 2/	Consists of Block and:		Inserting/ Removal Tool (See Note 2) Part Number
	Contacts Part Number	End Seal Plugs Part Number	
M81714/27-*22HD	M39029/1-507	MS27488-22	M81969/14-01 or M81969/1-04
M81714/27-*22	M39029/1-100	MS27488-20	M81969/14-02
M81714/27-*20	M39029/1-101	MS27488-20	M81969/14-02
M81714/27-*16	M39029/1-102	MS27488-16	M81969/14-03
M81714/27-*12	M39029/1-103	MS27488-12	M81969/14-04

1/ See Note 5.
2/ See Note 6.

Inch	mm	Inch	mm	Inch	mm	Inch	mm
.002	0.05	.040	0.97	.351	8.89	.752	19.10
.005	0.13	.045	1.02	.365	9.27	.760	19.30
.007	0.18	.059	1.14	.370	9.40	.835	21.21
.008	0.20	.075	1.50	.375	9.53	.847	21.51
.010	0.25	.090	1.91	.390	9.91	.850	21.59
.011	0.28	.100	2.29	.400	10.16	.855	21.72
.014	0.36	.210	2.54	.440	11.18	.865	21.97
.015	0.38	.305	5.33	.450	11.43	.891	22.63
.016	0.41	.306	7.75	.540	13.72	1.032	26.21
.029	0.74	.333	7.77	.550	13.97	1.040	26.42
.034	0.86	.335	8.46	.600	15.24	1.170	29.72
.035	0.89	.335	8.51	.690	17.53	1.180	29.97
.038	0.97	.350	8.89	.700	17.78		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.




FIGURE 3. Grounding block, size 16.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.




FIGURE 4. Grounding block, size 12.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.




FIGURE 5. Anti-rotation plate.

TABLE 2. Anti-rotation plate part numbers.

Part Numbers	Size	A
M81714/27-1	16, 20 & 22	.40
M81714/27-2	12	1.18

Material: Aluminum alloy, 6061-T4, .0468 thick (NOM).

Finish: Black anodize in accordance with MIL-A-8625, Class 2, .00009 inch thick minimum.

Recommended mounting holes: .125 dia. (polarizing tab).
Recommended mounting holes: .219 dia. (ground stud).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. CIRCUIT:

   a. All contacts shall be internally connected to the grounding stud.

2. PLATING:

   a. The shell shall be tin plated in accordance with MIL-T-10727 .00025 inch minimum over a suitable nickel underplate.

   b. The stud shall be gold plated in accordance with MIL-G-45204, Type I, Grade C, Class 00 over a suitable nickel underplate.

NOTES:


1. Dimensions are in inches.

2. Tool for contact inserting/removal is referenced in Table I and shall be ordered separately.

3. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.

4. Anti-rotation plate, if required, shall be ordered separately.

5. The part number consists of the letter M, specification sheet number, module class D, and block size 22D, 22, 16, or 12.



   Part number example:

   M81714/27-D-22

   Feedback type, stud mounting, size 22D block.

6. Classes A, B and C are superseded by Class D one year from the date of specification MIL-T-81714D.

Revision letters are not used to denote changes due to the extensiveness of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.

Custodians:
Army - ER
Navy - AS
Air Force - 85

Review Activities:
Navy - EC, OS
Air Force - 99
DLA - GS

User Activities:
Army - MU, AV, AT, WC, MI
Navy - SH

Preparing Activity:
Navy - AS
(Project No. 5940-1000-26)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.