


THE R... REMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-J-26149

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE


Form approved
OMB No. 0704-0188










DOLLY-MOUNTED




DOLLY-MOUNTED







HAND-CARRIED



CANTILEVER

NOTES:

1. DIMENSIONS ARE IN INCHES. (M), (M = METER).
2. THIS IS A DESIGN STANDARD AND CANNOT BE USED AS A PART NUMBER.
3. THIS STANDARD COMPLEMENTS AND IS A PART OF THE REQUIREMENT(S) OF MIL-STD-809 AND MIL-J-26149.
4. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID.
5. CERTAIN PROVISIONS OF THIS STANDARD ARE SUBJECT TO INTERNATIONAL STANDARDIZATION AGREEMENT ASCC, AIR-STD 25.7 AND NATO STANAG 3098. WHEN A REVISION OR CANCELLATION OF THIS STANDARD IS PROPOSED WHICH WILL MODIFY THE INTERNATIONAL AGREEMENT CONCERNED, THE PREPARING ACTIVITY WILL TAKE APPROPRIATE ACTION THROUGH INTERNATIONAL STANDARDIZATION CHANNELS INCLUDING DEPARTMENTAL STANDARDIZATION OFFICES TO CHANGE THE AGREEMENT OR MAKE OTHER APPROPRIATE ACCOMODATIONS.
6. THE HEAD OF EACH JACK LISTED HEREIN SHALL INTERFACE WITH THE APPROPRIATE ADAPTER PER MS33559.
7. SEE APPLICATION TABLES FOR AIRCRAFT JACKS, NAVAIR 19-70-46, OR MIL-HDBK-300.
8. (C) ~~WHEN THE WEIGHT OF THE AXLE JACK ASSEMBLY EXCEEDS 120 LBS (3,048 KG) THE ASSEMBLY SHALL BE EQUIPPED WITH ATTACHMENT FITTINGS SUITABLE FOR TOWING USING THE TOW BAR ASSIGNED TO THE AIRCRAFT, OR SHALL BE EQUIPPED WITH ITS OWN TOW BAR.~~
9. (C) ~~HAND CARRIED JACKS SHALL BE LIMITED TO A MAXIMUM OPERATIONAL WEIGHT OF 120 LBS (3,048 KG). LANDING GEAR JACKS IN EXCESS OF THIS LIMIT SHALL HAVE TYPE 1, CLASS 1b MOBILITY PER MIL-STD-1784.~~
10. ALL FUTURE MODEL DESIGNATIONS OF JACKS SHALL BE IN ACCORDANCE WITH MIL-STD-875.
11. AIRCRAFT JACKS USED WITH THE LANDING GEAR OR AXLE SHALL BE CLASSIFIED AS EITHER HAND-CARRIED, DOLLY MOUNTED OR CANTILEVER.

(C) REVISED

PREPARING ACTIVITY NAVY - AS CUSTODIANS ARMY-AV NAVY - AS AIR FORCE-11 DLA- REVIEW AIR FORCE - 99 USER NAVY - MC PROJECT NUMBER 1730-0308	MILITARY SPECIFICATION SHEET TITLE: JACK, AIRCRAFT LANDING GEAR (AXLE)	SPECIFICATION SHEET NUMBER MS26566C 24 MAR 1989 SUPERSEDING MS26566E AMSC - N/A FSC 1730

DISTRIBUTION STATEMENT A Approved for public release distribution is unlimited

DD FORM 672 PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-03-23T15:13Z
Check the source to verify that this is the current version before use.

THE REQUIREMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION: MIL-J-26149

THIS SPECIFICATION IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE

Form approved
OMB No. 0704-0188

JACK, AIRCRAFT, LANDING GEAR (AXLE), DOLLY MOUNTED

NAVAL MODEL DESIGNATION	TYPE DESIGNATION	CAP TONS (kg)	A MIN COL HEIGHT IN(M)	B HYD RISE IN(M)	C SCREW EXT IN(M)	D MAX BASIC HT IN(M)	E BASE WIDTH IN(M)	F MAX WIDTH IN(M)	G REACH IN(M)	H LENGTH IN(M)	JACK WT COMP LBS (kg)	(CAGE) PART NO.	MSN 1730
	F1	20 (18,140)	9 (.23)	15 (.38)	5 (.13)	29 (.74)					230 (104.3)	(80049) 53022034	00-540-1238
		35 (31,745)	10 (.25)	12.1 (.31)	6.2 (.16)	28.4 (.72)					368 (167)	(00994) 66J33607	00-913-1243
	F2	35 (31,745)	11 (.28)	20 (.51)	7 (.18)	38 (.97)	9.5 (.24)	36 (.91)	44 (1.12)	70.5 (17.9)	375 (170.1)	(98750) 53022046	00-571-1139
	MHU-87E	35 (31,745)	9.5 (.24)	10 (.25)	3.437 (.09)	22.937 (.58)	9 (.23)	30 (.76)	45 (1.14)	65 (1.65)		(80049) 66J1591	00-913-7292
		35 (31,745)		20.5 (.52)	---	24 (.61)						(02708) 5967-011	00-121-8575 (USE 00-015-7980 UNTIL EXH)
		35 (31,745)	4.5 (.11)	18.6 (.46)	---	22.5 (1.57)						(02708) 8292-010	00-818-8412
		40 (36,280)	7.7 (.20)	15 (.38)	4 (.10)	27.1 (.69)					505 (22.9)	(94861) CJ67D0400	00-854-2236
	F3A	50 (45,350)	14 (.36)	22 (.56)	5 (.13)	41 (1.04)					575 (261)	(80049) 53022047	00-571-1140
		60 (54,420)	10.0 (.25)	11.0 (.28)	5.0 (.13)	26.0 (.66)	8.75 (.22)			18.0 (.46)		(94861) 60P10	01-049-6162
		65 (58,955)	4.5 (.11)	24 (.61)	---	28.5 (.72)					3100 (1,406)	(02708) 8398-010	00-301-9988
		70 (63,490)	18 3/4 (.48)	36 (.91)	10 (.25)	64 3/4 (1.64)					700 (316)	(94861) CJ3934 MODEL 7018 (02708) 3934	00-708-8014
	MD1	75 (68,025)	11 (.28)	15.2 (.39)	5 (.13)	31.2 (.79)					810 (367.4)	(80059) 65D22196	00-632-8425

JACK, AIRCRAFT, LANDING GEAR (AXLE), HAND CARRIED

		1 (907)										(77445) PWA24667	00-006-5605
A6-1HC	A-6	5 (4536)	5.5 (.14)	9 (.23)	3 (.23)	17.5 (.44)	3 (.08)	---	5 (.13)	12 (.30)	26 (11.8)	(80049) 53D22020	00-64-2343
A5-2HC		5 (4536)	6 (.15)	9 (.23)	3 (.08)	20 (.51)	4.5 (.114)	---	6 (.152)	21 3/8 (.54)	31 (14.1)	(02708) 1161AS100-1	00-043-4087
A10-1HC	A-6	10 (9,072)	8 (.20)	13 (.33)	4 (.10)	25 (.64)	4.5 (.11)		6.75 (.17)	13.5 (.34)	50 (22.68)	(80049) 53D22004	00-203-4697
		12 (10,884)	10 (.25)	16 (.41)	---	26 (.66)					70 (31.8)	(02708) 1975-010	00-544-5644
		15 (13,605)	5.5 (.14)	8.75 (.22)	2.5 (.06)	16.75 (.43)	5.5 (.14)		11.37 (.29)	13 (.33)		(02708) 8925-010	00-084-8513
A15-2HC		15 (13,605)	4 3/4 (.12)	7 5/8 (.19)	2 4/16 (.07)	14 15/16 (.38)	4.5 (.11)	---	4 3/4 (.12)	17 1/4 (.438)	50 (22.68)	(00994) CJ67D0250-1	00-884-5647
A17-1HC		17 (15,419)	9 (.23)	15 (.38)	5 (.13)	28 (.74)	6.5 (.17)	--- ---	9 (.229)	14 (.36)	120 (54.43)	(02708) 997-010 (30003) 942AS100-1	00-544-5647
A20-1HC A20-2HC		20 (18,140)	5.5 (.14)	12 (.30)	3.25 (.08)	20.75 (.53)	7 (.175)	--- ---	5.5 (.140)	22 (.559)	90 (40.82)	(00994) 1128AS100-1, -5	01-109-1146 01-260-2203
A36-3HC		35 (31,745)	10 (.25)	18 (.46)	4 (.10)	32 (.81)	7.0 (.18)	--- ---	10 (.25)	14.0 (.36)	190 (86.2)	(02708) 8704-010	01-013-4185

PREPARING ACTIVITY NAVY - AS
CUSTODIANS ARMY-AV NAVY - AS
AIR FORCE-11 DLA-
REVIEW AIR FORCE - 99
USER NAVY - MC
PROJECT NUMBER 1730-0308

MILITARY SPECIFICATION SHEET
TITLE: JACK, AIRCRAFT, LANDING GEAR (AXLE)

SPECIFICATION SHEET NUMBER
MS26566C 24 MAR 1989
SUPERSEDING
MS26566P
AMSC- N/A FSC 1730

DISTRIBUTION STATEMENT A Approved for public release, distribution is unlimited

DD FORM 672 MAY 1988 PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Downloaded from: https://assist.dla.mil -- Downloaded: 202640-23T15:13Z
Check the source to verify that this is the current version before use.

THE REMENTS FOR ACQUIRING THE PRODUCT(S) DESCRIBED HEREIN SHALL CONSIST OF THIS SPECIFICATION SHEET AND THE ISSUE OF THE FOLLOWING SPECIFICATION LISTED IN THAT ISSUE OF THE DODISS SPECIFIED IN THE SOLICITATION MIL-J-26149

THIS SPECIFICA. IS APPROVED FOR USE BY ALL DEPARTMENTS AND AGENCIES OF THE DEPARTMENT OF DEFENSE

Form approved
OMB No. 0704-0188

JACK, AIRCRAFT, LANDING GEAR (AXLE), CANTILEVER.

NAVAL MODEL DESIGNATION	TYPE DESIGNATION (COMPANY MODEL NUMBER)	CAP TONS (Kg)	A MIN COL HEIGHT IN(M)	B HYD RISE IN (M)	D MAX BASIC RT. IN (M)	H LENGTH IN(M)	J INSIDE DIA	K WIDTH IN(M)	JACK WT COMP. LBS (Kg)	(CAGE) PART NO.	NSN 1730 -
A45-10R	(5923)	45 (40,815)	4.5 (.46)	18 (.46)	22.5 (.57)		68 (1.72)	80 (2.032)	2190 (993.4)	(02708) 5923-010	00-965-5744
A45-20R		45 (40,815)	4 (.10)	23 (.58)	39 (.99)	110 (2.78)	62 (1.57)	80 (2.032)	2190 (993.4)	(30003) 1474AS100-1	01-224-8606
	(5967)	40 (36,280)	416 (.18)	9.4 (.76)	24 (.94)				1950 (884.5)	(02708)	00-121-8575
	(6983)	15 (13,605)	3.3 (.73)	14 (.55)	17.3 (.68)				850 (385.6)	(02708)	00-022-8919
	(8091)	40 (36,280)	3.75 (.15)	13 (.51)	16.5 (.65)				1900 (861.9)	(02708)	00-911-3720

PREPARING ACTIVITY NAVY - AS CUSTODIANS ARMY-AV NAVY - AS AIR FORCE-11 DLA- REVIEW: AIR FORCE - 99 USER NAVY - MC PROJECT NUMBER 1730-0308	MILITARY SPECIFICATION SHEET TITLE: JACK, AIRCRAFT, LANDING GEAR (AXLE)	SPECIFICATION SHEET NUMBER MS26566C 24MAR 1989 SUPERSEDING MS26566B AMSC- N/A FSC 1730
DISTRIBUTION STATEMENT A Approved for public release distribution is unlimited		Page 3 of 3

DD FORM 672 MAY 1988 PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 20240-23T15:13Z
Check the source to verify that this is the current version before use.