
MS9068 (ASG)

FED SUP CLASS 5330



SECTION A-A

* Preferred Sizes
(a) FOR REFERENCE PURPOSES ONLY

PART NO.	ID MIN	ID MAX	T MIN	T MAX	(a) BASIC VOLUME CU IN.	APPROX WEIGHT LBS/100
*MS9068-004	065	.075	.067	.073	.0017	.008
*MS9068-005	.096	.106	.067	.073	0021	010
*MS9068-006	109	.119	.067	.073	.0022	.010
*MS9068-007	140	.150	.067	.073	0026	.012
*MS9068-008	171	181	.067	073	0030	.014
*MS9068-009	.203	.213	.067	073	.0034	016
*MS9068-010	234	.244	.067	.073	.0037	.017
*MS9068-011	296	.306	067	.073	0045	.021
*MS9068-012	359	369	.067	.073	.0052	.024
*MS9068-013	421	431	.067	.073	0060	.028
*MS9068-014	484	494	.067	.073	0068	.031
*MS9068-015	.546	.556	.067	.073	.0075	.034
*MS9068-016	609	.619	.067	.073	.0083	.038
*MS9068-017	.671	.681	.067	.073	.0090	.041
*MS9068-018	.734	.744	.067	.073	.0098	.045
MS9068-019	795	.807	.067	.073	.0105	.048
*MS9068-020	.858	.870	.067	.073	.0113	.052
MS9068-021	.920	.932	.067	.073	.0120	.055
*MS9068-022	.983	.995	.067	.073	.0128	.059
MS9068-023	1 046	1.057	.067	.073	.0136	.062
*MS9068-024	1.108	1.120	.067	.073	.0143	.066
MS9068-025	1.170	1.182	.067	.073	.0151	.069
*MS9068-026	1.233	1.245	.067	.073	.0158	.073
MS9068-027	1.295	1.307	.067	.073	.0166	.076
*MS9068-028	1.358	1.370	.067	.073	.0173	.080
*MS9068-029	1 479	1 499	.067	.073	.0188	.086
MS9068-030	1.604	1.624	.067	.073	.0204	.094
*MS9068-031	1.729	1.749	.067	.073	0219	.101
MS9068-032	1.854	1.874	.067	.073	.0234	.108
*MS9068-033	1 979	1.999	.067	.073	.0249	.114
MS9068-034	2.104	2.124	067	073	.0264	.121
*MS9068-035	2 229	2.249	.067	.073	0279	.128
MS9068-036	2.354	2.374	.067	.073	.0294	.135
*MS9068-037	2 479	2.499	.067	.073	0309	.142
MS9068-038	2 604	2.624	.067	073	.0324	.149
*MS9068-039	2.724	2.754	.067	073	0340	.156
MS9068-040	2.849	2.879	.067	.073	.0355	.163
*MS9068-041	2 974	3.004	.067	.073	.0370	.170
MS9068-042	3 224	3.254	.067	.073	.0400	.184
*MS9068-043	3.474	3.504	.067	.073	.0430	.198
MS9068-044	3 724	3.754	.067	.073	.0460	.212
*MS9068-045	3.974	4.004	.067	.073	0491	.226
*MS9068-110	.357	.367	.100	.106	.0122	.056
*MS9068-111	419	429	.100	.106	0138	063
*MS9068-112	.482	.492	.100	.106	.0154	071

PART NO.	ID MIN	ID MAX	T MIN	T MAX	(a) BASIC VOLUME CU IN.	APPROX WEIGHT LBS/100
*MS9068-113	.544	.554	.100	.106	0171	.079
*MS9068-114	.607	.617	.100	.106	0187	.086
*MS9068-115	.669	.679	.100	106	.0203	.093
*MS9068-116	.732	.742	.100	.106	.0220	.101
MS9068-117	.793	.805	.100	.106	0236	.108
*MS9068-118	.856	.868	.100	.106	.0253	.116
MS9068-119	.918	.930	100	106	0269	.124
*MS9068-120	.981	.993	100	106	.0285	.131
MS9068-121	1.043	1.055	.100	.106	.0302	.139
*MS9068-122	1.106	1.118	100	.106	.0318	.146
MS9068-123	1.168	1.180	.100	106	0334	.154
*MS9068-124	1.231	1.243	.100	.106	.0351	.161
MS9068-125	1.293	1.305	.100	.106	.0367	.169
*MS9068-126	1 356	1.368	.100	.106	.0383	.176
MS9068-127	1.418	1.430	.100	.106	.0400	.184
*MS9068-128	1.481	1.493	.100	.106	.0416	.191
MS9068-129	1.539	1.559	.100	.106	.0432	.199
MS9068-130	1.602	1.622	.100	.106	.0449	.207
MS9068-131	1.664	1.684	.100	.106	.0465	.214
*MS9068-132	1.727	1.747	.100	.106	.0482	.222
MS9068-133	1.789	1.809	.100	.106	.0498	.230
MS9068-134	1.852	1.872	.100	.106	.0514	.236
MS9068-135	1.915	1.935	.100	.106	.0531	.244
*MS9068-136	1.977	1.997	.100	.106	.0547	.252
MS9068-137	2.040	2.060	.100	.106	.0564	.259
MS9068-138	2 102	2.122	.100	.106	.0580	.267
MS9068-139	2.165	2.185	..00	106	.0596	.274
*MS9068-140	2.227	2.247	.100	.106	.0612	.282
MS9068-141	2.290	2.310	.100	.106	0629	.289
MS9068-142	2.352	2.372	.100	.106	.0645	297
MS9068-143	2 415	2.435	.100	.106	.0662	.304
*MS9068-144	2.477	2.497	.100	.106	.0678	.312
MS9068-145	2.540	2.560	.100	.106	.0694	.319
MS9068-146	2.602	2.622	.100	.106	.0711	.327
MS9068-147	2.660	2.690	.100	.106	.0727	.334
*MS9068-148	2.722	2.752	.100	.106	.0743	.342
MS9068-149	2.785	2.815	.100	.106	.0760	.350
MS9068-150	2.847	2.877	.100	.106	.0776	.357
*MS9068-151	2.972	3.002	.100	.106	.0809	.372
MS9068-152	3.222	3.252	.100	.106	.0874	.402
*MS9068-153	3.472	3.502	.100	106	0940	.432
MS9068-154	3.722	3 752	.100	.106	1005	.462
*MS9068-155	3.972	4.002	.100	.106	1071	.493
MS9068-156	4.222	4.252	100	.106	.1136	523
*MS9068-157	4.472	4.502	.100	106	1202	.553
MS9068-158	4.722	4.752	.100	.106	.1267	.583
*MS9068-159	4.972	5.002	.100	.106	.1332	613
MS9068-160	5 214	5.260	100	.106	1398	.643

APPROVED 23 Sep 60 REVISED

P A. ASG
Other Cust
Navy - Nop
USAF

TITLE: PACKING, PREFORMED - AMS 330A, "O" RING

MILITARY STANDARD
MS9068 (ASG)

PROCUREMENT SPECIFICATION: NONE

SUPERSEDES

SHEET 1 OF 3

DD FORM 1 SEP 57 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

This standard has been approved by the Bureau (Department of the Navy) and the Department of the USAF and is mandatory for use by that activity. All other military activities are required to employ this standard where suitable.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:10Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5330

* Preferred Sizes
(a) FOR REFERENCE PURPOSES ONLY

PART NO.	ID MIN	ID MAX	T MIN	T MAX	(a) BASIC VOLUME CU IN.	APPROX WEIGHT LBS/100
*MS9068-161	5 464	5 510	.100	106	.1463	.673
MS9068-162	5.714	5.760	.100	.106	.1529	.703
*MS9068-163	5.964	6 010	.100	106	.1594	.733
*MS9068-210	728	740	.135	143	.0416	191
MS9068-211	790	802	.135	143	.0446	.205
*MS9068-212	.853	.865	.135	.143	.0476	.219
MS9068-213	915	927	135	143	0505	232
*MS9068-214	978	990	.135	143	0535	246
MS9068-215	1 040	1.052	.135	.143	.0565	.260
*MS9068-216	1 103	1.115	.135	.143	.0595	274
MS9068-217	1 165	1 177	135	.143	.0624	287
*MS9068-218	1 228	1.240	.135	143	0656	302
MS9068-219	1.290	1.302	135	143	.0684	.315
*MS9068-220	1 353	1.365	.135	.143	.0714	.328
MS9068-221	1 415	1.427	.135	.143	.0744	.342
*MS9068-222	1.478	1.490	.135	.143	.0774	.356
MS9068-223	1.599	1.619	.135	.143	.0833	383
*MS9068-224	1.724	1.744	.135	.143	.0893	.411
MS9068-225	1.849	1.869	.135	.143	.0952	.438
*MS9068-226	1.974	1.994	.135	.143	.1012	.466
MS9068-227	2.099	2.119	.135	.143	.1072	.493
*MS9068-228	2.224	2.244	.135	.143	.1131	.529
MS9068-229	2.349	2.369	135	.143	.1191	548
*MS9068-230	2.474	2.494	.135	.143	.1250	.575
MS9068-231	2 599	2.619	.135	.143	.1310	603
*MS9068-232	2.719	2.749	.135	.143	.1370	.630
MS9068-233	2.844	2 874	.135	143	.1429	.657
*MS9068-234	2.969	2.999	135	.143	1489	685
MS9068-235	3.094	3.124	.135	.143	.1548	.712
MS9068-236	3.219	3.249	.135	.143	1608	.740
MS9068-237	3 344	3 374	.135	.143	.1668	.767
*MS9068-238	3.469	3 499	.135	.143	.1727	.794
MS9068-239	3 594	3.624	.135	143	.1787	.822
MS9068-240	3 719	3 749	135	143	1846	849
MS9068-241	3.844	3 874	.135	.143	.1906	877
*MS9068-242	3.969	3.999	.135	.143	1966	.904
MS9068-243	4 094	4 124	135	.143	2025	.932
MS9068-244	4 219	4.249	.135	143	2085	959
MS9068-245	4 344	4.374	135	.143	.2144	.986
*MS9068-246	4 469	4 499	135	.143	.2204	1.014
MS9068-247	4.594	4.624	.135	.143	.2264	1.041
MS9068-248	4.719	4.749	135	143	2323	1.068
MS9068-249	4 844	4.874	.135	.143	.2383	1 096
*MS9068-250	4.969	4 999	.135	.143	.2442	1 123
MS9068-251	5 086	5.132	.135	.143	.2502	1.151
MS9068-252	5.211	5.257	135	.143	2561	1.178
MS9068-253	5.336	5.382	.135	.143	.2621	1.206
*MS9068-254	5.461	5.507	.135	.143	2681	1.233
MS9068-255	5.586	5.632	.135	.143	.2740	1.260
MS9068-256	5.711	5.757	.135	.143	.2800	1.288
MS9068-257	5.836	5.882	.135	.143	.2859	1.315
*MS9068-258	5.961	6.007	.135	143	.2919	1 343
MS9068-259	6 211	6.257	.135	.143	.3038	1.397
MS9068-260	6.461	6.507	.135	.143	.3157	1.452
MS9068-261	6 711	6.757	.135	.143	.3276	1.507
*MS9068-262	6 961	7 007	.135	143	3396	1 562
MS9068-263	7.204	7.264	.135	.143	.3515	1.617
MS9068-264	7 454	7.514	.135	143	.3634	1.672
MS9068-265	7 704	7.764	135	143	.3753	1.726
*MS9068-266	7 954	8.014	135	143	3872	1.781
MS9068-267	8.204	8.264	.135	.143	.3992	1.836
MS9068-268	8 454	8 514	135	.143	4111	1 891
MS9068-269	8 704	8 764	.135	.143	.4230	1.946
*MS9068-270	8.954	9.014	.135	.143	4349	2.000
MS9068-271	9.204	9.264	.135	.143	.4468	2.055
MS9068-272	9.454	9.514	.135	.143	4588	2.110
MS9068-273	9.704	9.764	135	143	.4707	2.165
*MS9068-274	9.954	10.014	.135	.143	.4826	2.220
MS9068-275	10.454	10.514	.135	.143	.5064	2.329
*MS9068-276	10.954	11.014	.135	.143	.5303	2.439
MS9068-277	11.454	11.514	.135	.143	4541	2.549
*MS9068-278	11.954	12.014	.135	.143	.5579	2.658
MS9068-279	12.954	13.014	.135	.143	.6256	2.878
*MS9068-280	13.954	14.014	.135	.143	.6733	3.097
MS9068-281	14.954	15.014	.135	.143	.7210	3.317
*MS9068-325	1.465	1.485	.205	.215	.1833	.843
MS9068-326	1.590	1.610	.205	.215	.1970	.906
*MS9068-327	1.715	1.735	.205	.215	.2106	.969
MS9068-328	1.840	1.860	205	.215	.2242	1.031
*MS9068-329	1.965	1.985	.205	.215	.2378	1.094
MS9068-330	2.090	2.110	.205	215	.2514	1 156
*MS9068-331	2.215	2.235	.205	.215	.2650	1.219
MS9068-332	2.340	2.360	.205	.215	.2786	1.282
*MS9068-333	2.465	2.485	.205	.215	.2922	1.344
MS9068-334	2.590	2.610	.205	.215	.3058	1.407
*MS9068-335	2.710	2.740	.205	.215	.3194	1.469
MS9068-336	2.835	2 865	.205	.215	.3330	1.532
MS9068-337	2.960	2.990	.205	.215	.3466	1.594
MS9068-338	3.085	3.115	.205	.215	.3602	1.657
MS9068-339	3.210	3.240	.205	.215	.3738	1.719
MS9068-340	3.335	3.365	.205	.215	.3874	1.782
*MS9068-341	3.460	3.490	.205	.215	.4010	1.845
MS9068-342	3.585	3.615	.205	.215	.4146	1.907
MS9068-343	3.710	3 740	.205	.215	.4282	1.970
MS9068-344	3.835	3.865	.205	.215	.4418	2.032
*MS9068-345	3.960	3.990	.205	.215	.4554	2.095

APPROVED 23 Sep 60 REVISED

NOTICE — When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

This standard has been approved by the NAVY (Department of the Navy) and the Department of the U.S.A.F. and is mandatory for use by the activity. All other civil agencies are required to apply this standard where suitable.

P A ASG Other Cust Navy - Wep USAF	TITLE PACKING, PREFORMED - AMS 3304, "O" RING	MILITARY STANDARD MS9068 (ASG)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES	SHEET 2 OF 3

DD FORM 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:10Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5330

PART NO.	ID MIN	ID MAX	T MIN	T MAX	(a) BASIC VOLUME CU IN.	APPROX WEIGHT LBS/100
MS9068-346	4 085	4.115	205	.215	.4690	2.157
MS9068-347	4.210	4 240	.205	.215	4826	2.220
MS9068-348	4 335	4 365	.205	.215	.4962	2.282
*MS9068-349	4 460	4 490	205	.215	5098	2.345
*MS9068-425	4 460	4 490	.269	281	8863	4 077
MS9068-426	4 585	4 615	269	281	9097	4 185
MS9068-427	4 710	4 740	269	281	.9330	4.292
MS9068-428	4 835	4.865	.269	.281	9563	4.399
MS9068-429	4 960	4.990	.269	.281	.9796	4 506
MS9068-430	5 077	5.123	.269	.281	1.0030	4.614
MS9068-431	5.202	5.248	.269	.281	1.0263	4.721
MS9068-432	5.327	5.373	.269	.281	1.0496	4.828
*MS9068-433	5.452	5.498	.269	.281	1.0729	4.935
MS9068-434	5.577	5 623	.269	281	1.0962	5.042
MS9068-435	5.702	5.748	.269	281	1.1196	5.150
MS9068-436	5.827	5.873	.269	.281	1.1489	5.257
*MS9068-437	5.952	5.998	.269	.281	1.1662	5 364
MS9068-438	6 202	6.248	.269	.281	1.2129	5.579
MS9068-439	6.452	6.498	.269	.281	1.2595	5.794
MS9068-440	6 702	6 748	269	.281	1.3062	6.008
*MS9068-441	6.952	6.998	.269	.281	1 3528	6.223
MS9068-442	7.195	7.255	.269	.281	1.3995	6.438
MS9068-443	7.445	7.505	.269	.281	1 4461	6 652
MS9068-444	7 695	7.755	269	.281	1.4928	6.867
*MS9068-445	7.945	8.005	269	281	1 5394	7.081
MS9068-446	8.445	8.505	.269	.281	1.6327	7.510
*MS9068-447	8.945	9.005	269	.281	1.7260	7.940
MS9068-448	9 445	9 505	269	.281	1.8193	8 369
*MS9068-449	9.945	10.005	.269	.281	1.9126	8.798
MS9068-450	10 445	10.505	.269	.281	2.0059	9.227
*MS9068-451	10.945	11.005	269	281	2 0992	9.656
MS9068-452	11 445	11 505	269	281	2 1925	10 086
*MS9068-453	11.945	12.005	269	281	2 2858	10 515
MS9068-454	12.445	12.505	.269	.281	2.3791	10.944
MS9068-455	12.945	13.005	.269	.281	2 4724	11.373
MS9068-456	13 445	13.505	.269	.281	2.5657	11.802
*MS9068-457	13.945	14.005	.269	281	2 6590	12.231
MS9068-458	14.445	14.505	.269	.281	2.7523	12.660
MS9068-459	14.945	15.005	.269	.281	2.8456	13.090
MS9068-460	15.445	15.505	.269	.281	2.9389	13.519

* Preferred Sizes

(a) FOR REFERENCE PURPOSES ONLY

MATERIAL : SILICONE RUBBER AMS 3304
DIMENSIONS IN INCHES
IDENTIFICATION AND PACKAGING PER AMS 2817

DO NOT USE UNASSIGNED PART NUMBERS.

THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE ENGINE AND PROPELLER UTILITY PARTS COMMITTEE OF THE SAE

APPROVED 23 Sep 60 REVISED

P A. ASG Other Cust Navy - Wep USAF	TITLE PACKING, PREFORMED-AMS 3304, "O" RING	MILITARY STANDARD MS9068 (ASG)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES	SHEET 3 OF 3

DD FORM 672-1 (Limited coordination)

☆U.S. GOVERNMENT PRINTING OFFICE: 1981-703-023/7223

NOTICE — When Government drawings, specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

This standard has been approved by the Bureaus (Department of the Navy) and the Department of the USAF and is mandatory for use by the activity. All other military activities are requested to employ this standard where suitable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:10Z
Check the source to verify that this is the current version before use.