MIL-B-829L
AMENDMENT-1
11 June 1986

MILITARY SPECIFICATION

BAG, DUFFEL

This amendment forms a part of Military Specification MIL-B-829L, dated 15 November 1984, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, under "SPECIFICATIONS MILITARY": Add "MIL-L-35078 - Loads, Units: Preparation of Semiperishable Subsistence Items; Clothing, Personal Equipment and Equipage; General Specification For."

Under "STANDARDS MILITARY": Add "MIL-STD-731 - Quality of Wood Members for Containers and Pallets."

PAGE 6

3.3.2, at the end of paragraph: Delete period and add: "and no scores (splits) shall exceed 1/16 inch in length."

Add new paragraph:

"3.3.6 Location marks. Location marks shall not be drilled. Printed location marks shall not be more than 1/32 inch in width."

PAGE 7

Add new paragraph:

"4.1.2 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this document shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the document shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract."

AMSC N/A FSC 8465

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.



Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:32Z
Check the source to verify that this is the current version before use.

PAGE 11

Table I, under "Components and assembly" in: Add "Any drill hole in fabric - major."

PAGE 12

TABLE 1, under "Grommets", in first defect: Delete "two or more teeth exposed inside of barrel or set."

Add new defect: "Any score (splits) exceeding 1/16 inch in length - major."

PAGE 16

5.2.1, at the end of paragraph: Add "Shipping containers shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified (see 6.2). Strapping shall be limited to nonmetallic strapping, except for type II, class F loads."

PAGE 17

5.3: Delete and substitute:

"5.3 Palletization. When specified (see 6.2), bags, packed as specified in 5.2.2 and 5.2.3, shall be palletized on a 4-way entry pallet in accordance with load type Ia of MIL-STD-147. Pallet types shall be type I (4-way entry), type IV or type V in accordance with MIL-STD-147. Pallets shall be fabricated from wood groups I, II, III, or IV of MIL-STD-731. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means K and L or film bonding means O or P. Pallet pattern shall be number 3 in accordance with the appendix of MIL-STD-147. Interlocking of loads shall be effected by reversing the pattern of each course."

6.2: Add

"f. Type and class of unit load required (see 5.2.1)."



Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:32Z
Check the source to verify that this is the current version before use.

Custodians:

Army - GL
Navy - NU
Air Force - 99

Review activities:

Army - MD
Navy - MC
Air Force - 82
DLA - CT

User activity:

Navy - YD

Preparing activity:

Army - GL

Project No. 8465-0925



Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:32Z
Check the source to verify that this is the current version before use.