MIL-C-826C
AMENDMENT-1

29 August 1969

MILITARY SPECIFICATION

CABBAGE, DEHYDRATED

This amendment forms a part of Military Specification MIL-C-826C, dated 29 December 1967 and is mandatory for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1 Standards, Federal. Delete and all thereunder.

2.1 Standards, Military. Add as follows: "MIL-STD-668 - Sanitary Standards for Food Plants."

2.2 U.S. Department of Agriculture. Delete and all thereunder.

2.2 Add new items as follows:

"AMERICAN DRY MILK INSTITUTE, INC.

Standards for Grades for the Dry Milk Industry, including Methods of Analysis; Bulletin 916.

(Application for copies should be addressed to the American Dry Milk Institute, Inc., 130 N. Franklin Street, Chicago, Ill. 60606.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC.

National Motor Freight Classification

(Application for copies should be addressed to American Trucking Association, Attn: Tariff Order Section, 1616 P Street, N.W., Washington, D.C. 20036.)

FSC 8915

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:32Z
Check the source to verify that this is the current version before use.

PAGE 2 (cont'd)

UNIFORM CLASSIFICATION COMMITTEE

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee Agent, Room 202, Union Station, 516 West Jackson Boulevard, Chicago, Illinois 60606)."

PAGE 3

3.1, heading.- Delete and substitute as follows: "First Article (Preproduction sample)."

PAGE 4

3.7 Delete and substitute as follows:

"3.7 Workmanship.- The product shall be prepared, processed and packaged under modern sanitary conditions and in accordance with good commercial practice. The product shall be processed in establishments meeting the requirements of MIL-STD-668."

PAGE 5

4.2 Delete and substitute as follows:

"4.2 Pre-acceptance inspection.- Product shall be rejected if produced in plants not meeting the requirements of MIL-STD-668."

4.3.1, line 1 (Heading). Delete and substitute as follows: "Components and material inspection."

4.3.1.1 Delete.

4.3.1.2 Delete and substitute as follows:

"4.3.1.2 Testing of components.- Testing of components described in this specification shall be as shown in table I. Results for tin plating shall be applicable to the (lot averages, units, etc. as indicated). Nonconformance to one or more test requirements shall be cause for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:32Z
Check the source to verify that this is the current version before use.

PAGE 5 (cont'd)

TABLE I.- Testing of components 1/

Component	Sample unit	Lot size expressed in	Inspection level	Characteristics	Results reported	Test & req. par.
Cans & Lids 2/	1 can & 1 lid	Cans	S-1	Tinplate	Nearest 0.01 lb base box	4.5.5 and 5.1.1

1/ Each component or component characteristic, as applicable, which is not listed in this table, unless otherwise excepted, shall be tested in accordance with the applicable procedure contained in pertinent subsidiary specifications.

2/ Exterior can coating, when required, and can label shall be tested in accordance with the applicable subsidiary specifications except that tests shall be performed on the same cans submitted for tinplate testing."

PAGE 6

4.3.1.2.1 Delete.

PAGE 8

4.3.3.1, line 3.- Place a "period" after "PPP-C-29". Delete the remainder of the paragraph.

4.3.3.4. Add to the end of the paragraph the following: "Shipping containers intended for transfer at sea shall not be acceptable if reinforced with round wire strapping."

PAGE 9

4.5.4 Delete and substitute as follows:

"4.5.4 Oxygen content of cans.- Oxygen content in headspace gas in containers shall be determined in accordance with American Dry Milk Institute Inc., publication. Bulletin 916, Standards for Grades of Dry Milks; Chapter: Methods of Analysis: Determination of Oxygen."

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:32Z
Check the source to verify that this is the current version before use.

PAGE 10

5.1.1 Delete the sixth sentence and substitute as follows: "The product shall be packaged under an atmosphere of nitrogen." Delete the seventh and eighth sentences. Delete the ninth sentence and substitute as follows: "The oxygen content of the gases, at whatever pressure is in the filled and sealed container, not sooner than 2 days after filling, shall not exceed 2.0 percent when tested as specified in 4.5.4." Last line. Insert "compressed" before "product".

PAGE 11

5.2.2.1, line 2. Insert "and" before "closed". Delete "and reinforced". Add to the paragraph as follows: "For transfer at sea the shipping container shall be reinforced in accordance with the appendix of PPP-B-636, with other than round wire strapping."

PAGE 13

6.2 Delete and substitute as follows:

"6.2 Packing specified in 5.2.2.1 is intended to provide limited military protection for specific operational requirements."

Custodians:

Army - GL
Navy - SA
Air Force - 45

Preparing activity:

Army - GL

Project No. 8915-0422

Review activities:

Army - MD
Navy - MC, SA
Air Force - 45
DSA-SS

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T11:32Z
Check the source to verify that this is the current version before use.