MIL-C-63112A(AR)
AMENDMENT 3
4 NOVEMBER 1983

SUPERSEDING
AMENDMENT 2
24 June 1983

MILITARY SPECIFICATION

CARTRIDGE, 22MM, SUB-CALIBER PRACTICE
M744, M745, M746, M747
LOADING, ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-C-63112A(AR) dated 22 May 1981, and is approved for use by the U.S. Army Armament Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 3

* 3.2.1.1

a. Delete "155" and "133" and substitute "158 and "130".

b. Delete "176" and "142" and substitute "174" and "144".

c. Delete "233" and "214" and substitute "245" and "202".

PAGE 7

TABLE I, Wing (Before forming): Delete "Examination for defects 15 3.2 4.4.2.11".

PAGE 9

* TABLE I, Cartridge, 22MM Sub-Caliber Practice M744, M745, M746, M747 (Dwg 9299079). Number of samples units for examination for defects: Delete "5 ea" and substitute "25 ea".

* Paragraph reference/inspection method for examination for defects: Delete "(a)".

* Examination or Test column, Transportation Vibration Test: delete: Delete "(b)".

* Reference/Inspection Method column, 4.4.2.35(a): Add: "(b)".

FSC 1315

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:15Z
Check the source to verify that this is the current version before use.

* Notes: Delete Note (a) in its entirety and substitute: "(a) The proving ground test shall be performed on the same units that were subjected to the transportation vibration test."

* Notes: Delete Note (b) in its entirety and substitute: "(b) The excess units subjected to TV test shall be placed in stock and utilized for conditioning/spotting rounds."

PAGE 24

4.4.2.11: Delete in its entirety.

PAGE 25

4.4.2.12: Major

Add "106	Width of wing	0.40%	3.2	Gage"
Add "107	Thickness	0.40%	3.2	Gage"
Add "108	Angular cutoffs improperly located or incorrect (4 places)	0.40%	3.2	Gage"
Add "109	Radii missing or improper (4 places)	0.40%	3.2	Visual"
Add "110	Presence of holes	0.40%	3.2	Visual"

PAGE 30

4.4.1.16:

Major 108: Delete "Forward outside diameter" and substitute: "Forward flange diameter".

Major, 110, delete in its entirety.

Minor, Add:	"203 Thickness of forward flange	0.65%	3.2	Gage".
Minor, Add:	"204 Length across flats on forward flange	0.65%	3.2	Gage."

PAGE 33

4.4.2.19:

Major 101, delete: "Crimp inadequate or cracked" and substitute: "Crimp improper or missing".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:15Z
Check the source to verify that this is the current version before use.

Major 102, delete in its entirety.

PAGE 35

4.4.2.21: Delete in its entirety.

* Add: New 4.4.2.37, Page 51A included.

* Add: New 4.4.2.38, Page 51B included.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:15Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-63112A (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.37	Disc-Adhesive Backed				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Inside diameter		0.40%	3.2	Gage
102	Adhesive missing or incomplete		0.40%	3.2	Visual
Minor					
201	Outside diameter		0.65%	3.2	Gage
202	Thickness of foil		0.65%	3.2	Gage
203	Evidence of poor workmanship		0.65%	3.2	Visual

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil - Downloaded: 2026-10-23T02:15Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-63112A (AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.38	Disc, Assembly				NEXT HIGHER ASSEMBLY 9299080/9331155
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major 101	Offset		0.40%	3.2	Visual
Minor 201	Evidence of poor workmanship		0.65%	3.6	Visual

NOTES:

DRDAR-QA Form 160 Jul 77

Source: https://assist.dla.mil - Downloaded: 2026-10-23T02:15Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1315-A594)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:15Z
Check the source to verify that this is the current version before use.