MIL-T-55155/29A
17 November 1978
MIL-T-55155/29
12 March 1973
MS17121C (AS)
30 August 1971

MILITARY SPECIFICATION SHEET

TERMINAL, STUD, SINGLE TURRET (NON-INSULATED, SWAGE MOUNTED) STYLE SE-29

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the terminal described herein shall consist of this document and the issue in effect of Specification MIL-T-55155.




FIGURE 1

ADDITIONAL REQUIREMENTS:

Dimensions and configuration: See Figure 1 and Table I.
(A) Material: Bronze, or Brass, see procurement specification.
Finish: See procurement specification.
Dimensions in inches. Dimensioning and tolerancing in accordance with USASI Y 14.5 - 1966 (ANSI).
Unless otherwise specified, remove all burrs and break all sharp edges .010 maximum, fillet radii .005 maximum.
Dimensions to be held after plating.

FSC 5940

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:30Z
Check the source to verify that this is the current version before use.

Part number: Consists of the letter "M", the basic number of this specification sheet and a dash number taken from Table I.

Example:




TABLE I

DASH NUMBER	THICKNESS OF MOUNTING BOARD (REF)	A ±.002 DIA	B ±.015 HEIGHT	C ±.010	D ±.005 DIA	E ±.005	F ±.005 DIA	G ±.010 DIA	H ±.003 DIA	K ±.003	L ±.005
-1	1/64	.047	.093	.063	.063	.018	.040	.027	.028	.031	.035
-2	1/32	.047	.093	.063	.063	.018	.040	.027	.028	.031	.051
-3		.078	.187	.109	.125	.047	.075	.040	.055	.068	.078
-4		.112	.234	.156	.187		.145	.065	.076	.093	
-5	1/16	.047	.093	.063	.063	.018	.040	.027	.028	.031	.082
-6		.078	.187	.109	.125	.047	.075	.040	.055	.093	.109
-7		.112	.234	.156	.187		.145	.065	.076		
-8	3/32	.047	.093	.063	.063	.018	.040	.027	028	.031	.113
-9		.078	.187	.109	.125	.047	.075	.040	055	.093	.140
-10		.112	.234	.156	.187		.145	.065	076		
-11	1/8	.047	.093	.063	.063	.018	.040	.027	028	.031	.145
-12		.078	.187	.109	.125	.047	.075	.040	.055	.093	.170
-13		.112	.234	.156	.187		.145	.065	.076		
-14	5/32	.112	.234	.156	.187	.047	.145	.065	.076	.031	.195
-15	3/16									.093	.230
-16	1/4										.297

NOTE: Dash Nos. 1 through 16 supersede MS17121-1 through -16.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:30Z
Check the source to verify that this is the current version before use.

TABLE II

METRIC CONVERSION TABLE

INCHES	MM	INCHES	MM
.018	.46	.082	2.08
.027	.69	.093	2.36
.028	.71	.109	2.77
.031	.79	.112	2.84
.035	.89	.113	2.87
.040	1.02	.125	3.18
.047	1.19	.140	3.56
.051	1.30	.145	3.68
.055	1.40	.156	3.96
.063	1.60	.170	4.32
.065	1.65	.187	4.75
.068	1.73	.195	4.95
.075	1.90	.230	5.84
.076	1.93	.234	5.94
.078	1.98	.297	7.54

Custodians:
Navy - AS
Air Force - 11
Army - ER

Review Activities:
Navy - EC
Air Force - 99

User Activities:
Navy - MC, OS
Army - AR

Preparing Activity:
Navy - AS
(Project No. 5940-0858)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:30Z
Check the source to verify that this is the current version before use.