INCH-POUND

MIL-W-71069 (AR)
AMENDMENT 3
14 November 2001
SUPERSEDING
AMENDMENT 2
30 September 1996

MILITARY SPECIFICATION

WARHEAD, 2.75 INCH ROCKET, FLECHETTE: XM255E1

This amendment forms a part of MIL-W-71069 (AR), dated 19 March 1992, and is approved for use by the U.S. Army Armament Research, Development, and Engineering Center and is available for use by all Departments and Agencies of the Department of Defense.

Delete "XM255E1" and substitute "M255A1" wherever it appears in this document.

PAGE 2

* 2.1.2: Delete "13058370-13" and substitute "13058370-13/25".

PAGE 4

Add new paragraph 3.3.10 as follows:

"3.3.10 Environmental protector push–off test. The environmental protector shall withstand a push-off test of 4.0 lbs. minimum and 17.0 lbs. maximum. The push-off test fixture shall simulate the umbilical lead connector with the push-off force applied through the fixture to the closed end of the environmental protector. Testing shall be as specified in 4.5.11."

PAGE 6

4.3.1: Under Part Description, Add: "Protector, Environmental 9349897 15".

* Delete "Warhead, 2.75 Inch Flechette: 13282664-1 100" and substitute "Warhead, 2.75 Inch Flechette: 13282664-1 108".

AMSC N/A FSC 1340
DISTRIBUTION STATEMENT A. Approved for public release: distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:19Z
Check the source to verify that this is the current version before use.

PAGE 11

TABLE I. First article inspection:

Add:

"Protector, Environmental (Dwg. 9349897)			
Push-off test	15	3.3.10	4.5.11
Examination for defects	15	3.1	4.4.2.25".

* Delete "100" and substitute "108" in four (4) places.

PAGE 21

* 4.4.2.8: Delete "13282663" and substitute " 9334131".

* Delete "Machine finish 125 incorrect" and substitute "Machine finish 63 incorrect".

PAGE 37

Add new paragraph 4.4.2.25 included PAGE 3 (37a).

PAGE 38

* 4.5.2: Delete "assembled to MK66 Mod 1, MK 66 Mod 2 or MK66 Mod 3 rocket motors" and substitute "assembled to MK66 Mod 1, MK 66 Mod 2 or MK66 Mod 3, or MK66 Mod 4 rocket motors".

PAGE 40

* 4.5.8: Delete " Dwg.13058370-13" and substitute "Dwg. 13058370-13 or 13058370-25".

PAGE 43

* 4.5.9: Delete " Dwg.13058370-13" and substitute "Dwg. 13058370-13 or 13058370-25".

Add new paragraph 4.5.11 as follows:

"4.5.11 Push-off test. A push-off test shall be set up to simulate the removal of the environmental protector. The dimensions of the simulated umbilical cable connector, where the environmental protector fits on, shall have 0.368 ± 0.001 inch large outside diameter, 0.273 ± 0.001 inch small outside diameter, and 0.157± 0.001 inch width of the large outside diameter. The surface shall have a 32 micro-inch finish all over. A steady load shall be applied with a hemispherical (180 ± 0.005 inch radius) plunger against the inside surface of the environmental protector. Any environmental protector that does not meet the required load shall be classified defective."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF CHARACTERISTICS

MIL-W-71069 (AR)
Amendment 3

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.25	Protector, Environmental	1 OF 1	9349897

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	NEXT HIGHER ASSEMBLY 9333825/9345168 / INSPECTION METHOD REFERENCE
Critical	None defined.			
Major				
101	Push-off test	Level III	3.3.10	4.5.11
Minor				
201	Evidence of poor workmanship	Level IV	3.5	Visual
NOTES:	.			

AMSMC FORM 1570b-E, 1 Jul 89

Replaces AMSMC Form 1570, 1 Feb 85, which may not be used.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:19Z
Check the source to verify that this is the current version before use.

NOTE: The margins of this amendment are marked with asterisks to indicate where changes from the previous amendment were made. This was done as a convenience only, and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluated the requirements of this document based on the entire content, irrespective of the marginal rotations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1340-1026)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:19Z
Check the source to verify that this is the current version before use.