
USER ACTIVITIES: NAVY-MC

REVIEW ACTIVITY: AIR FORCE-84 DLA-CS


FED. SUP CLASS 3820

DASH NO.	DIM. A
-1A	24
-2A	48
-3A	72
-4A	96
-11A	120


DRILL ROD



STANDARD HEXAGONAL DRILL ROD




STANDARD DRILL ROD THREAD DETAIL



ALTERNATE DRILL ROD

DASH NO.	DIM. A
-1	24
-2	48
-3	72
-4	96
-11	120

DRILL ROD



ALTERNATE DRILL ROD THREAD DETAIL

HEXAGONAL DRILL ROD

APPROVED 30 JAN 1961 REVISED (R) 5 JUNE 1968 (C) 16 MARCH 1984


(C) ENTIRE STANDARD REVISED


P. A. ARMY-ME Other Cust NAVY-YD AF-99	INTERNATIONAL INTEREST	TITLE: DRILL RODS AND BITS, STAR, ROCK DRILL FOR DRILL, PNEUMATIC, SINKER	MILITARY STANDARD MS 39125
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:		SHEET 1 OF 4

DD FORM 1 MAY 73 672-1 COORDINATED

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:46Z
Check the source to verify that this is the current version before use.





THREAD DETAIL

STAR BIT

DASH NO.	DIA A +.015 -.000	DIM. B	DIM C	DIM. D OPTION +.000 -.010
-5	1.625	.438	.305	.437 OR .562
-6	1.750	.531	.305	.437 OR .562
-12	1.875	.562	.370	.437 OR .562
-7	2.000	.562	.370	.437 OR .562

STANDARD DRILL BIT


APPROVED 30 JAN 1961 REVISED (B) 5 JUNE 1968 (C) FOR CHANGES SEE PAGES 2, 3 AND 4

P. A. ARMY-ME Other Cust NAVY-YD AF-99	INTERNATIONAL INTEREST	TITLE DRILL RODS AND BITS, STAR, ROCK DRILL FOR DRILL, PNEUMATIC, SINKER	MILITARY STANDARD MS39125
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:		SHEET 2 OF 4

DD FORM 1 MAY 73 672-1 COORDINATED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:46Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
3820



STAR BIT

DASH NO.	DIA A +.015 −.000	DIM. B	DIM. C	DIM. D OPTION +.000 −.010
−5	1.625	.438	.305	.438 OR .457
−6	1.750	.531	.305	.457 OR .500
−12	1.875	.562	.370	.500 OR .529
−7	2.000	.625	.370	.529 OR .562

ALTERNATE DRILL BIT

APPROVED 30 JAN 1961 REVISED (B) 5 JUNE 19XX (C) FOR CHANGES SEE PAGES 2, 3 AND 4

P.A. ARMY-ME Other Cust NAVY-YD AF-99	INTERNATIONAL INTEREST ABCA ARMY STD 84	TITLE: DRILL RODS AND BITS, STAR, ROCK DRILL FOR DRILL, PNEUMATIC, SINKER	MILITARY STANDARD MS 39125
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:		SHEET 3 OF 4

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:46Z
Check the source to verify that this is the current version before use.

NOTE:

1. ALL DIMENSIONS ARE IN INCHES.
2. UNLESS OTHERWISE SPECIFIED, LINEAR TOLERANCES SHALL BE ±.005.
3. ANGULAR TOLERANCE SHALL BE ±1/2°.
4. (C) THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER AND THE APPLICABLE PART NUMBER:

EXAMPLE:

MS39125 -1 A
- -1 — 24 INCH LONG HEX DRILL ROD
- A — STANDARD THREADED.

MS39125 -1
- -1 — ALTERNATE THREAD AND 24 INCH LONG ROD.

MS31925-5 A
- -5 — 1.625 DIAMETER BIT
- A — STANDARD THREAD

MS39125-5
- -5 — ALTERNATE THREAD AND 1.625 DIAMETER BIT

APPROVED 30 JAN 1961 REVISED (B) 5 JUNE 1968 (C) FOR CHANGES SEE PAGES 2, 3 AND 4

P. A. ARMY - ME Other Cust NAVY-YD AF-99	INTERNATIONAL INTEREST	TITLE DRILL RODS AND BITS, STAR, ROCK DRILL FOR DRILL, PNEUMATIC, SINKER	MILITARY STANDARD MS39125
PROCUREMENT SPECIFICATION NONE	SUPERSEDES:		SHEET 4 OF 4

DD FORM 1 MAY 73 672-1 COORDINATED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:46Z
Check the source to verify that this is the current version before use.