FED. SUP CLASS
4730





DETAIL OF BODY

DASH NO.	TUBE O.D.	A PIPE THREADS NPTF	B	C THREAD LENGTH	D	E	F	G	H	K	L	M
1	1/8	1/8	5/16-24UNF-2A	9/32	3/32	.135 .139	13/64	1/8	3/16	3/4	21/32	31/32
2	3/16	1/8	3/8-24UNF-2A	9/32	1/8	.196 .200	1/4	5/32	3/16	3/4	21/32	1
3	1/4	1/8	1/2-20UNF-2A	13/32	13/64	.261 .265	19/64	13/64	3/16	25/32	3/4	1-5/32
4	5/16	1/8	9/16-18UNF-2A	13/32	13/64	.324 .328	19/64	13/64	3/16	25/32	13/16	1-3/16
5	1/4	1/4	1/2-20UNF-2A	13/32	13/64	.261 .265	19/64	13/64	9/32	1-1/16	7/8	1-9/32
6	3/8	1/4	5/8-18UNF-2A	7/16	9/32	.386 .390	19/64	13/64	9/32	1-1/16	15/16	1-3/8
7	3/8	3/8	5/8-18UNF-2A	7/16	9/32	.386 .390	19/64	13/64	27/64	1-3/16	1-1/8	1-9/16
8	1/2	3/8	3/4-16UNF-2A	7/16	27/64	.514 .518	5/16	13/64	27/64	1-3/16	1-1/8	1-21/32
9	5/8	3/8	15/16-16UN-2A	15/32	1/2	.641 .645	11/32	15/64	27/64	1-3/16	1-5/16	1-27/32
10	3/8	1/2	5/8-18UNF-2A	7/16	9/32	.386 .390	19/64	13/64	7/16	1-7/16	1-1/8	1-9/16
11	1/2	1/2	3/4-16UNF-2A	7/16	27/64	.514 .518	5/16	13/64	7/16	1-1/4	1-3/16	1-23/32
12	5/8	1/2	15/16-16UN-2A	15/32	1/2	.641 .645	11/32	15/64	1/2	1-7/16	1-5/16	1-27/32
13	3/4	1/2	1-1/16-16UN-2A	15/32	21/32	.766 .770	11/32	13/64	1/2	1-9/16	1-1/2	2-3/32
14	3/4	3/4	1-1/16-16UN-2A	15/32	21/32	.766 .770	11/32	13/64	23/32	1-9/16	1-1/2	2-3/32
15	7/8	3/4	1-3/16-16UN-2A	15/32	23/32	.891 .895	11/32	13/64	21/32	1-3/4	1-3/4	2-11/32
16	1	3/4	1-5/16-16UN-2A	15/32	7/8	1.016 1.020	13/32	13/64	23/32	1-3/4	1-3/4	2-11/32
17	7/8	1	1-3/16-16UN-2A	15/32	23/32	.891 .895	11/32	13/64	7/8	1-15/16	1-3/4	2-11/32
18	1	1	1-5/16-16UN-2A	15/32	7/8	1.016 1.020	13/32	13/64	7/8	1-15/16	1-3/4	2-11/32
19	1-1/4	1	1-5/8-16UN-2A	35/64	1-3/32	1.270 1.274	13/32	13/64	7/8	1-5/16	2-1/4	2-7/8
20	1-1/4	1-1/4	1-5/8-16UN-2A	17/32	1-3/32	1.270 1.274	13/32	13/64	1-1/8	2-5/16	2-1/4	2-7/8
21	1-1/2	1-1/2	1-7/8-16UN-2A	9/16	1-11/32	1.520 1.524	15/32	13/64	1-11/32	2-9/16	2-3/8	3-1/16

Ⓔ **INACTIVE** FOR NEW DESIGN. USE FOR MAINTENANCE PURPOSES ONLY. FOR NEW DESIGN USE MS51815.

APPROVED 24 APR 62
REVISED Ⓐ 23 DEC 67 Ⓑ 10 OCT 74 Ⓒ 1 FEB 75 Ⓓ 13 MAY 77 Ⓔ 26 FEB 82

This military standard is approved for use by the [illegible] Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

P.A. ARMY-AT Other Cust	TITLE ELBOWS, PIPE TO TUBE - SAFETY SLEEVE COMPRESSION TYPE, 90 DEGREE, MALE PIPE END	MILITARY STANDARD MS39202(AT)
PROCUREMENT SPECIFICATION NONE	SUPERSEDES	SHEET 1 OF 2

FED. SUP CLASS
4730

MATERIAL: STEEL, IN ACCORDANCE WITH FEDERAL STANDARD NO. 66, AISI-C-1112, C-1113, C-1117, C-1118 OR C-1137.

FINISH: CADMIUM PLATED, SPECIFICATION QQ-P-416, TYPE II, CLASS 3.

TOLERANCES: UNLESS OTHERWISE SPECIFIED, DECIMALS ± .005, FRACTIONS ± 1/64, DEGREES ± 2°.

THREADS: THE THREADS SHALL BE IN ACCORDANCE WITH MIL-STD-H28/2 /8.

DIMENSIONS: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.

PART NUMBER: THE PART NUMBER CONSISTS OF MS NUMBER PLUS THE DASH NUMBER. EXAMPLE: MS39202-1.
THE PART NUMBER COVERS THE COMPLETE ITEM (WITH NUT AND SLEEVE).

NOTES.
1. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.
2. THIS ILLUSTRATION IS FOR IDENTIFICATION AND IS NOT INTENDED TO RESTRICT DESIGNS OR SHAPES NOT DIMENSIONED.

INACTIVE—SEE SHEET 1.

APPROVED 24 APR 62 REVISED

P A ARMY-AT Other Cust	TITLE ELBOWS, PIPE TO TUBE - SAFETY SLEEVE COMPRESSION TYPE, 90 DEGREE, MALE PIPE END	**MILITARY STANDARD** **MS39202(AT)**
PROCUREMENT SPECIFICATION NONE	SUPERSEDES	SHEET 2 OF 2

This military standard is approved for use by the U.S. Army Tank-Automotive Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

DD FORM SEP 61 672-1 (Limited coordination)

NOTICE
OF VALIDATION

MS39202E(AT)
NOTICE 1
16 September 1987

MILITARY SPECIFICATION

ELBOWS, PIPE TO TUBE-SAFETY SLEEVE COMPRESSION TYPE, 90 DEGREE, MALE PIPE END

MS39202E(AT), dated 26 February 1982, has been reviewed and determined to be valid for maintenance purposes only.

Custodian:
Amy - AT

Preparing activity:
Army - AT

AMSC N/A

FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.