MIL-B-60806C(MU)
AMENDMENT 4
9 February 1977
SUPERSEDING
AMENDMENT 3
12 January 1976

MILITARY SPECIFICATION

BOOSTER, M125A1 ASSEMBLY
LESS BOOSTER PELLET AND LEAD CUP CHARGE

This amendment forms a part of Military Specification MIL-B-60806C(MU), dated 6 May 1974, and is approved for use by all Departments and Agencies of the Department of Defense.

* Paragraph 4.2.1 Line 4 Delete in its entirety and substitute "60 or 110 (as applicable, - see 4.2.2.2) (aggregate) components as delineated in 4.2.2."

* Paragraph 4.2.1.1 Delete second sentence in its entirety and substitute "Sixty (60) or 110 (as applicable), component parts, 200 subassemblies and 30 booster assemblies shall be inspected as provided herein at a Government laboratory or such other facility as specified in the contract.

* Add Paragraph 4.2.2.2

"4.2.2.2 Fifty (50) of each component (1) if applicable, shall be tested as in 4.3.2.7."

Paragraph 4.2.4.1.1, add the following:

"d. Failure of subassemblies to meet static load requirement of Drawing F10520748."

* Paragraph 4.3.2.3 Add "**Booster assembly (push on setback mechanism assembly) 10520748" add foot note: "**Only setback mechanism assembly D10551357 need be assembled into booster body C11744006, for this static load test. The methods and equipment used to assemble these samples shall be the same ones used in production of the booster assembly."

* Add Paragraph 4.3.2.7

"4.3.2.7 Force-Sintered Rotor (destructive). Fifty (50) samples from each lot of sintered rotors shall be subject to the force specified on drawing 11744012. Failure of any rotor to comply with the requirement shall be cause for rejection of the lot or rotors (see 4.3.2.8)."

FSC 1390

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:57Z
Check the source to verify that this is the current version before use.

* Add Paragraph 4.3.2.8

"4.3.2.8 Force-Sintered Rotor (Test Method). The test shall be performed using the value and direction specified on drawing D11744012. Rotors which have been subject to the applied force shall be scrapped."

* Change present paragraph 4.3.2.7 to 4.2.3.9.

* Change present paragraph 4.3.2.8 to 4.3.2.10 and all subsequent paragraphs and reference numbers appropriately.

Paragraph 4.3.2.13.2, add the following:

"d. Failure of subassemblies to meet static lead requirement of drawing F10520748."

Paragraph 4.3.2.14.1, add the following:

"e. After removal of the module, all subassemblies shall be subjected to the static load requirement on the applicable drawing."

Paragraph 4.3.2.15 delete "asterisk" before "Impact Function Distance". Delete asterisk paragraph in its entirety.

After Paragraph 4.3.2.15.1, add the following paragraph:

"4.3.2.15.2 Reduced Testing for Function Phases (After Qualification). Reduced testing shall apply on an individual function phase basis, i.e., Impact Function Phase and Ground Water Impact Phase. When ten (10) consecutive lots of a function phase have been fired and found acceptable with a total one (1) dud or less occurring in a function phase, the sample quantity for that function phase will be reduced to ten (10) units in lieu of twenty (20). Acceptance criteria remains the same. Whenever a dud occurs within a sample of ten (10), the sample quantity for the phase in which the dud occurred will revert to twenty (20) for subsequent lots until the above criteria for reduction are again satisfied."

* Paragraph 4.3.3.1 Delete Drawing number B8595509 and substitute "C11738594."

* Paragraph 4.3.3.7 After "Rotor assembly, drawing D1051356", add - "or drawing D11744013".

Paragraph 4.3.3.9, delete Major Characteristics "102" in its entirety.

Paragraph 4.3.3.10, delete Major Characteristics "101" in its entirety.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:57Z
Check the source to verify that this is the current version before use.

* The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done for convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirement of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodian:

Army - MU

Preparing activity:

Army - MU

Project No. 1390-A201

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:57Z
Check the source to verify that this is the current version before use.