MILITARY SPECIFICATION

TEST FIXTURE SETS, ELECTRONIC

This amendment forms a part of MIL-T-55523(EL), dated 28 September 1966.

Page 2, paragraph 2.1 Add:

"FEDERAL

PPP-B-636	Box, Fiberboard.
PPP-B-640	Box, Fiberboard, Corrugated, Triple-Wall.
PPP-S-760	Strapping, Nonmetallic (and Connectors).
PPP-T-76	Tape, Pressure-Sensitive Adhesive Paper, (for Carton Sealing).
PPP-T-97	Tape, Pressure-Sensitive Adhesive, Filament Reinforced.

MILITARY

MIL-P-116	Preservation, Methods of.
MIL-L-10547	Liners, Case, and Sheet, Overwrap Watervapor Proof or Waterproof, Flexible.
MIL-H-15424	Packaging of Hand Tools for Domestic and Overseas Shipment and Storage.
MIL-E-17555	Electronic and Electrical Equipment and Associated Repair Parts, Preparation for Delivery of.
MIL-B-43291	Box, Fiberboard, Corrugated, Double-Wall, Weather Resistant.

STANDARDS

MIL-STD-129	Marking for Shipment and Storage."

Page 6, paragraph 5.1 Delete and Add the following:

"5.1 Preservation and packaging. Preservation and packaging shall be level A or C; as specified (see 6.2 (b))."

"5.1.1 Level A."

"5.1.1.1 Cleaning. Cleaning shall be accomplished in accordance with process C-1 of MIL-P-116."

"5.1.1.2 Drying. Drying shall be accomplished in accordance with the applicable procedures of MIL-P-116."

"5.1.1.3 Unit Packaging. Unit packaging shall be in accordance with methods prescribed in MIL-P-116 and as specified herein."

"5.1.1.3.1 Drawings. Drawing shall be packaged method 1C-1."

"5.1.1.3.2 Hand tools. Hand tools as required shall be packaged in accordance with the applicable requirements of MIL-H-15424."

"5.1.1.3.3 Test fixtures. Test fixtures as required, shall be packaged in accordance with the applicable requirements of MIL-E-17555."

FSC 6625

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:31Z
Check the source to verify that this is the current version before use.

"5.1.2 Level C. Test Fixtures and hand tools as required, shall be preserved and packaged in a manner that will afford adequate protection against corrosion, deterioration and damage during shipment from the supply source to the first receiving activity."

"5.2 Packing. Packing shall be Level A, B, or C, as specified. (See 6.2 (b))."

"5.2.1 Level A. Test fixtures and hand tools packaged as specified in 5.1, shall be packed within fiberboard boxes conforming to PPP-B-636, PPP-B-640 or MIL-B-43291. Closure shall be in accordance with the appendix of the box specification. Reinforcing shall be by nonmetallic strapping or pressure sensitive filament tape banding conforming to PPP-S-760, type II or PPP-T-97, type IV respectively. Selection of the material and application shall be in accordance with the appendix of the box specification."

"5.2.1.1 Container Waterproofing. When the container being placed directly into the shipping container is not waterproofed, waterproofing shall be effected by use of an individual wrap or caseliner conforming to MIL-L-10547 grade B and appendix thereto, prior to packing. Dunnage not enclosed within the waterproof wrap or caseliner shall consist of materials to resist water. Wraps or caseliners may be omitted from fiberboard boxes provided all seams, corners and manufactures joint are waterproofed by sealing with tape, not less than 2 inches wide, conforming to PPP-T-76. The tape whall be centered over the seams and joints and shall extend over all corners and edges of the box a minimum of two inches onto the adjacent box panels. Tape shall be applied over the lengthwise seams of the outer flaps closing the openings of the box and over the manufacturer's joint prior to the tape being applied to the edge seams of the box. The tape applied to the manufactures joint shall only fully cover the joint and not be extended over the corners of the box on the adjacent panels."

"5.2.2 Level B. Test fixtures and hand tools, packaged as specified in 5.1, shall be packed as specified in 5.2.1, except that the fiberboard boxes shall be limited to PPP-B-636 and PPP-B-640, class domestic and Class 1, respectively and 5.2.1.1 shall not apply."

"5.2.3 Level C. Test fixtures and hand tools, packaged as specified in 5.1, shall be packed in shipping containers in a manner that will afford adequate protection against damage to the package and its contents during shipment from the supply source to the first receiving activity. Shipping containers shall comply with the rules and regulations of the common carrier as applicable to the mode of transportation."

"5.3 Marking. In addition to any special marking requirements in the contract or order, interior packages and exterior shipping containers shall comply with the requirements of MIL-STD-129."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:31Z
Check the source to verify that this is the current version before use.

Page 6, Following paragraph 6.1 add the following:

"6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification and any amendment thereto.

(b) Level of packaging and level of packing required. (See 5.

CUSTODIAN
ARMY-EL

PREPARING ACTIVITY
ARMY-EL

PROJECT NO. 6625-A236

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T23:31Z
Check the source to verify that this is the current version before use.