METRIC
A-A-60010
May 14, 2019

COMMERCIAL ITEM DESCRIPTION

# CLEANER, GLASS (READY-TO-USE, ANTIFOGGING, AND CONCENTRATED)

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. SCOPE. This commercial item description (CID) covers ready-to-use (RTU) and liquid concentrated (used in chemical cleaning dispensing systems) glass cleaners with and without antifogging properties. The glass cleaner may be used for the following applications: polishing glass surfaces, plastics, ceramics, chrome, painted surfaces, and stainless steel. The RTU glass cleaners covered by this CID are only applied using manually pumped bottles (plastic or glass) and corresponding refills. This CID does not cover aerosol-packaged RTU glass cleaners.

2. CLASSIFICATION. Glass cleaners are of the following types:

a. Type I – RTU (manually pumped, non-aerosol)

b. Type II – Concentrated

c. Type III – Antifogging, RTU (manually pumped, non-aerosol)

d. Type IV – Antifogging, concentrated

3. SALIENT CHARACTERISTICS.

3.1 Prohibited materials. The glass cleaner shall not contain any materials above the threshold for trace amount that have a severity category of either catastrophic or critical in the prohibited and restricted chemicals tables in the Naval Sea Systems Command (NAVSEA) List of Targeted Chemicals (N-LTC) appendix of T9070-AL-DPC-020/077-2, NAVSEA Hazardous Material Avoidance Process. The threshold for trace amount is defined as less than 1 percent for non-carcinogenic compounds and less than 0.1 percent for carcinogenic compounds.

3.2 Volatile organic compounds (VOC) levels. VOC levels of the glass cleaner shall be stated as a percent of VOCs by weight when prepared in the dilution ratio as directed on the manufacturer's label and shall not exceed the California Air Resources Board (CARB) 17 CCR § 94509 VOC standard for glass cleaners.

3.3 pH. The pH of an un-diluted solution shall be a minimum of 6.0 and a maximum of 12.4 when tested in accordance with ASTM E70.

3.4 Flash point. The flash point shall be greater than 93.3 °C (200 °F) when tested in accordance with ASTM D56.

3.5 Eutrophication and phosphate. The glass cleaner shall comply with the U.S. Environmental Protection Agency (EPA) Safer Choice Standard eutrophication and phosphate criteria.

3.6 Aquatic toxicity. The glass cleaner, when used as directed on the label in a use-dilution solution, shall not be harmful to aquatic life in accordance with the United Nations Economic Commission for Europe (UNECE) Globally Harmonized System of Classification and Labelling of Chemicals (GHS) criteria for acute and chronic aquatic toxicity.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data that may improve this document should be sent to: Commander, Naval Sea Systems Command, ATTN: SEA 05S, 1333 Isaac Hull Avenue, SE, Stop 5160, Washington Navy Yard DC 20376-5160 or emailed to CommandStandards@navy.mil, with the subject line "Document Comment". Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

FSC 7930

DISTRIBUTION STATEMENT A. Approved for public release. Distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:32Z
Check the source to verify that this is the current version before use.

3.7 Cleaning performance. When tested by Household & Commercial Products Association (HCPA) Test Method DCC-09 for Glass Cleaners, or other equivalent or comparable test methods, the RTU glass cleaner and the manufacturer's recommended use dilution of the liquid concentrate glass cleaner shall be equal or better in performance than the reference glass cleaner, shown in table I, in cleaning, streaking, and smearing.

TABLE I. Reference glass cleaner.

| Ingredient | Weight Percent |
|---|---|
| Isopropanol | 4.0 |
| Dipropylene glycol monomethyl ether | 4.0 |
| Ammonium hydroxide (28 percent in water) | 1.0 |
| Pluronic F108 | 0.1 |
| Distilled water | 90.0 |

3.8 Antifogging performance. Type III and IV glass cleaners shall prevent steam condensation on a glass mirror when tested as follows, or following other equivalent or comparable test methods: Take a glass mirror at least 15.2 by 30.5 centimeters (6 by 12 inches) and clean it with cheesecloth in solvent baths in the following order:

a. Mineral spirits (naptha)
b. Dipropylene glycol monomethyl ether
c. Isopropanol
d. Water

After the water rinse, dry the glass mirror with cheesecloth. To ensure complete cleanliness of the mirror, expose it to live steam. A white highly reflective appearance is taken on the glass in those areas not thoroughly clean. (If not completely clean, the mirror should be exposed to the entire solvent cleaning procedure again.) Drape one-half of the mirror with a towel and apply the glass cleaner to the other half of the mirror. Wipe until the surface is just damp and then let dry. Hold the mirror 15.2 centimeters (6 inches) above the steam source and move the mirror back and forth in order to get an even distribution of the steam. The side treated with the glass cleaner shall show no steam condensation when compared to the untreated side.

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials or biobased materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. PRODUCT CONFORMANCE PROVISIONS. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance.

6. PACKAGING. Preservation, packing, and marking shall be as specified in the contract or order.

7. NOTES.

7.1 Source of documents.

7.1.1 ASTM International. ASTM standards are available from ASTM International, 100 Barr Harbor Dr., P.O. Box C700, West Conshohocken, PA 19428-2959 or online at www.astm.org.

7.1.2 California Code of Regulations (CCR). The CCR may be obtained online at https://oal.ca.gov/publications/ccr/.

7.1.3 EPA. The U.S. EPA Safer Choice Standard may be obtained from the Environmental Protection Agency, Ariel Rios Building, 1200 Pennsylvania Avenue, N.W., Washington, DC 20460 or online at https://www.epa.gov/saferchoice/standard.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:32Z
Check the source to verify that this is the current version before use.

7.1.4 FAR. The FAR may be obtained from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402 or online at https://www.acquisition.gov/far.

7.1.5 GHS. The UNECE GHS may be obtained online at http://www.unece.org/trans/danger/publi/ghs/ghs_rev06/06files_e.html.

7.1.6 HCPA. HCPA publications may be obtained online at https://www.thehcpa.org/resources/#.

7.1.7 NAVSEA publications. Copies of T9070-AL-DPC-020/077-2 are available online via Technical Data Management Information System (TDMIS) at https://mercury.tdmis.navy.mil/ by searching for the TMIN without the suffix. Refer questions, inquiries, or problems to: DSN 296-0669, Commercial (805) 228-0669. T9070-AL-DPC-020/077-2 is available for ordering (hard copy) via the Naval Logistics Library https://nll.navsup.navy.mil. For questions regarding the NLL, contact the NLL Customer Service at nllhelpdesk@navy.mil, (866) 817-3130, or (215) 697-2626/DSN 442-2626.

7.2 Ordering data. The contract or order should specify the following:

a. CID document number and revision letter.
b. Quantity required.
c. Product conformance provisions.
d. Packaging requirements.

## CONCLUDING MATERIAL

MILITARY INTERESTS:

Custodians:
Army – MI
Navy – SH

Review Activities:
Army – AV, GL
Navy – AS, CG, MC

CIVIL AGENCY COORDINATING ACTIVITY:
GSA – FAS

Preparing Activity:
Navy – SH
(Project 7930-2019-004)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:32Z
Check the source to verify that this is the current version before use.