
MILITARY SPECIFICATION SHEET

CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-MJ THREAD), METRIC

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the plugs described herein shall consist of this specification and the latest issue of MIL-C-5501.



PLUG

NOTES:
1. All dimensions are in millimeters.

FIGURE 1. CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-MJ THREAD), METRIC

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.
Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:58Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Material: Aluminum alloy 3003, neoprene gasket (see general specification).

2. Protective Coating: Anodized in accordance with MIL-A-8625, Type II, Class 2 and dyed blue in accordance with FED-STD-595, color No. 35526.


3. Threads: Standard fine pitch "M" profile tolerance class 6g, in accordance with FED-STD-H28/21. Acceptability of screw threads shall be in accordance with FED-STD-H28/20, system 21.

4. Part number code letter:

   "G" after dash number- Aluminum alloy plug with neoprene gasket.

5. Part number: The part number consists of the letter "D", the basic number of this specification sheet, followed by a dash number taken from Table I and a code letter after the dash number when applicable.

EXAMPLE: D5501/30-3



D5501/30-3 Indicates- Caps and Plugs, Protective, Dust and Moisture Seal (PLUG MJ THREAD), Metric; Aluminum Alloy Plug Thread MJ9 x 1.

D5501/30-3G Indicates- Same as above except code letter "G" indicates Aluminum alloy plug with neoprene gasket; Thread MJ9 x 1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:58Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS (ALUMINUM PLUGS)

DASH NUMBER	THREAD	ØA FLANGE ±.05	B FLANGE LENGTH ±0.5	ØC BODY +0.0 -0.3	D BODY LENGTH ±0.5
3	MJ9 x 1	11	6	8.5	7
4	MJ11 x 1	14	8	10.0	8
6	MJ14 x 1	17	8	13.0	8
8	MJ18 x 1.5	22	8	17.0	8
10	MJ22 x 1.5	25	8	20.0	10
12	MJ25 x 1.5	29	8	24.0	11
14	MJ28 x 1.5	32	6	27.0	11
16	MJ32 x 1.5	35	6	30.0	11
20	MJ38 x 1.5	41	6	36.5	11
21	MJ40 x 1.5	44	6	38.5	12
24	MJ45 x 2	51	6	43.5	14
25	MJ48 x 2	54	6	45.0	14

Custodians:
Army - AR
Navy - AS
Air Force - 82

Review activities:
Army - AV, ER, GL
DLA - IS

User activities:
Army - AT, ME, MI
Navy - MC, OS, SH, YD

Preparing Activity:
Army - AR

Agent:
DLA - IS

(Project 5340-1768)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:58Z
Check the source to verify that this is the current version before use.