MILITARY SPECIFICATION

RESERVIORS, AIRCRAFT, HYDRAULIC, NON-SEPARATED TYPE

This amendment forms a part of MIL-R-5520C, dated 24 Mar 1979, and is approved for use within the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 2.1 Delete "first paragraph" and add: "2.1 Government documents."

* Add: "2.1.1 Specifications standards, and handbooks. The following specifications, standards, and handbooks form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specfications and Standards (DODISS) and supplement thereto, cited in the solicitation."

* Under SPECIFICATION, Federal, delete "NN-P-515," "PPP-B-566," "PPP-B-576," "PPP-B-585," "PPP-B-591," "PPP-B-601," "PPP-B-621," "PPP-B-640," and "PPP-B-676,"

* Under SPECIFICATIONS, Military, delete "MIL-P-7936," "MIL-L-10547" and add: "MIL-H-83282 Hydraulic Fluid, Fire Resistant, Synthetic Hydrocarbon Base, Aircraft."

* Under STANDARDS, Military, add: "MIL-STD-1523 Age Controls of Age-Sensitive Elastomeric Material," "MIL-STD-2073-1 Procedures For Development and Application of Packaging Requirements" and "MS33649 Boss, Fluid Connection-Internal Straight thread."

Under STANDARDS, AIR Force-Navy Aeronautical delete "AND10050."

* Delete "PUBLICATIONS section" in its entirety.

Add boxed paragraph to bottom center of page.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Oklahoma City Air Logistics Center/MMEDO, Tinker AFB OK 73145-5990 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:06Z
Check the source to verify that this is the current version before use.

PAGE 2

* Delete "2.2" in its entirety and add: "2.2 Other publications. The following document(s) form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS shall be the issue of the nongovernment documents which is current on the date of the solicitation.

American Society For Testing And Materials.

ASTM D3951 Packaging, Commercial

(Application for copies should be addressed to: ASTM, 1916 Race St, Philadelphia PA 19103.)

(Nongovernment standards and other publications are normally available from the organizations which prepare or which distribute the documents. These documents also may be available in or through libraries or other information services.)"

PAGE 4

3.4.6 First sentence delete "at least 1 inch in diameter clear opening," and add: "1 1/2 inch diameter minimum opening."

PAGE 6

3.4.11 Line 3, delete "AND10050" and add: MS33649."

PAGE 7

* Figure 3, delete "MIL-H-5606" and substitute: 2/; and add "2/Insert MIL-H-5606 or MIL-H-83282, as applicable."

PAGE 9

* 3.4.18 Delete "ANA Bulletin No. 438" and add: "MIL-STD-1523."

* Add: "3.6 Recycled and reclaimed materials. Recycled and reclaimed materials shall be used to the maximum extent possible without jeopardizing the end of the item."

* Add: "4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material."

PAGE 10

* 4.5.1 After "MIL-H-5606" add: "or MIL-H-83282, as applicable."

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:06Z
Check the source to verify that this is the current version before use.

* 4.6.9 After "MIL-H-5606" add: "or MIL-H-83282, as applicable."

* Delete Section 5 in its entirety and add:

"5 Packaging

5.1 Preservation-packaging. Preservation-packaging shall be level A, C, or industrial IAW MIL-STD-2073-1, as specified. (see 6.2)

5.1.1 Level A. Unless otherwise specified, reservoirs shall be individually packaged in accordance with Method III of Specification MIL-P-116.

5.1.1.1 Cleaning and drying. Reservoirs shall be cleaned and dried in accordance with the applicable processes of MIL-P-116.

5.1.1.2 Preservation application. Not applicable.

5.1.1.3 Unit packaging. Unless otherwise specified by the contracting activity, reservoirs shall be individually packaged in accordance with MIL-P-116, Method III insuring compliance with the applicable requirements of that specification.

5.1.2 Level C. Reservoirs shall be clean, dry and individually packaged in a manner that will afford adequate protection against corrosion, deterioration, and physical damage during shipment from supply source to the first receiving activity.

5.1.3 Industrial. The industrial preservation of reservoirs shall be in accordane with ASTM D3951.

5.2 Packing. Packing shall be level A, B, C or Industrial as specified (see 6.2).

5.2.1 Level A. Unless otherwise specified by the contracting activity, reservoirs packaged as specified in 5.1.1 shall be packed in shipping containers applicable to level A requirements of MIL-STD-2073-1. Insofar as practical, exterior shipping container shall be of uniform shape, size minimum tare and cube consistent with the protection required.

5.2.2 Level B. Reservoirs packaged as specified in 5.1.1. shall be packed in shipping containers conforming to PPP-B-636, class weather-resistant, unless otherwise specified by the contracting activity. Other requirements as specified in 5.2.1. apply.

5.2.3 Level C. Packing shall be applied which affords adequate protection during domestic shipments from the supply source to the first receiving activity. This level shall conform to applicable carrier rules and regulations.

5.2.4 Industrial. The industrial packing of reservoirs shall be packed in accordance with ASTM D3951.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:06Z
Check the source to verify that this is the current version before use.

5.3 Marking. In addition to any other markings required by the contract order (see 6.2.), interior and exterior containers shall be marked in accordance with MIL-STD-129."

Add the following new paragraphs 6.4:

"6.4 International standardization agreement. Certain provisions (see 3.4.6) of this specification are the subject of international standardization agreements ASCC AIR STD. 17/11 and STANAG 3212. When amendment, revision, or cancellation of this specification is proposed which will affect or violate the international agreement concerned, the preparing activity will take appropriate reconciliation action through international standardization channels, including departmental standardization offices, is required."

The margins of this amendment are marked an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
AIR FORCE-99
NAVY-AS
ARMY-AV

Preparing activity:
AIR FORCE - 71

Project Number:
1650-0407

* U.S. GOVERNMENT PRINTING OFFICE: 1987-704-036/75044

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:06Z
Check the source to verify that this is the current version before use.