MIL-I-60554(MU)
AMENDMENT 2
17 July 1973
SUPERSEDING
AMENDMENT 1
1 March 1971

MILITARY SPECIFICATION

INITIATOR, CARTRIDGE ACTUATED, DELAY, M6A1 ASSEMBLY

This amendment forms a part of Military Specification MIL-I-60554(MU) dated 30 September 1966.

* Page 1, Para. 2.1, Under "Standards" Delete "MIL-STD-1167" in its entirety. Under Drawings, Add: "C9216824 - Box, Fiberboard, (Outer) Alternative".

Page 2, Para. 3.4.1 Delete Table I and substitute the following:

Table I

Temperature	Pressure (psi)	Ignition Delay (see 6.2)
-65 to -70 F	1300 to 2200	2.5 seconds max.
65 to 75 F	1300 to 2200	1.8 to 2.2 seconds
160 to 165 F	1300 to 2200	1.6 seconds, min.

* Page 2, Para. 3.4.1.1 Change "M3A1" to read "M3A2".

* Page 7, Para. 4.3.3.1 Delete Table III in its entirety and substitute:

Table III

Temperature	Sample Size
-65° to -70°F	7
65° to 75°F	7
160° to 165°F	7"

FSC 1377

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:42Z
Check the source to verify that this is the current version before use.

Page 6 Add Para. 4.2.2.8

"4.2.2.8 Box, Fiberboard (Outer) Alternative, Drawing C9216824.

Defect	Method of Inspection
CRITICAL	
None defined	
MAJOR	
None defined	
MINOR	
201. Contents loose	Manual
202. Box broken or damaged	Visual
203. Number of units contained incorrect	Visual
204. Marking missing, incorrect, or illegible	Visual
205. Tape incomplete	Visual"

* Page 7, Para. 4.3.3.1 Add to end of second sentence, "or initiated by a source equal to a M3A2 Initiator".

Page 7, Para. 5.1 Delete in its entirety and substitute:

"5.1 Packing and marking.-Packing and marking shall be as specified by the procuring activity: Level A - Dwgs. C8796826 and C8796827, Level B - Dwgs. C9216824 and C8796826."

* Page 8, Para. 5.2 Delete in its entirety.

* Page 8, Add Para. 6.3:

"6.3 Explosive Hazard Classification Information
Explosive Hazard Classification (Quantity-Distance) - Class 1
Storage Compatibility - Group B, E or N
Department of Transportation (DOT) Hazard Class C
DOT Marking "Explosive Power Device - Class C - Handle Carefully - Keep Fire Away"

* The margins of this specification are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:42Z
Check the source to verify that this is the current version before use.

these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodian:

Army - MU

Preparing Activity:

Army - MU

Project No. 1377-A537

☆ U. S. GOVERNMENT PRINTING OFFICE: 1973-713-145/425

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:42Z
Check the source to verify that this is the current version before use.