INCH-POUND

MIL-W-70434 (AR)
AMENDMENT 5
8 June 1994
SUPERSEDING
AMENDMENT 4
21 March 1991

# MILITARY SPECIFICATION

## WARHEAD, 2.75 INCH ROCKET, TEST, EMPTY, MODIFIED: PXR6358 WITH FLASH, PARTS, AND ASSEMBLY

This amendment forms a part of MIL-W-70434 (AR), dated 17 October 1983, and is approved for use by the US Army Armament, Munitions, and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

**PAGE 3**

3.3: Delete "100 milliohms" and substitute "195 milliohms".

**PAGE 4**

4.3.1: Delete "Umbilical Cable Assembly" in its entirety.

Delete "Housing Booster 8883682 15
Housing Booster, Modified 9362887 15
Fuze, Body Assembly 9215611 15"

Add "Fuze, Dummy 9392519 15".

Delete "Fuze, Body Subassembly: Modified 9362888 15"

**PAGE 5**

TABLE I: Delete "Umbilical Cable Assembly" in its entirety.



DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:26Z
Check the source to verify that this is the current version before use.

**PAGE 6**

TABLE I: Delete "Fuze, Body Assembly".

Delete "Fuze, Body Subassembly: Modified".

Delete "Housing Booster (DWG. 8883682)
Examination for Defects 15 32 4.4.2.7".

Delete "Housing Booster, Modified (DWG. 9362887)
Examination for Defects 15 32 4.4.2.8".

Add "Fuze, Dummy (DWG. 9392519)
Examination for Defects 15 32 4.4.2.7".

**PAGE 11**

4.4.2.3: Delete in its entirety.

**PAGE 15**

4.4.2.7: Delete in its entirety and substitute included (page 3) 4.4.2.7.

**PAGE 16**

4.4.2.8: Delete in its entirety.

**PAGE 17**

4.4.2.9: Delete in its entirety.

**PAGE 18**

4.4.2.10: Delete in its entirety.

**PAGE 19**

* 4.4.2.11: Delete Major 101, 102 and 104.

**PAGE 23**

4.5.1: Delete "The smoke cartridge shall be subjected to a static acceptance test using hard-wired M439 Fuze." and substitute "The smoke cartridge shall be subjected to a static acceptance test using a test fixture which fires an M84 detonator into the smoke cartridge. The test fixture will simulate the actual M439 Fuze firing into the smoke cartridge."



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:26Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

# CLASSIFICATION OF CHARACTERISTICS

MIL-W-70434 (AR)
AMENDMENT 5

| PARAGRAPH | TITLE | SHEET | DRAWING NUMBER |
|---|---|---|---|
| 4.4.2.7 | Fuze, Dummy | 1 OF 1 | 9392519 |
| | | | NEXT HIGHER ASSEMBLY: 9362889 |

| CLASSIFICATION | EXAMINATION OR TEST | CONFORMANCE CRITERIA | REQUIREMENT PARAGRAPH | INSPECTION METHOD REFERENCE |
|---|---|---|---|---|
| CRITICAL | None Defined. | | | |
| MAJOR | | | | |
| 101 | Major diameter of threads | 0.40% | 3.2 | Gage |
| 102 | Hole diameter | 0.40% | 3.2 | Gage |
| 103 | Location of hole | 0.40% | 3.2 | Gage |
| 104 | Paint on threads | 0.40% | 3.2 | Visual |
| 105 | Total length | 0.40% | 3.2 | Gage |
| MINOR | | | | |
| 201 | Width across wrench flats | 0.65% | 3.2 | Gage |
| 202 | Symmetry of wrench flats | 0.65% | 3.2 | Gage |
| 203 | Identification missing | 0.65% | 3.2 | Visual |
| 204 | Evidence of poor workmanship | 0.65% | 3.8 | Visual |

NOTES:



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:26Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1340-A933)



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:26Z
Check the source to verify that this is the current version before use.