MILITARY SPECIFICATION

MEASURING AND CUTTING MACHINES, PAPER AND POLYETHYLENE FILM

This amendment forms a part of Military Specification MIL-M-40065C(GL), dated 24 June 1970.

PAGE 1

2.1, title of L-P-378. Delete in its entirety and substitute "Plastic Sheet and Strip, Thin Gauge Polyolefin".

PAGE 2

2.2 Other publications.

Add "HEL Standard S-1-63C - Material Design Standard for Noise Levels of Army Materiel Command Equipment"

Delete "NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC." and substitute:

"National Motor Freight Traffic Association, Inc., Agent"

PAGE 3

Delete "UNIFORM CLASSIFICATION COMMITTEE" and substitute:

"Uniform Classification Committee, Agent"

In the address of Uniform Classification Committee. Delete "Room 202, Union Station, 516 W. Jackson Boulevard" and substitute "Room 1106, 222 South Riverside Plaza".

3.1 through 3.4. Delete paragraphs in their entirety and substitute the following new paragraphs:

"3.1 First article. When specified (see 6.2), the supplier shall furnish a sample of the item to be procured under this specification for first article inspection and approval (see 4.3 and 6.3).

FSC 3540

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:11Z
Check the source to verify that this is the current version before use.

3.2 Standard product. The measuring and cutting machines delivered under this specification shall be the manufacturer's commercial product, except for any changes necessary to comply with specification requirements. All like items furnished on any one contract, including parts and sub-assemblies thereof shall be new and interchangeable.

3.3 Codes and standards. The measuring and cutting machines shall comply with the applicable requirements of 3.3.1.1 and 3.3.1.2.

3.3.1 Compliance. Prior to approval of the first article, if one is submitted, or prior to commencing production, the supplier shall submit to the contracting officer or his authorized representative satisfactory evidence that the measuring and cutting machines that he proposes to furnish under this specification meet the applicable requirements of 3.3.1.1 and 3.3.1.2.

3.3.1.1 UL. Acceptable evidence of meeting the requirements of UL shall be the UL label, a UL listing mark, or a certified test report from a recognized independent testing laboratory, acceptable to the Government, indicating the measuring and cutting machines have been tested and conform to UL electrical construction materials list.

3.3.1.2 NFPA. Acceptable evidence of meeting the NFPA requirements shall be a certified test report from a recognized independent testing laboratory acceptable to the contracting officer or his authorized representative indicating that the measuring and cutting machines have been tested and conform to NFPA Standard No. 70.

3.4 Materials and components. Materials not definitely specified shall be of the quality normally used by the manufacturer in his standard commercial measuring and cutting machine provided that the completed item complies with all provisions of this specification."

PAGE 4

3.5.1, third line. Add comma after "4 lengths".
fourth line. Delete "systems" and substitute "system".
tenth line. Delete "and" and substitute "or".
eleventh line. Delete "with" and substitute "using".
thirteenth line. Insert, "each length" between "overwrap" and "corresponding".

PAGE 5

3.5.2, second line. Delete the word "length" and substitute "4 lengths" and delete the word "required" and substitute "specified (see 3.5.1)".

3.6, first line. Insert comma after the word "machine" in two places.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:11Z
Check the source to verify that this is the current version before use.

3.7, first line. Delete "accordacne" and substitute "accordance".

3.9, first line. Delete "each machine" and substitute "Type I and II machines".

third line. Delete "(see 4.4.8)" and substitute "(see 4.6.3)".

3.10 through 3.11.4. Renumber paragraphs to 3.11 through 3.12.4.

3.10 add new paragraph:

"3.10 Noise emission. The acoustical noise levels permitted around the unit shall conform to HEL Standard S-1-63C (see 4.6.4)."

4.2 through 4.3.2.1. Delete the paragraphs in their entirety and substitute the following new paragraphs:

"4.2 Classification of inspection. The inspection requirements specified herein are classified as follows:

1. First article inspection (see 4.3).
2. Quality conformance inspection (see 4.4).

4.3 First article. When a first article is required, the measuring and cutting machine shall be examined and tested as specified in 4.4.2.1 and 4.4.2.2, and 4.6.1 through 4.6.3. The presence of any defect or failure of any test shall be cause for rejection of the first article.

4.4 Quality conformance inspection. Except as otherwise specified herein, sampling for inspection shall be performed in accordance with the provisions set forth in MIL-STD-105.

4.4.1 Component and material inspection. The supplier shall insure that all components and materials used are manufactured, examined and tested in accordance with referenced specifications and standards unless excluded, amended, modified or qualified in this specification or applicable purchase document.

4.4.2 End item inspection. The inspection lot shall be all measuring and cutting machines offered for inspection at one time.

4.4.2.1 Visual examination. The measuring and cutting machines shall be examined for the defects in table I. The inspection level shall be II with an AQL (acceptable quality level) of 2.5 for major defects and 6.5 for total defects expressed in terms of defects per hundred units".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:11Z
Check the source to verify that this is the current version before use.

4.3.2.2 through 4.3.3. Delete the paragraphs in their entirety and substitute the following new paragraphs:

"4.4.2.2 Dimensional examination. The measuring and cutting machine shall be examined for compliance with dimensions specified. Any dimension not within this specification tolerance shall be a defect. The inspection level shall be S-2 with an AQL of 2.5 defects expressed in terms of defects per hundred units.

4.4.2.3 End item testing. When a first article is not required, the first produced measuring and cutting machine shall be tested as specified in 4.6.2 and 4.6.3. Each measuring and cutting machine shall be tested as specified in 4.6.1. Failure to pass a test shall be cause for rejection of the machine."

4.3.4 Delete "4.3.4" and substitute "4.4.3".

In paragraph title. Delete "Examination" and substitute "Inspection". Fourth line, after inspection. Add "at one time".

Add the following new paragraph:

"4.5 Certificate examination. Certificate of compliance, certified test reports, approval labels or listing marks for codes and standards, as applicable, that are submitted as proof of compliance with specification requirements shall be examined and validated."

4.4 Delete "4.4" and substitute "4.6".

4.4.1 Delete "4.4.1" and substitute "4.6.1".

4.4.2 Delete "4.4.2" and substitute "4.6.2".

At the end of paragraph. Add "Any nonconformance shall constitute failure to pass this test".

4.4.3 Delete the paragraph in its entirety and substitute the following:

"4.6.3 Electromagnetic compatibility tests. When electromagnetic compatibility is required, the first article or initial production unit, as applicable shall be tested by the supplier in accordance with test method CE03 or RE02 of MIL-STD-462. The Government reserves the right to witness tests performed by the supplier or an independent testing agency. The supplier shall furnish the contracting officer written certification that the Interference Control Plan, the EMI/EMC Test Plan, the electromagnetic test report and the requirements meet MIL-STD-461".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:11Z
Check the source to verify that this is the current version before use.

PAGE 10 (cont'd)

4.6.4 Add new paragraph:

"4.6.4 Noise emission test. The first article or initial production unit, as applicable shall be tested by the supplier to determine compliance with 3.10. The Government reserves the right to witness tests performed by the supplier or an independent testing agency. The supplier shall furnish the contracting officer a report of the noise emission tests. Disapproval of the reports shall constitute failure of this test."

PAGE 11 AND PAGE 12

6.2 Delete in its entirety and substitute the following paragraphs:

"6.2 Ordering data. Purchasers should exercise any desired options offered herein, and procurement documents should specify the following:

6.2.1 Procurement requirements.

a. Title, number and date of this specification.
b. Type required (see 1.2).
c. First article (see 3.1, 4.3 and 6.3).
d. Electrical characteristics, if other than specified (see 3.5.5).
e. When electromagnetic compatibility is required (see 3.9).
f. Selection of applicable levels of Preservation, Packaging and Packing (see 5.1 and 5.2).

6.2.2 Contract data requirements. Any requirements for contract data items, such as equipment manuals for the items covered by this specification should be included in DD form 1423, Contract Data Requirements List, and cited in contract."

PAGE 12

6.3 Delete the paragraph in its entirety and substitute:

"6.3 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of ASPR 7-104.55. The first article should be a preproduction sample, initial production item or other specific item described under the definition of First Article in the ASPR. The contracting officer should include specific instructions in all procurement instruments regarding arrangements for inspection and approval of the first article."

6.4 Delete paragraph in its entirety.

Custodian:

Army - GL

Review Activity:

Army - MD

Preparing activity:

Army - GL

Project No. 3540-A083

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:11Z
Check the source to verify that this is the current version before use.