MIL-M-10121(CmlC)
3 February 1950
SUPERSEDING
Cml C 197-51-328
16 June 1948

MILITARY SPECIFICATION

MASK, GAS, M9

1. SCOPE

1.1 This specification covers one type of gas mask with the canister on the right or left cheek, as specified in the contract or order. (See 6.1.)

2. APPLICABLE SPECIFICATIONS, OTHER PUBLICATIONS, AND DRAWINGS

2.1 Specifications.- The following specifications and the specifications listed on the referenced drawings, of the issue in effect on date of invitation for bids, forms a part of this specification.

ARMY SPECIFICATIONS

100-2 - Standard Specification for Marking Shipments by Contracts 1/

NAVY DEPARTMENT SPECIFICATION

- General Specifications for Inspection of Material 2/

(Army - Copies of specifications may be obtained from the procuring agency or as directed by that agency. Both the title and identifying number or symbol should be stipulated when requesting copies.)

(Navy - Copies of Federal and Military specifications may be obtained upon application to the Bureau of Supplies and Accounts, Navy Department, Washington 25, D. C., except that activities of the Armed Forces should make application to the Supply Officer in Command, Naval Supply Center, Norfolk 11, Va. Both the title and identifying number or symbol should be stipulated when requesting copies.)

(Air Force - Copies of Federal and Military specifications may be obtained upon application to the Commanding General, Air Materiel Command, Wright-Patterson Air Force Base, Dayton, Ohio. Both the title and identifying number or symbol should be stipulated when requesting copies.)

Source: https://assist.dla.mil -- Downloaded: 20261O-17T13:34Z
Check the source to verify that this is the current version before use.

1/ Applicable only to Army purchases.
2/ Applicable only to Navy purchases.

2.2 Other publications.- The following publications, of the issue in effect on date of invitation for bids, form a part of this specification:

CHEMICAL CORPS DIRECTIVE

511 - Directive for Lot Numbering Gas Mask Facepieces.

(Copies of Chemical Corps directives may be obtained from the Office of the Chief, Chemical Corps, Supply and Procurement Division, Army Chemical Center, Maryland. Both the title and identifying number or symbol should be stipulated when requesting copies.)

BUREAU OF SUPPLIES AND ACCOUNTS PUBLICATION

Navy Shipment Marking Handbook 3/

(Copies of the Navy Shipment Marking Handbook may be obtained upon application to the Bureau of Supplies and Accounts, Navy Department, Washington 25, D. C.)

2.3 Drawings.- The following drawing and the drawings listed on the referenced drawing, or the issue in effect on date of invitation for bids, form a part of this specification:

CHEMICAL CORPS DRAWING

B5-1-262 - Mask, Gas, M9 - Bill of Material.

(Copies of Chemical Corps drawings may be obtained from the Office of the Chief, Chemical Corps, Supply and Procurement Division, Army Chemical Center, Maryland. Both the title and identifying number or symbol should be stipulated when requesting copies.)

3. REQUIREMENTS

3.1 Materials.- All materials and components used in the assembly and packing of the gas mask shall conform to the specifications and drawings forming a part of this specification.

3.2 Assembly.- The components shall be assembled in the carrier as specified on Drawing B5-1-263.

3.3 Workmanship.- All work shall be done in a neat and workmanlike manner.

Source: https://assist.dla.mil -- Downloaded: 20261O-17T13:34Z
Check the source to verify that this is the current version before use.

4. SAMPLING, INSPECTION AND TEST PROCEDURES

4.1 Lot.- A lot shall consist of the quantity of masks assembled from a single lot of canisters and facepieces. The inspection lot for nondestructive inspection, within the above limitations shall be designated by the inspector.

3/ Applicable only to Navy purchases.

4.2 Sampling for nondestructive inspection.- Sampling for nondestructive inspection shall be conducted in accordance with the authorized classification of defects (see 4.3.3) and the sampling tables in effect at the time of sampling. Whenever acceptability is based on the inspection of a sample, failure of the sample to meet the specified requirements shall be cause for rejection of the lot which the sample represents. (See 6.2 and 6.3.)

4.3 Inspection.-

4.3.1 Components.- The inspector shall ascertain that, prior to assembly, all materials, components, or subassemblies of the gas mask, procured under separate specifications or drawings have been inspected, tested, and accepted in accordance with their respective specifications or drawings.

4.3.2 Packing, and marking.- The inspector shall inspect the packing and marking of the gas mask for compliance with this specification.

4.3.3 Classification of defects.- Inspection of the gas mask shall be conducted as follows:

4.3.3.1 Assembly and packaging (before closing).-

(Dwg. B5-1-263, C5-20-83 or B5-20-80)

Categories and defects	Gage or other method of inspection
MAJOR AQL 0.25%	
1. Component, missing	Visual
2. Canister container, damage which would affect serviceability	Visual
3. Facepiece, damage which would affect serviceability	Visual
4. Carrier, damage which would affect serviceability	Visual
5. Mask or package, contamination which would affect serviceability	Visual

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:34Z
Check the source to verify that this is the current version before use.

Categories and defects	Gage or other method of inspection
MINOR AQL 0.50%	
51. Facepiece, marking illegible	Visual
52. Component package, marking illegible	Visual
53. Packing or arrangement of contents, improper	Visual
INCIDENTAL AQL 10%	
101. Carrier, marking illegible	Visual

4.3.3.2 Packaging (after closing).-

(Dwg. B5-20-80 or C5-20-83)

Categories and defects	Gage or other method of inspection
Major A AQL 0.25%	
1a. Leaking container (C5-20-83 only)	4.4.1
Major	
None	
Minor AQL 2.0%	
51. Package, damaged	Visual
52. Package, marking illegible, missing, or incorrect	Visual
Incidental	
None	

4.4 Tests

4.4.1 Package container leakage.- Submerge the package (Dwg. C5-20-83) not more than two inches below the surface of water at 85° ± 2°C. for 30 seconds and observe for leakage.

5. PREPARATION FOR DELIVERY

5.1 Packaging.- The masks shall be packaged in fiber containers in accordance with Drawing B5-20-80 or in metal containers in accordance with

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T13:34Z
Check the source to verify that this is the current version before use.

Drawing C5-20-83, as specified in the contract or order. Prior to assembly in the metal container, each container, without bottom, shall be subjected to an internal air pressure of 5 p.s.i. and observed for leakage. All leaking containers shall be discarded. The masks shall be packaged in the container in accordance with Drawing C5-20-83. After closing the container shall be tested for leakage as specified in 4.4.1. All leaking containers shall be discarded. (See 6.4.)

5.2 Packing.-

5.2.1 Fiber containers.- Masks packaged in fiber containers shall be packed in accordance with Drawing C5-20-81.

5.2.2 Metal containers.- Masks packaged in metal containers shall be packed in accordance with Drawing C5-20-84.

5.3 Marking.-

5.3.1 Packages.-

5.3.1.1 Fiber containers.- The fiber container packages shall be marked as specified on Drawing B5-20-80 and in accordance with Directive 511.

5.3.1.2 Metal containers.- The metal container packages shall be marked as specified on Drawing C5-20-83 and in accordance with Directive 511.

5.3.2 Shipping containers.- All shipping containers shall be marked as specified on Drawing B5-12-583. In addition to any special marking required by the contract or order, shipping containers for the Army shall be marked in accordance with Specification 100-2; for the Navy, in accordance with the Navy Shipment Marking Handbook.

6. NOTES

6.1 Ordering data.- Requests, requisitions, schedules, and contracts or orders should specify the following:

(a) Title, number, and date of the specification and drawings.
(b) Size and type of mask required (See 1.1 and 6.5.)
(c) Type of packaging required. (See 5.1.)

6.2 Inspection.- Inspection will not necessarily include all drawing and specification requirements. However, the omission of inspection does not constitute a waiver of these requirements.

6.3 Sampling and testing.- If the contractor consistently produces high-quality material and operates under a system of quality control acceptable to the Government, the Government inspector, at his discretion, may modify

Source: https://assist.dla.mil -- Downloaded: 202610-17T13:34Z
Check the source to verify that this is the current version before use.

in whole or in part, the sampling and testing procedures prescribed herein. However, the Government reserves the right to return at any time, without previous notice to the contractor, to the sampling and testing procedures specified in this specification.

6.4 Leaking containers.- Containers showing evidence of leakage in the test specified in 4.4.1 may be reconditioned by wiping with a dry cloth, to prevent moisture from being drawn into the container, sealing by soldering or other suitable means, and retesting.

6.5 Stock numbers.- The Chemical Corps stock numbers for this item are listed in table I.

TABLE I - STOCK NUMBERS

Cml C Stock Number	Nomenclature	Position of Canister
510227	Mask, Gas, M9 (Large)	Right cheek
510228	Mask, Gas, M9 (Large)	Left cheek
510229	Mask, Gas, M9 (Medium)	Right cheek
510230	Mask, Gas, M9 (Medium)	Left cheek
510231	Mask, Gas, M9 (Small)	Right cheek
510232	Mask, Gas, M9 (Small)	Left cheek

Notice - When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Custodian:

Army - Chemical Corps

Navy -

Other interest:

Source: https://assist.dla.mil -- Downloaded: 202610-17T13:34Z
Check the source to verify that this is the currentversion before use.

GPO 817284