MIL-D-16475/60A(NU)
11 December 1979
SUPERSEDING
MIL-D-16475/60(SA)
24 October 1978

MILITARY SPECIFICATION SHEET


DEVICES, METAL, BREAST AND COLLAR

SENIOR ENLISTED ADVISOR IDENTIFICATION BREAST BADGE

This specification is approved for use by the Naval Supply Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the insignia described herein shall consist of this document and the latest issue of Specification MIL-D-16475.





Design: Regular size - Government hubs available for oval disc and activity panels. No hubs available for anchor assembly.
Miniature size-Government hubs available. No hubs available for stars. Stars are sized to fit a circle 1/8 inch in diameter.

Colors: Regular size - Gold - Oval disc and anchor
Silver-Star(s), USN, and activity panel
Miniature size-Gold

Sizes: Regular and miniature.

Materials:

Oval disc, anchor, star(s)
USN and activity panels - Brass, nickel plated

FSC 8455

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:07Z
Check the source to verify that this is the current version before use.

Finish:

Regular -

Oval disc	- 24K gold plated, matte relieved, chain border mirror like polish
Anchor	- 24K gold plated mirror like polish
USN and star(s)	- Nickel plated, bright rhodium finish
Activity panel	- Silver plated, oxidized relieved satin finish
Completely assembled badge	- Lacquered on all sides

Miniature -

Oval disc	- 24K gold plated matte relieved, chain border mirror like polish
Anchor, USN, and star(s)	- 24K gold plated mirror like polish
Activity panel	- 24K gold plated, matte relieved, raised lettering mirror like polish
Completely assembled badge	- Lacquered on all sides

Forcer:	Regular size badge	- No forcer permitted
	Miniature size badge	- Forcer permitted for star(s)

Thickness (inches)	Regular	Miniature
Oval disc w/o surface attachments		
-at center of oval	0.060 (± 0.003)	0.050 (± 0.005)
-on border chain	0.075 (± 0.003)	0.056 (± 0.005)
Activity panel	0.060 (± 0.003)	0.050 (± 0.005)

Dimensions (inches)	Height	Width
Oval disc		
Regular	1 3/4 (± 1/32)	1 3/8 (± 1/32)
Miniature	7/8 (± 1/32)	11/16 (± 1/32)
Anchor		
Regular	15/16 (± 1/32)	5/8 (± 1/32)
Miniature	15/32 (± 1/64)	11/32 (± 1/64)
USN		
Regular	1/4 (± 1/32)	5/8 (± 1/32)
Miniature	1/8 (± 1/64)	11/32 (± 1/64)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:07Z
Check the source to verify that this is the current version before use.

Dimensions (inches) (cont'd)	Height	Width
Activity panel		
Regular	5/32 (± 1/64)	25/32 (± 1/64)
Miniature	3/32 (± 1/64)	13/32 (± 1/64)
Star		
Regular		1/4 (± 1/32) diameter
Miniature		1/8 (± 1/64) diameter

NOTE: To convert to metric system multiply inch measurements by 25.4 to find millimeters.

Assembly:

Regular - All components shall be hard-soldered or riveted to the oval disc in accordance with positions on reference sample.

Miniature - All components shall be hard-soldered to the oval disc in accordance with positions on reference sample.

Placement of attachment prongs:

Regular - Three prongs and clutch fasteners are required. The three prongs shall be positioned on back side of oval disc as per reference sample (see illustration). Each prong shall be 3/32 ± 1/32 inch from outer edge of badge.

Miniature - Two prongs and clutch fasteners are required. The two prongs shall be positioned on back side of oval disc 22/32 + 0 - 1/32 inch apart and equidistant from each end as per reference sample (see illustration).

Where used:

Badge will be worn by all military personnel serving in the capacity of Master Chief Petty Officer of the Navy, Fleet Master Chief, Force Master Chief, Command Master Chief, Command Senior Chief or Command Chief. The activity panel shall be identified as "Navy", "Fleet", "Force" or "Command" in raised lettering.

Custodian:
Navy - NU

User activity:
Navy - CG

Preparing activity:
Navy - NU

Project No. 8455-N888

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:07Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-D-16475/60A(NU)

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*	TELEPHONE NO.
	DATE

DD FORM 1426 1 OCT 76 Replaces edition of 1 Jan 72 which may be used. S/N 0102-LF-001-4260

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:07Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DoD-316

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Officer In Charge Code 50
Navy Clothing & Textile Research Facility
21 Strathmore Road
Natick, MA 01760

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T09:07Z
Check the source to verify that this is the current version before use.