[METRIC]

A-A-137B
October 31, 1995
SUPERSEDING
A-A-137A
April 14, 1992

COMMERCIAL ITEM DESCRIPTION

MOISTENER, PAPER SEALING, FOUNTAIN-TYPE

The General Services Administration, has authorized the use of this Commercial Item Description by all Federal agencies.

1. Scope.

This description covers hand-held, fountain-type moisteners which are used for wetting gummed surfaces.

2. SALIENT CHARACTERISTICS:

Moisteners shall:

2.1. Consist of a refillable water container with a removable cap, both made of a commercially appropriate plastic. The removable cap shall have a minimum of one perforation and shall have a permanently attached, commercially appropriate sponge. The sponge shall allow for the even distribution of water over any gummed surface without leaking.

2.2. The moistening surface of the sponge shall be a minimum of 4.03 square centimeters (5/8 square inch).

2.3. Carry a minimum capacity of 14 milliliters (.47 fluid ounces) of water.

2.4. Be hand-held, pencil-style and a minimum of 15.24 centimeters (6 inches) long.

2.5 Shall pass the performance test in section 4.

Beneficial comments, recommendations, additions, deletions, clarifications etc. and any data which may improve this document should be sent to: General Services Administration
Federal Supply Service, Engineering Branch
26 Federal Plaza, New York, NY 10278

FSC 7520

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:05Z
Check the source to verify that this is the current version before use.

2.5 Workmanship: The moisteners shall be free of any defects which affect appearance or impair serviceability.

3. REGULATORY REQUIREMENT:

3.1 The offeror / contractor is encouraged to use recovered materials in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

3.2. Certification. The contractor shall certify that if polystyrene is used in the manufacture of this item, it shall contain a minimum of 25 percent Postconsumer Recovered Materials in accordance with the 40 Code of Federal Regulations Part 247, Comprehensive Guideline for Procurement of Products Containing Recovered Materials; Final Rule. The government reserves the right to require proof of such conformance prior to first delivery, and thereafter as may be otherwise provided for under the provisions of the contract.

4. QUALITY ASSURANCE:

4.1 Contractor Certification: The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of the Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided under the provisions of the contract.

4.2 Examination and Testing. Suppliers are encouraged to use quality control(QC)techniques that exhibits control over their processes (e.g. Statistical Process Controls). These techniques shall ensure quality levels equal to, or greater than, those cited in the applicable technical document or, herein. For those product characteristics which are controlled by such method, requirements for end item inspection / testing may be used by the offeror, or the Government representative, as a means to determine the effectiveness of inprocess quality controls. Inprocess controls shall not be substituted for end item performance testing, unless it can be demonstrated that there exist a direct correlation between the process control and product performance, such that end item performance testing is obviated.

For those characteristics for which there are no such controls, or for end item performance test, lot by lot sampling for inspection / test shall be required. Sampling shall be in accordance with the American National Standards Institute (ANSI)/ American Society for Quality Control (ASQC) ZI.4-1933, Sampling

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:05Z
Check the source to verify that this is the currentversion before use.

Procedures and Table for Inspection by Attributes. For Visual and Dimensional inspections and Breaking Strength testing inspect level shall be S-1 with a (AQL) of 4.0 Percent Defective. The sample unit shall be one moistener.

4.3 Performance Test. Hang the moisteners sponge-end down for one hour. No water shall seep out of the sponge or leak out of the tube.

5. Preparation For Delivery.

5.1 Packaging and Packing. Shall be as specified in the contract or order.

6. NOTES.

6.1. APPLICABLE DOCUMENTS AND DOCUMENT SOURCES: The following documents form a part of this Commercial Item Description to the extent specified herein. Unless otherwise indicated, the issue in effect on the date of invitation for bids or request for proposal shall apply:

6.1.1 Federal Acquisition Regulation (FAR) may be obtained from the superintendent of Documents, Government Printing Office, Washington DC, 20402.

6.1.2 ANSI / ASQC ZI.4- may be obtained from the American Society for Quality Control, PO Box 3005, 611 E Wisconsin Avenue, Milwaukee, Wisconsin 53201-4606.

6.1.3 Title 40, Code of Federal Regulation, Protection of Environment, Part 247.

Copies may be purchased with a Visa, Master Card, or prepaid check through: Government Printing Office: Washington, DC. Phone 202-783-3238.

When ordering ask for Title 40, Parts 190-250; Stock Number 869-013-00-146-0.

6.2. Ordering Data: Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

1) Special packaging and packing, if different than provisions in Packaging and Packing.
2) Special marking, if different than provisions in Marking.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:05Z
Check the source to verify that this is the current version before use.

6.3 National Stock Number

7520-00-241-2981

MILITARY INTEREST:

NONE: DoD has no registered interest in revisions to this Commercial Item Description until further notice.

PREPARING ACTIVITY:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:05Z
Check the source to verify that this is the current version before use.