A-A-50062
September 26, 1983

COMMERCIAL ITEM DESCRIPTION

SCALES, SPRING, (SUSPENSION MOUNTED)

The General Services Administration has authorized the use of this commercial item description in preference to AAA-S-133.

Intended use. The scales are intended for use in laboratories or warehouses. The class 1 scale is a lighter construction than class 2 scales.

Salient characteristics.

The scale shall consist of a calibrated tension spring with a load-indicator connected to a shaft extending from one end of the housing. A load receiving element shall be attached to the end of the shaft.

The housing shall be of steel, brass, or plastic in accordance with the manufacturer's standard commercial product. A metal lume or ring shall be integral with the top of the housing. The dial face may be either a linear type or a round type.

The scales shall be either of two classes:

Class 1 - Tubular, flat front or recessed dial.
Class 2 - Heavy duty with graduated face recessed in the housing, protected indicating elements and the receiving element is a hook.

The scales shall be of the capacities and graduations shown in table I.

TABLE I. Capacities and graduations

Class	Size	Capacity	Graduations
1	2	64 to 72 oz. (1800 to 2025 g)	1 oz. (25 g)
	3	10 lbs.	1/4 lb.
	4	20 to 25 lbs.	1/2 lb.
	5	50 lbs.	1 lb.
	6	100 lbs.	1 lb.
2	4	200 lbs.	2 lbs.
	5	300 lbs.	5 lbs.
	7	500 lbs.	5 lbs.

FSC nb70

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:38Z
Check the source to verify that this is the current version before use.

TABLE II. Tolerances for scales (ounces, plus and minus)

Load	72-ounce	10-pound	25-pound	50 and 100-pound	200-pound	300, 400 and 500-pound
In ounces						
0 to 4	1/2					
5 to 9	1/2					
In pounds						
0 - 3	1	1/2				
4 - 7		1	1	4		
8 - 11		1-1/2				
12 - 19			2		8	
20 - 29			3	8		
30 - 49				8		
50 - 74				8	8	
75 - 100				8	8	
Over 100					*	
0 - 125						*
0 - 125						*

* 1/2 the value of the minimum graduation intervals.

Certification. The contractor shall certify that the product offered meets the salient characteristics of this description, conforms to the producer's own drawing, specifications, standards, and quality assurance practices, and is the same as the product sold in the commecial marketplace. The Government reserves the right to recuire proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for in the contract.

Packaging.

A. Commercial packaging. The scales shall be packaged ir accordance with ASTM D 3951.

3. Commercial packag. Scales packaged as specified shall be packed in accordance with ASTM D 3951.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:38Z
Check the source to verify that this is the current version before use.

C. Export packaging. Movable components of each scale shall be secured in a fixed position in a manner to prevent movement or damage during shipment. Each scale shall be packaged in a snug-fitting paperboard box conforming to style II, type D, class A of PPP-B-566.

D. Export packing. Ten scales packaged as specified above, shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC, grade V3c of PPP-B-636. Weight of contents shall not exceed 70 pounds. Each shipping container shall be closed, waterproofed by means of tape and reinforced with strapping or tape banding in accordance with the appendix of PPP-B-636.

E. Marking. Commercial markings are acceptable, provided the following information is included:

National stock number	Date of pack
Item description	Contract number
Quantity	Name, address and zip code of manufacturer

Sources of information for nongovernmental association documents.

American Society for Testing and Materials
1916 Race Street, Philadelphia, PA 19103

National Motor Freight Traffic Association, Inc., Agent
National Motor Freight Classification
American Trucking Associations, Inc., Traffic Department
1616 P Street, N.W., Washington, DC 20036

Uniform Classification Committee, Agent
Uniform Freight Classification
Uniform Classification Committee, Suite 1106
222 South Riverside Plaza, Chicago, IL 60606

MILITARY INTERESTS:

Custodians

Army - GL
Navy - YD
Air Force - 99

Review Activities

Navy - MS
Air Force - 82
DLA - GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

Project No. 6670-0154

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:38Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:38Z
Check the source to verify that this is the current version before use.