INCH-POUND

A-A-50090A
December 23, 1992
SUPERSEDING
A-A-50090
December 22, 1986

COMMERCIAL ITEM DESCRIPTION

CLEANERS, VACUUM, ELECTRIC (COMMERCIAL/INDUSTRIAL)

The General Services Administration has authorized the use of this commercial item description.

1. CLASSIFICATION

1.2 Classification. This commercial item description covers a 12 gallon capacity, vertical tank, wet and dry pick-up vacuum cleaner.

2. SALIENT CHARACTERISTICS

2.1 Design and construction. The vacuum cleaner shall have a minimum 22-gauge stainless steel, upright tank with two rear rigid wheels and two front swivel casters mounted to the tank. The wheels shall not be less than 9 inches in diameter. The wheels and casters shall have non-marking rubber or synthetic tires. The cleaner shall have the capability for dry or wet pick-up as well as for blowing without requiring special attachments. The cleaner shall come ready to operate, be simple in construction, be reliable in operation and be equipped with a conveniently located handle to facilitate cleaner movement. The cleaner shall have a minimum 12-gallon recoverable capacity with drain valve. The cleaner shall be equipped with an automatic device to shut off the cleaner when the tank is filled to capacity. Nominal dimensions of the cleaner shall be 26 inches wide by 22 inches deep by 23 inches high.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: Commander, U.S. Army Natick Research, Development, and Engineering Center, ATTN: SATNC-UXT, Natick, MA 01760-5017.

AMSC N/A FSC 7910

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:38Z
Check the source to verify that this is the current version before use.

2.2 Accessories. The cleaner shall come with the following tools and attachments: carpet tool, bare floor tool, squeegee tool, crevice tool, two 24-inch sectional floor wands, and hose assembly with approximate dimensions of 1-1/2 inches inside diameter by 10 feet long. A nominal 1-1/2 inch inside diameter swivel coupling shall be provided on one end for attaching the hose to the cleaner.

2.3 Electrical. The motor shall be a minimum 1-1/2 horsepower. The cleaner shall be equipped with a 35 foot long (minimum), non-marking, 3 conductor, 12 gauge (minimum) cord. At the point of cord entry into the cleaner housing, a heavy duty strain relief shall be provided. The cleaner shall be capable of operating on a 120 volt, 60 hertz, single phase power source, or a 220 volt, 50 hertz, single phase power source, as specified (see 5.2).

2.4 Manual(s). Each vacuum cleaner shall be supplied with a complete set of manuals or a complete manual. The manual(s) shall contain complete operation and maintenance instructions.

2.5 Data name plate (Government unique requirement, see 5.4). The vacuum cleaner shall be furnished with a data name plate in accordance with the applicable requirements of MIL-STD-130 except the requirements for: (a) Methods of applying; (b) Identification tags; (c) Information not required and, (d) Optional marking information shall not apply. The data name plate shall be made of minimum 20 gauge corrosion-resisting metal and attached to the vacuum cleaner by rivets, screws, or by welding in such a manner that it is readily visible to the operator during normal operating use and so as to not adversely affect the life and utility of the vacuum cleaner. The plate shall contain the following information which shall be stamped, engraved, or applied by photosensitive means:

National Stock Number
Procurement Contract Number
Specification Data
Manufacturer's Name, Address, and Telephone Number
Supplier's Name, Address, and Telephone Number (List only if different from manufacturer)
Manufacturer's Model Number
Government Approved Manual Number (when specified, see 5.2)

2.4 Standards conformance. The vacuum cleaner shall conform to the requirements set forth in UL Standard 1017.

3. QUALITY ASSURANCE

3.1 Certification. The contractor shall certify, and maintain substantiating evidence, that the product offered meets the salient characteristics and requirements of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:38Z
Check the source to verify that this is the current version before use.

right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.2 Metric product. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this Commercial Item Description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

3.3 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

4. PACKAGING

4.1 Packaging, packing, and marking. The vacuum cleaners shall be packaged, packed, and marked in accordance with domestic or overseas requirements of ASTM D 3951, as specified (see 5.2).

5. NOTES

5.1 Intended use. The wet/dry vacuum cleaners are intended for commercial and industrial use.

5.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this document.
b. Voltage required (see 2.3)
c. The Government approved manual number is to be included on the data name plate when manuals are purchased under the contract (see 2.5).
d. Type of packaging, packing, and marking requirements required (see 4.1).

5.3 Sources of documents.

5.3.1 Sources of nongovernment association documents.

ASTM D 3951 - Standard Practice For Commercial Packaging, is available from:

The American Society for Testing and Materials (ASTM)
1916 Race Street
Philadelphia, PA 19103-1187

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:38Z
Check the source to verify that this is the current version before use.

UL Standard 1017 - Vacuum Cleaning Machines And Blower Cleaners, is available from:

Underwriters Laboratories, Inc. (UL)
333 Pfingsten Road
Northbrook, IL 60062

5.3.2 Sources of Government documents. Copies of military and federal documents are available from:

Standardization Documents Order Desk
Building 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

5.4 Government unique requirements. Whenever "(Government unique requirement)" is included in the title of a paragraph under "salient characteristics", it is meant that the requirement is something that is not normally offered to the commercial marketplace by the manufacturer.

MILITARY INTERESTS:

Custodians

Army - GL
Air Force - 99

Review Activities

Army - TR
Air Force - 84

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

Project 7910-0085

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:38Z
Check the source to verify that this is the current version before use.