A-A-50093
February 17, 1987

COMMERCIAL ITEM DESCRIPTION

SCALE SYSTEM, FOOD PACKAGING, SEMI-AUTOMATIC

The General Services Administration has authorized the use of this commercial item description.

1. Intended use. This commercial item description covers a heavy duty, electrically operated scale system for packaging, weighing, computing prices, and affixing UPC labels to food items.

2. Salient characteristics.

2.1 Design and construction. The scale system shall consist of a manual handwrap station, digital computing scale, thermal label printer with capacity for printing universal product code (UPC) bar symbols, automatic heating conveyor belt for sealing packages, and a mobile rotary bin for receiving the labeled packages from the conveyor belt. The system shall have a minimum of 300 commodity descriptions and price data capability. Components shall be designed for heavy duty use in chill/refrigerated areas with a humidity range of 10% to 90% relative humidity. The printer shall have a minimum capacity of 5,000 labels per roll. The components shall operate together as one system to package, weigh, compute price, and print and affix label to food items. The overall nominal dimensions of the system shall be 105-inches long, 43-inches wide, and 57-inches high. The handwrap station can be mounted on either the right or left side of the scale and the packages can be discharged at either the right or left side of the label printer.

2.2 Handwrap station, manual. The handwrap station shall be a stainless steel console model with attached weighing platform, two side shelves, and hot wire cut-off. The station shall have a three roll film capacity. Each roll shall have 3-inch diameter core and be up to 18 inches wide. The station shall be equipped with an adjustable height lever. The wrapping film shall be loaded easily without the use of tools.

2.3 Scale, digital computing with thermal printer. The digital computing scale shall connect to the weighing platform on the handwrap station and to the thermal controlled label printer. The scale shall provide for a digital readout of net weight, price per pound, and total price. The printer shall automatically process printed labels displaying: item name, date, net weight, unit price per pound, total price, and universal product code bar symbols. Approximate dimensions: scale - 23 inches long by 17 inches wide by 23 inches high; digital computer - 12 inches long by 9 inches wide by 16 inches high; printer -21 inches long by 15 inches wide by 27 inches high.

FSC 6670

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:38Z
Check the source to verify that this is the currentversion before use.

2.4 Automatic heated conveyor belt. The conveyor sealing belt shall be positioned adjacent to the handwrap station. The packaged items received from the handwrap station, shall be placed on the heated conveyor belt for sealing. A label shall automatically be affixed to the sealed package. The conveyor belt shall manually receive the package from handwrap station, seal and apply label to package, and deliver to mobile rotary bin. The approximate dimensions of the belt shall be 22 inches long by 12 inches wide.

2.5 Mobile rotary bin. The bin shall be constructed of aluminum or stainless steel, or a combination of both, and shall be equipped with casters. The minimum diameter of the bin shall be 27 inches and minimum depth shall be 9 inches. The height of the rotary bin shall be adjustable from 29 to 37 inches from the floor.

2.6 Electrical characteristics. The components shall operate on a nominal 120 volts, 60 hertz, one cycle system. For overseas requirements, the components shall operate on a nominal 220 volts, 50 hertz, one phase power source (see 5.1).

2.7 Data requirements. Instructions and operators manuals shall be furnished for all components of the system.

3. Certification. The contractor shall certify that the product offered meets the salient characteristics of this description, conforms to the producer's own drawings, specifications, standards, and quality assurance practices and is the same product sold in the commercial marketplace. The Government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4. Packaging. The scale system shall be packaged, packed, and marked in accordance with the domestic or overseas requirements of ASTM D 3951, as applicable.

5. NOTES

5.1 Ordering data.

a. Title, number and date of this document.
b. When ordering, specify left to right or right to left operational scale system.
c. Electrical requirement (see 2.6).

5.2 Source for nongovernment association documents.

ASTM D 3951 - Standard Practice for Commercial Packaging. (Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:38Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodian

Army - GL

Review Activity

Army - TS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FCGC

PREPARING ACTIVITY:

Army - GL

Project No. 6670-0169

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:38Z
Check the source to verify that this is the current version before use.