NOT MEASUREMENT SENSITIVE

MIL-M-63008B(TM)
15 JULY 1992

SUPERSEDING
MIL-M-63008A(TM)
15 OCTOBER 1967

# MILITARY SPECIFICATION

## MANUALS, TECHNICAL:

## ACQUISITION/PREPARATION REQUIREMENTS

This specification is approved for use by the Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification sets forth the general requirements for acquisition and preparation of technical manuals (TMs) and related data for all types of equipments/systems used by the Department of the Army.

1.2 Purpose. The purpose of this document is to facilitate the contracting for TMs by invoking any of the dash-numbered MIL-STD-361 series documents and the tailoring of the requirements contained therein.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, USAMC Materiel Readiness Support Activity, ATTN: AMXMD-EP, Lexington, KY 40511-5101 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC A6749 AREA TMSS

DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

## 2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Standards. The following standards form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation. (See 6.2.)

STANDARDS

MILITARY

| | | |
|---|---|---|
| MIL-STD-361-1 | - | Writing Style and Format Requirements. |
| MIL-STD-361-2 | - | Comprehensibility Requirements. |
| MIL-STD-361-3 | - | Requirements for Graphics. |
| MIL-STD-361-4 | - | Quality Assurance Requirements. |
| MIL-STD-361-5 | - | Requirements for Packaging. |
| MIL-STD-361-6 | - | Introductory Information with Theory of Operations Requirements. |
| MIL-STD-361-7 | - | Operator and Preventive Maintenance Instructions. |
| MIL-STD-361-8 | - | Maintenance Instructions. |
| MIL-STD-361-9 | - | Troubleshooting Procedures. |
| MIL-STD-361-10 | - | Lubrication Instructions. |
| MIL-STD-361-11 | - | Repair Parts and Special Tools List (RPSTL). |

(Unless otherwise indicated, copies of federal and military standards are available from Military Specifications and Standards, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5904.)

2.1.2 Other Government document/publication. The following other Government document/publication forms a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

| | | |
|---|---|---|
| DOD 5010.12-L | - | Acquisition Management Systems and Data Requirements Control List. |

(Application for copies should be addressed to Military Specifications and Standards, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5904.)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

2.2 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 General requirements. The requirements for the preparation of TMs shall be in accordance with this specification and the applicable appendixes of this specification when the latter have been properly executed by the contracting activity and made part of a statement of work or any other contractual document.

3.2 Appendixes. In the event of any conflict between the requirements of this specification and its applicable and properly executed appendixes, the latter shall govern. Appendix A shall be used for selecting which of the volumes in the 361 dash-numbered series of standards are required for each technical manual(s) acquisition. Appendix B shall be used to specify which optional requirements of the selected volumes of MIL-STD-361 are to be contractually imposed in the acquisition of technical manuals. Appendix C contains a technical manual Content Selection Matrix for each single and each combined level of maintenance for the Army and shall be used to specify which optional chapters, sections, paragraphs, appendixes, etc., are to be contractually imposed in the acquisition of technical manuals.

3.3 Writing style and format. Writing style and general format requirements for TMs shall be in accordance with MIL-STD-361-1 and as specified on copies of tailored (filled in) Requirements Selection Summary Sheets from Appendix B.

3.4 Comprehensibility. The comprehensibility requirements for TMs shall be in accordance with MIL-STD-361-2 and as specified on copies of tailored (filled in) Requirements Selection Summary Sheets from Appendix B.

3.5 Graphics. The preparation of graphics in TMs shall be in accordance with MIL-STD-361-3 and as specified on copies of tailored (filled in) Requirements Selection Summary Sheets from Appendix B.

3.6 Introductory information and theory of operations. Introductory information and theory of operations information contained in TMs shall be in accordance with MIL-STD-361-6 and as specified on copies of tailored (filled in) Requirements Selection Summary Sheets from Appendix B and Content Selection Matrixes from Appendix C.

3.7 Operator and preventive maintenance instructions. Operator and preventive maintenance instructions contained in TMs shall be in accordance with MIL-STD-361-7 and as specified on copies of tailored (filled in) Requirements Selection Summary Sheets from Appendix B and Content Selection Matrixes from Appendix C.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

3.8 Maintenance instructions. Maintenance instructions in TMs (excluding operator) shall be in accordance with MIL-STD-361-8 and as specified on copies of tailored (filled in) Requirements Selection Summary Sheets from Appendix B and Content Selection Matrixes from Appendix C.

3.9 Troubleshooting procedures. Troubleshooting procedures contained in TMs shall be in accordance with MIL-STD-361-9 and as specified on copies of tailored (filled in) Requirements Selection Summary Sheets from Appendix B and Content Selection Matrixes from Appendix C.

3.10 Lubrication instructions. Lubrication instructions shall be in accordance with MIL-STD-361-10 and as specified on copies of tailored (filled in) Requirements Selection Summary Sheets from Appendix B and Content Selection Matrixes from Appendix C.

3.11 Repair parts and special tools list. Repair parts and special tools list shall be in accordance with MIL-STD-361-11 and as specified on copies of tailored (filled in) Requirements Selection Summary Sheets from Appendix B and Content Selection Matrixes from Appendix C.

## 4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examinations and tests) as specified herein. Except as otherwise specified in the contract or purchase order or in MIL-STD-361-4, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to ensure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspections set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. For contractors, sampling inspection is an acceptable practice to ascertain conformance to requirements (except for "hands on" validation); however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.

4.2 Quality assurance. The quality assurance requirements for TM preparation shall be in accordance with MIL-STD-361-4 and as specified on copies of tailored (filled in) Requirements Selection Summary Sheets from Appendix B.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

## 5. PACKAGING

5.1 Packaging requirements. TMs and other TM products shall be packaged in accordance with MIL-STD-361-5 and as specified on copies of tailored (filled in) Requirements Selection Summary Sheets from Appendix B.

## 6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. This specification is to be used with applicable dash-numbered MIL-STD-361 series documents in the acquisition and preparation of TMs that support the operation and maintenance of various types of equipment and weapon systems within the Department of the Army.

6.2 Acquisition requirements. Acquisition documents should specify the following:

a. Title, number, and date of this specification.

b. Issue of DODISS to be cited in the solicitation, and, if required, the specific issue of individual documents referenced. (See 2.1.1.)

6.3 TM acquisition. This specification must be listed on the Contract Data Requirements List (DD Form 1423) in order to acquire the TMs described by this specification, except where DOD FAR Supplement 27.475-1 exempts the requirement for DD Form 1423.

6.4 Data requirements. When MIL-STD-361-4 is required in the acquisition and preparation of a TM, the following Data Item Descriptions (DIDs) must be listed, as applicable, on the Contract Data Requirements List (DD Form 1423) by the contracting activity except where DOD FAR Supplement 27.475-1 exempts the requirement for a DD Form 1423.

| MIL-STD-361-4 Paragraph | DID Number | DID Title |
|---|---|---|
| 5.1.2 | DI-M-2194 | Technical Manual Quality Assurance Program Plan |
| 5.10.3<br>5.10.9 | DI-M-2195 | Validation Plan |
| 5.10.10 | DI-M-2196 | Validation Certification |
| 5.9.2<br>5.13 | DI-M-2197 | Evaluation Record |
| 5.12.2 | DI-M-2198 | Verification Plan |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

| | | |
|---|---|---|
| 5.12.3 | DI-M-2199 | Verification Planning Data Cards |
| 5.12.4 | DI-M-2200 | Verification Sequence Control Chart |
| 5.12.5 | DI-M-2201 | Verification Incorporation Certification |

The above DIDs were those cleared as of the date of this specification. The current issue of DOD 5010.12-L, Acquisition Management Systems and Data Requirements Control List (AMSDL), must be researched to ensure that only current, cleared DIDs are cited by the contracting activity on the DD Form 1423.

6.5 Definitions.

6.5.1 Acronyms used in this specification. The acronyms used in this specification are defined as follows:

a. AAL - Additional Authorization List.

b. AVIM - Aviation Intermediate Maintenance.

c. AVUM - Aviation Unit Maintenance.

d. AMSDL - Acquisition Management Systems and Data Requirements Control List.

e. BII - Basic Issue Items.

f. COEI - Components of End Item.

g. CPC - Corrosion Prevention Control.

h. DID - Data Item Description.

i. DMWR - Depot Maintenance Work Requirement.

j. DO - Depot/Overhaul.

k. DOD - Department of Defense.

l. DODISS - Department of Defense Index of Specifications and Standards.

m. DS - Direct Support.

n. ECM - Electronic Countermeasures.

o. EIR - Equipment Improvement Recommendation.

p. ESD - Electrostatic Discharge.

q. ESDS - Electrostatic Discharge Sensitive.

r. FGC - Functional Group Code.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

s. FRC - Final Reproducible Copy.

t. GFI - Government-Furnished Information.

u. GS - General Support.

v. HCP - Hardness-Critical Procedures/Processes.

w. IPR - In-Process Review.

x. LSAR - Logistic Support Analysis Record.

y. MAC - Maintenance Allocation Chart.

z. NA - Not Applicable.

aa. NATO - North Atlantic Treaty Organization.

ab. NBC - Nuclear, Biological, Chemical.

ac. NDTI - Nondestructive Testing Information.

ad. NHA - Next Higher Assembly.

ae. OIP - Overhaul Inspection Procedure.

af. OP - Operator/Crew.

ag. PCL - Precombat Checklist.

ah. PMC - Preventive Maintenance Checklist.

ai. PMCS - Preventive Maintenance Checks and Services.

aj. P/N - Part Number.

ak. QA - Quality Assurance.

al. RAM - Reliability, Availability, Maintainability.

am. RCM - Reliability Centered Maintenance.

an. RPSTL - Repair Parts and Special Tools List.

ao. SMR - Source, Maintenance, Recoverability.

ap. TB - Technical Bulletin.

aq. TM - Technical Manual.

ar. TMQA - Technical Manual Quality Assurance.

as. TS - Troubleshooting.

at. UN - Unit.



Source: https://assist.dla.mil -- Downloaded: 202610-26T04:24Z
Check the source to verify that this is the current version before use.

au. UOC - Usable On Code.

6.5.2 Technical Manuals (TMs). Manuals that contain instructions for the installation, operation, maintenance, and support of weapon systems, weapon system components, and support equipment. TM information may be presented, according to prior agreement between the contractor and the Government, in any form or characteristic, including hard printed copy, audio and visual displays, electronic embedded media, disks, other electronic devices, or other media. They normally include operational and maintenance instructions, parts lists, and related technical information or procedures exclusive of administrative procedures.

6.6 Subject term (key word) listing. The following terms are to be used to identify this document during retrieval searches:

Acquisition
Comprehensibility
Graphics
Introductory information
Lubrication instructions
Maintenance instructions
Operator and preventive maintenance instructions
Packaging
Preparation
Quality assurance
Repair parts and special tools list
Technical manual
Theory of operations
Troubleshooting procedures
Writing style and format



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX A

## MIL-STD-361 VOLUMES SELECTION

### 10. SCOPE

10.1 Scope. This appendix is to be used by the contracting activity to specify which of the eleven volumes of MIL-STD-361 are to be contractually imposed in the acquisition of technical manuals. This appendix is a mandatory part of this specification. The information contained herein is intended for compliance.

10.2 Application. For each TM(s) acquisition the contracting activity shall select which of the MIL-STD-361 volumes are applicable. MIL-STD-361-1, -2, -4, and -5 shall be required for all TMs acquired. The contracting activity shall make the selections on a copy of the Requirements Selection Summary Sheet contained herein. The Requirements Selection Summary Sheet has a column for five different TMs. The Requirements Selection Summary Sheet in this appendix (See 30.) is intended to be copied or reproduced, completed, signed, and become a part of the Technical Manual Contract Document Summary List for solicitation or contract application. For each MIL-STD-361 volume selected, the corresponding Requirements Selection Summary Sheets in Appendix B shall also be filled in and attached to the filled in copy of the Requirements Selection Summary Sheet from this appendix.

10.3 Selection guidance. The guidance for selecting applicable MIL-STD-361 dash-numbered volumes is as follows:

| MIL-STD-361 Volume No. | Required For |
|---|---|
| -1, -2, -4, and -5 | All TMs |
| -3 | All TMs with graphics |
| -6 | All TMs except RPSTL |
| -7 | All TMs with operator maintenance, PMCS, and/or expendable durable items list |
| -8 | All TMs except operator or RPSTL |
| -9 | All TMs except RPSTL |
| -10 | All TMs (when the equipment has a requirement for lubrication) except RPSTL |
| -11 | All RPSTLs and all TMs with RPSTL appendix |

10.4 Explanation of columns - Requirements Selection Summary Sheet.

a. MIL-STD-361 Volume No./Title - Volume no. and title are self-explanatory.

b. Requirement Applicable for TM: - is to be marked with a TM designation such as -10, -20, -30, -40, -34P, etc.

c. Requirement Applicable, (Y)es - is to be marked with an "X" if the MIL-STD-361 volume listed in the first column is required.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

d. Requirement Applicable, (N)o - is to be marked with an "X" if the MIL-STD-361 volume listed in the first column is not required.

e. Explanation/Remarks - is to be used when a "Yes" or "No" alone is not adequate to completely identify the requirement.

20. APPLICABLE DOCUMENTS. This section is not applicable to this appendix.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

## APPENDIX A

30. REQUIREMENTS SELECTION SUMMARY SHEET.

Equipment Name/Nomenclature_____

| MIL-STD-361 Vol. No./Title | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| -1/Writing Style and Format | X | | X | | X | | X | | X | | |
| -2/Comprehensibility | X | | X | | X | | X | | X | | |
| -3/Graphics | | | | | | | | | | | |
| -4/Quality Assurance | X | | X | | X | | X | | X | | |
| -5/Packaging Requirements | X | | X | | X | | X | | X | | |
| -6/Introductory Information and Theory of Operations | | | | | | | | | | | |
| -7/Operator and Preventive Maintenance Instructions | | | | | | | | | | | |
| -8/Maintenance Instructions | | | | | | | | | | | |
| -9/Troubleshooting Procedures | | | | | | | | | | | |
| -10/Lubrication Instructions | | | | | | | | | | | |
| -11/Repair Parts and Special Tools List | | | | | | | | | | | |

NOTE: The above selected requirements, identified by an "X" in the Requirement Applicable (Y)es or (N)o column(s), and/or the explanation/remarks provided in the Explanation/Remarks column are a mandatory part of this contract.

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX B

## TAILORING GUIDANCE FOR DETAILED REQUIREMENTS CONTAINED IN MIL-STD-361

### 10. SCOPE

10.1 Scope. This appendix is to be used by the contracting activity to specify which optional detailed requirements (See 30.) of the selected volumes of MIL-STD-361 are to be contractually imposed in the acquisition of technical manuals. This appendix is a mandatory part of this specification. The information contained herein is intended for compliance.

10.2 Application. The Requirements Selection Summary Sheets in this appendix are intended to be copied or reproduced, completed, signed, and become a part of the Technical Manual Contract Document Summary List for solicitation or contract application. The applicable Requirements Selection Summary Sheets are required for all TM acquisitions. Each Requirements Selection Summary Sheet has a column for five different TMs. (See 30.)

10.3 Explanation of columns - Requirements Selection Summary Sheet.

a. (Item No.) MIL-STD-361-x Para. No. and Requirements Summary - The item number is self-explanatory. The MIL-STD-361-x paragraph number identifies where the requirement is described in detail. The requirements summary identifies the requirement.

b. Requirement Applicable for TM: - is to be marked with a TM designation such as -10, -20, -30, -40, -34P, etc.

c. Requirement Applicable, (Y)es - is to be marked with an "X" if the requirement listed in the first column is required.

d. Requirement Applicable, (N)o - is to be marked with an "X" if the requirement listed in the first column is not required.

e. Explanation/Remarks - is to be used when a "Yes" or "No" alone is not adequate to completely identify the requirement.

10.4 Tailoring requirements. Each requirement listed on the Requirements Selection Summary Sheets must be marked "Yes" or "No" for each TM designated and an explanation or remarks should be added, as necessary, to assure that selected requirements are adequately identified. If necessary, additional explanation or information may be provided on separate sheet(s) of paper and attached to the summary sheet(s) when completed. Reference to the contract statement of work or the contract documents or attachments containing applicable information may be made in the explanation/remarks column.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX B

(NOTE: It is suggested that the contracting activity preparer review the information in Appendix C before completing the Requirements Selection Summary Sheets in this appendix. Appendix C (filled in) matrix is to be included in a contractually binding document for TM acquisition.)

20. APPLICABLE DOCUMENTS. This section is not applicable to this appendix.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX B

30. REQUIREMENTS SELECTION SUMMARY SHEETS.

Equipment Name/Nomenclature_____

| (Item No.) MIL-STD-361-1 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (1a) 4.1.5.1 HCP processes marked with HCP in box or | | | | | | | | | | | |
| (1b) HCP processes marked with **HCP** | | | | | | | | | | | |
| (2a) 4.1.6.1 ESDS text marked with ESDS symbol or | | | | | | | | | | | |
| (2b) ESDS text marked with **ESD** | | | | | | | | | | | |
| (3a) 4.2.2.1 Illus. larger than 1 pg. to be foldouts or | | | | | | | | | | | |
| (3b) Illus. larger than 1 pg. to be multisheet | | | | | | | | | | | |
| (4) 4.2.4 Emergency pages required | | | | | | | | | | | |
| (5) 4.2.11.3 Para. breakdowns beyond 3rd subordinate | | | | | | | | | | | |
| (6) 4.2.13 Joint service TM required | | | | | | | | | | | |
| (7a) 4.2.16 Index prepared if titled para. exceed 100 or | | | | | | | | | | | |
| (7b) Index prepared regardless of no. of titled para. | | | | | | | | | | | |
| (8a) 5.1.3 Page size = 8-1/2 x 11" | | | | | | | | | | | |
| (8b) Vertical format or | | | | | | | | | | | |
| (8c) Horizontal format | | | | | | | | | | | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX B

| (Item No.) MIL-STD-361-1 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (9a) 5.1.4 Page size = 4 x 5-1/2" or | | | | | | | | | | | |
| (9b) Page size = 6-1/2 x 9-1/2" or | | | | | | | | | | | |
| (9c) Vertical format or | | | | | | | | | | | |
| (9d) Horizontal format | | | | | | | | | | | |
| (9e) Page size = 5 x 8" (Vertical only) | | | | | | | | | | | |
| (9f) Page size = 17 x 11" (Horizontal only) | | | | | | | | | | | |
| (10) 5.1.7.1 Header info. other than TM no. | | | | | | | | | | | |
| (11) 5.1.7.1.1 Classifed TM required | | | | | | | | | | | |
| (12) 5.1.7.2 Footer info. other than page no. | | | | | | | | | | | |
| (13) 5.2.3c U.S. measurements converted to metric | | | | | | | | | | | |
| (14) 5.2.5 Official nomenclature used | | | | | | | | | | | |
| (15) 5.3.8.1 Added/changed hazardous materials warnings icons | | | | | | | | | | | |
| (16) 5.3.13.2 Front cover illustration | | | | | | | | | | | |
| (17) 5.3.13.5 Disclosure notice | | | | | | | | | | | |
| (18) 5.3.13.6 Distribution statement C | | | | | | | | | | | |
| (19) 5.3.14 FOR OFFICIAL USE ONLY on cover and TM pages of classified COMSEC TMs | | | | | | | | | | | |



Source: https://assist.dla.mil -- Downloaded: 202640-26T04:24Z
Check the source to verify that this is the currentversion before use.

## APPENDIX B

| (Item No.) MIL-STD-361-1 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (20) 5.4.1.5.1 International standardization agreement note required | | | | | | | | | | | |
| (21) 5.6.1 Change required | | | | | | | | | | | |
| (22) 5.6.1.1 Change date = copy freeze date | | | | | | | | | | | |
| (23) 5.6.1.4 Change symbol(s) other than change bar for text | | | | | | | | | | | |
| (24) 5.6.2 Revison required. | | | | | | | | | | | |
| (25a) 5.6.3 Routine supplement or | | | | | | | | | | | |
| (25b) Classified supplement or | | | | | | | | | | | |
| (25c) Safety supplement or | | | | | | | | | | | |
| (25d) Operational supplement | | | | | | | | | | | |

NOTE: The above selected requirements, identified by an "X" in the Requirement Applicable (Y)es or (N)o column(s) and/or the explanation/remarks provided in the Explanation/Remarks column are a mandatory part of this contract.

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX B

30. REQUIREMENTS SELECTION SUMMARY SHEETS.

Equipment Name/Nomenclature_____

| (Item No.) MIL-STD-361-2 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (1) 5.4.5 Troubleshooting table to include functional descriptions of the system or subsystem being diagnosed | | | | | | | | | | | |
| (2) 5.6.1.1 Max. of 3 components per sq. in. per pg. (or pg. unit of foldout) in a functional diagram | | | | | | | | | | | |

NOTE: The above selected requirements, identified by an "X" in the Requirement Applicable (Y)es or (N)o column(s) and/or the explanation/remarks provided in the Explanation/Remarks column are a mandatory part of this contract.

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX B

## 30. REQUIREMENTS SELECTION SUMMARY SHEETS.

Equipment Name/Nomenclature_____

| (Item No.) MIL-STD-361-3 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (1a) 5.1.1, 5.1.4 Illus. to be line drawings only or | | | | | | | | | | | |
| (1b) Use of existing illus., photos, or engineering drawings allowed | | | | | | | | | | | |
| (2) 5.1.2.1 Unscreened continuous tone photos/orig. illus. supplied with FRC | | | | | | | | | | | |
| (3) 5.1.5 Combining continuous tone art or photos with line drawings allowed | | | | | | | | | | | |
| (4) 5.1.7 Cartoon type or similar techniques allowed | | | | | | | | | | | |
| (5) 5.3.1 Border rules and boxes for single illus. | | | | | | | | | | | |
| (6) 5.3.4 Type size for callouts other than 8 - 10 pt. | | | | | | | | | | | |
| (7a) 5.3.4.1a&b Index no. for illus. for procedures to be clockwise or | | | | | | | | | | | |
| (7b) Disassembly order or | | | | | | | | | | | |
| (7c) Text mention order | | | | | | | | | | | |
| (8a) 5.4.3 FRC to be text and art mounted on artboard or | | | | | | | | | | | |
| (8b) Electronic page output unmounted or | | | | | | | | | | | |
| (8c) Photographic page output unmounted | | | | | | | | | | | |
| (9a) 5.6.2 Illus. change symbol to be miniature pointing hand for "standard" illus. and | | | | | | | | | | | |



Source: https://assist.dla.mil -- Downloaded: 202640-26T04:24Z
Check the source to verify that this is the currenversion before use.

# APPENDIX B

| (Item No.) MIL-STD-361-3 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (9b) Illus. change symbol to be miniature pointing hand for diagrams/schematics or | | | | | | | | | | | |
| (9c) Illus. change symbol to be screens (shading) for diagrams/schematics or | | | | | | | | | | | |
| (9d) Illus. change symbol to be screened (shaded) boxes for diagrams/schematics | | | | | | | | | | | |
| (10) 5.7.2.1 Nonstandard symbols allowed on diagrams or schematics | | | | | | | | | | | |
| (11) 5.7.6e Waveform data to be shown on diagrams or schematics | | | | | | | | | | | |
| (12) 5.8.3 Wire lists required for diagrams or schematics | | | | | | | | | | | |
| (13) 5.9.2 Special tools and test equipment illustrated | | | | | | | | | | | |

NOTE: The above selected requirements, identified by an "X" in the Requirement Applicable (Y)es or (N)o column(s) and/or the explanation/remarks provided in the Explanation/Remarks column are a mandatory part of this contract.

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

## APPENDIX B

### 30. REQUIREMENTS SELECTION SUMMARY SHEETS.

Equipment Name/Nomenclature_____

| (Item No.) MIL-STD-361-4 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (1) 4.1 Contractor inspection performed at contractor designated facilities | | | | | | | | | | | |
| (2) 5.1.2 TMQA program plan required | | | | | | | | | | | |
| (3) 5.9 Type of IPR support needed to be specified | | | | | | | | | | | |
| (4a) 5.9.1 IPRs held at contractor's facility or | | | | | | | | | | | |
| (4b) Government facility or | | | | | | | | | | | |
| (4c) Other site to be specified | | | | | | | | | | | |
| (5) 5.10.3 Validation plan required | | | | | | | | | | | |
| (6) 5.10.4e Simulation allowed in validation to avoid destructive TS testing | | | | | | | | | | | |
| (7) 5.10.10 Validation certificate required | | | | | | | | | | | |
| (8) 5.11 Validation performed separately from verification | | | | | | | | | | | |
| (9) 5.12 Contractor to participate in verification | | | | | | | | | | | |
| (10) 5.12.2 Verification plan required | | | | | | | | | | | |
| (11) 5.12.3 Verification planning data cards required | | | | | | | | | | | |
| (12) 5.12.4 Verification sequence control chart required | | | | | | | | | | | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX B

| (Item No.) MIL-STD-361-4 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (13) 5.12.5 Verification certificate required | | | | | | | | | | | |

NOTE: The above selected requirements, identified by an "X" in the Requirement Applicable (Y)es or (N)o column(s) and/or the explanation/remarks provided in the Explanation/Remarks column are a mandatory part of this contract.

Completed by: _____
(authorized signature)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX B

30. REQUIREMENTS SELECTION SUMMARY SHEETS.

Equipment Name/Nomenclature_____

| (Item No.) MIL-STD-361-5 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| NA | | | | | | | | | | | |

NOTE: The above selected requirements, identified by an "X" in the Requirement Applicable (Y)es or (N)o column(s) and/or the explanation/remarks provided in the Explanation/Remarks column are a mandatory part of this contract.

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX B

30. REQUIREMENTS SELECTION SUMMARY SHEETS.

Equipment Name/Nomenclature_____

| (Item No.) MIL-STD-361-6 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (1) 4.1.1 Introduction chapter in accordance with MIL-STD-361-1 & -6 | | | | | | | | | | | |
| (2a) 4.1.2 TM baseline to be LSAR and/or | | | | | | | | | | | |
| (2b) MAC or | | | | | | | | | | | |
| (2c) TB 750-93-1 | | | | | | | | | | | |

NOTE: The above selected requirements, identified by an "X" in the Requirement Applicable (Y)es or (N)o column(s) and/or the explanation/remarks provided in the Explanation/Remarks column are a mandatory part of this contract.

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX B

30. REQUIREMENTS SELECTION SUMMARY SHEETS.

Equipment Name/Nomenclature_____

| (Item No.) MIL-STD-361-7 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (1a) 4.1.2 TM baseline to be LSAR and/or | | | | | | | | | | | |
| (1b) MAC or | | | | | | | | | | | |
| (1c) TB 750-93-1 | | | | | | | | | | | |
| (2) 4.2 Specific crewmembers and their tasks identified | | | | | | | | | | | |
| (3a) 5.1 Operator's TM and Preventive Maintenance TM separate or | | | | | | | | | | | |
| (3b) Operator's and Preventive Maintenance combined in same TM | | | | | | | | | | | |
| (4) 5.1.1 Operator's and upper level maintenance combined in one TM | | | | | | | | | | | |
| (5) 5.3.1 When a Chapt., Sect., or App. is NA, rest are renumbered in sequence | | | | | | | | | | | |
| (6) 5.5.2.2 Equipment illus. required on 1st pg. after the introduction for PMCS | | | | | | | | | | | |
| (7a) 5.5.2.3c(1)&f(4) Intervals beyond weekly allowed in Operator's PMCS and | | | | | | | | | | | |
| (7b) References to procedures and info. in rest of TM allowed in PMCS table | | | | | | | | | | | |
| (8) 5.5.2.3f(1) Item no. in PMCS table to be in consecutive sequential order | | | | | | | | | | | |
| (9) 5.5.2.3f(4) Illus. integrated with procedures in PMCS table | | | | | | | | | | | |
| (10) 5.5.4.4 Interim general NBC decontamination procedures required | | | | | | | | | | | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX B

NOTE: The above selected requirements, identified by an "X" in the Requirement Applicable (Y)es or (N)o column(s) and/or the explanation/remarks provided in the Explanation/Remarks column are a mandatory part of this contract.

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

## APPENDIX B

### 30. REQUIREMENTS SELECTION SUMMARY SHEETS.

Equipment Name/Nomenclature_____

| (Item No.) MIL-STD-361-8 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (1a) 4.1.2, 4.2.1 TM baseline to be LSAR and/or | | | | | | | | | | | |
| (1b) MAC or<br>(NOTE: See also 5.2.2, 5.18.2.) | | | | | | | | | | | |
| (1c) TB 750-93-1 | | | | | | | | | | | |
| (2) 5.2.7 Combined unit, DS, and/or GS TM required | | | | | | | | | | | |
| (3a) 5.2.8.1 Maintenance and inspection for ammo. to be a section or | | | | | | | | | | | |
| (3b) A chapter or | | | | | | | | | | | |
| (3c) An appendix or | | | | | | | | | | | |
| (3d) A separate TM | | | | | | | | | | | |
| (4) 5.3.1 When a Chapt., Sect., or App. is NA, rest are renumbered in sequence | | | | | | | | | | | |
| (5) 5.5.2.1c Common tools and equipment para. required for GS | | | | | | | | | | | |
| (6) 5.5.3.3.4 Cable diagrams required | | | | | | | | | | | |
| (7) 5.5.5 PMCS routing diagram required | | | | | | | | | | | |
| (8) 5.5.7.13a NDTI for aircraft to reference TM 55-1500-335-23 | | | | | | | | | | | |
| (9) 5.5.7.13d NDTI instructions for use of visible dye penetrants required | | | | | | | | | | | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX B

| (Item No.) MIL-STD-361-8 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (10a) 5.5.7.17 Some lube instructions to be within PMCS or | | | | | | | | | | | |
| (10b) Within Servicing maintenance procedure (NOTE: Rest are required in lube maintenance procedures.) | | | | | | | | | | | |
| (11a) 5.6.3 Inspection/test of conventional/chemical ammo. or components with radioactive materials chapt. to ref. info. in separate TM or | | | | | | | | | | | |
| (11b) To contain sections as listed in MIL-STD-361-8 | | | | | | | | | | | |
| (12a) 5.9.3.1 AVUM/AVIM TS section required or | | | | | | | | | | | |
| (12b) Separate -T manual required | | | | | | | | | | | |
| (13) 5.14.3.3e DMWR RAM table required | | | | | | | | | | | |
| (14) 5.14.4.1e DMWR component checklist app. required | | | | | | | | | | | |
| (15a) 5.14.4.2, 5.14.4.2.1, 5.14.4.2.2 DMWR preshop analysis procedures to be narrative or | | | | | | | | | | | |
| (15b) To be in a tabulated checklist | | | | | | | | | | | |
| (16) 5.14.5.2e DMWR OIP tables required | | | | | | | | | | | |

NOTE: The above selected requirements, identified by an "X" in the Requirement Applicable (Y)es or (N)o column(s) and/or the explanation/remarks provided in the Explanation/Remarks column are a mandatory part of this contract.

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX B

30. REQUIREMENTS SELECTION SUMMARY SHEETS.

Equipment Name/Nomenclature_____

| (Item No.) MIL-STD-361-9 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (1a) 4.1.2 TM baseline to be LSAR and/or | | | | | | | | | | | |
| (1b) MAC or | | | | | | | | | | | |
| (1c) *TB 750-93-1* | | | | | | | | | | | |
| (2a) 5.1 Type of TM wherein TS procedures will reside | | | | | | | | | | | |
| (2b) Type of TS procedures | | | | | | | | | | | |
| (3a) 5.3.9.3 TS procedures for a system to be in one chapter or | | | | | | | | | | | |
| (3b) In a series of chapters or | | | | | | | | | | | |
| (3c) In a system TM or | | | | | | | | | | | |
| (3d) In a separate TM | | | | | | | | | | | |
| (4) 5.3.9.4.2d Manual or alternate TS procedures required for procedures with semiautomatic or automatic test equipment | | | | | | | | | | | |

NOTE: The above selected requirements, identified by an "X" in the Requirement Applicable (Y)es or (N)o column(s) and/or the explanation/remarks provided in the Explanation/Remarks column are a mandatory part of this contract.

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

## APPENDIX B

30. REQUIREMENTS SELECTION SUMMARY SHEETS.

Equipment Name/Nomenclature_____

| (Item No.) MIL-STD-361-10 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (1a) 4.1.2 TM baseline to be LSAR and/or | | | | | | | | | | | |
| (1b) MAC or | | | | | | | | | | | |
| (1c) TB 750-93-1 | | | | | | | | | | | |
| (2) 5.1.3 Lube instructions based on RCM | | | | | | | | | | | |
| (3) 5.3.1 Lube instructions in grouped sequence by interval | | | | | | | | | | | |
| (4) 5.6.1 Lube symbols as indicated in para. 5.6.1 | | | | | | | | | | | |
| (5) 5.7 Measurements shown in U.S. standard and metric units | | | | | | | | | | | |

NOTE: The above selected requirements, identified by an "X" in the Requirement Applicable (Y)es or (N)o column(s) and/or the explanation/remarks provided in the Explanation/Remarks column are a mandatory part of this contract.

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX B

## 30. REQUIREMENTS SELECTION SUMMARY SHEETS.

Equipment Name/Nomenclature_____

| (Item No.) MIL-STD-361-11 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (1) 5.1 Level(s) of maintenance covered by the RPSTL | | | | | | | | | | | |
| (2a) 5.2 TM baseline to be LSAR and/or | | | | | | | | | | | |
| (2b) MAC or | | | | | | | | | | | |
| (2c) TB 750-93-1 | | | | | | | | | | | |
| (3a) 5.3.1 Figures with depot and lower level parts in a DMWR app. or | | | | | | | | | | | |
| (3b) In the RPSTL TM for the next level below DMWR | | | | | | | | | | | |
| (4) 5.4.1.2 Section I Introduction as shown in MIL-STD-361-11 | | | | | | | | | | | |
| (5) 5.4.1.3.1 Assembly P/N and SMR code in the figure titles | | | | | | | | | | | |
| (6) 5.4.1.3.7c UOC column item name listed indented to show NHA | | | | | | | | | | | |
| (7a) 5.4.1.3.7h Format for kits and kit repair parts Option 1 or | | | | | | | | | | | |
| (7b) Option 2 | | | | | | | | | | | |
| (8a) 5.4.1.3.7h(1) Kits Option 1 ITEM NO. column blank or | | | | | | | | | | | |
| (8b) Alphabetical characters listed | | | | | | | | | | | |
| (9) 5.4.1.5.3 Reference designator index required | | | | | | | | | | | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX B

| (Item No.) MIL-STD-361-11 Para. No. and Requirements Summary | Requirement Applicable for | | | | | | | | | | Explanation/Remarks |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | TM: | | TM: | | TM: | | TM: | | TM: | | |
| | Y | N | Y | N | Y | N | Y | N | Y | N | |
| (10) 5.4.1.6.3 Clockwise numbering for illus. | | | | | | | | | | | |
| (11) 5.4.1.6.4 Exploded views required for items (not ordinarily disassembled, i.e., electronic items) | | | | | | | | | | | |
| (12) 5.4.1.6.4a Legends in lieu of item leader lines for electronic items | | | | | | | | | | | |
| (13a) 5.4.1.6.5, 5.4.1.6.14 Figures numbered in consecutive ascending numeric sequence or | | | | | | | | | | | |
| (13b) In alphanumeric sequence and | | | | | | | | | | | |
| (13c) One figure number per FGC or subfunctional group code | | | | | | | | | | | |
| (14) 5.4.1.6.6 Figure title to include names of all FGC illustrated | | | | | | | | | | | |
| (15a) 5.4.1.6.12 Multisheet illus. allowed for a single figure and | | | | | | | | | | | |
| (15b) When allowed, limited to 3 sheets | | | | | | | | | | | |
| (16) 5.4.1.6.16.1 Reference designator placed above item numbers on illus. | | | | | | | | | | | |
| (17) 5.4.1.7 Illus. placed vertically | | | | | | | | | | | |
| (18) 5.4.1.10.3 For changes, asterisk placed to left of ITEM NO. column next to appropriate line item | | | | | | | | | | | |
| (19) 5.4.1.10.4 Change symbols for illus. required | | | | | | | | | | | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX B

NOTE: The above selected requirements, identified by an "X" in the Requirement Applicable (Y)es or (N)o column(s) and/or the explanation/remarks provided in the Explanation/Remarks column are a mandatory part of this contract.

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX C

## CONTENT SELECTION MATRIXES FOR ALL LEVELS OF ARMY MAINTENANCE

### 10. SCOPE

10.1 Scope. This appendix is to be used by the contracting activity to specify which chapters, sections, paragraphs, appendixes, etc., of the selected volumes of MIL-STD-361 are to be contractually imposed in the acquisition of technical manuals. This appendix is a mandatory part of this specification. The information contained herein is intended for compliance. It contains Content Selection Matrixes for most technical manuals (TMs) and for all levels of maintenance. (See 30.) The Content Selection Matrixes list which chapters, sections, paragraphs, etc., are required for preparation of technical manuals for single and combined maintenance levels and which chapters, sections, paragraphs, etc., are optional. (Chapter, section, and paragraph numbering may change due to content requirements.) The required portions of the TM are indicated by an R and cannot be tailored out of the manuals. The matrixes list which portions are to be furnished by the Government, and these are indicated by the acronym GFI (Government-furnished information).

10.2 Application. The Content Selection Matrixes are intended to be copied or reproduced, completed, signed, and made a part of the Technical Manual Contract Document Summary List or other contractual document for solicitation or contract application. The Content Selection Matrixes shall be used by the contracting activity to tailor and specify which optional requirements for chapters, sections, paragraphs, etc., are to be required for a specific TM acquisition. They may also be used to develop technical manual content outlines.

10.3 Limitation. The Content Selection Matrixes contained herein are for basic technical manuals (operators and maintenance). They do not apply to RPSTL technical manuals, troubleshooting manuals, etc.

10.4 Tailoring guidance. The contracting activity shall tailor the requirements by marking appropriate entries with an R for optional chapters, sections, paragraphs, etc., that are to be required for a specific TM acquisition. If a chapter, section, paragraph, etc., is not required, the contracting activity shall enter an NR on the Content Selection Matrix.

10.5 Content Selection Matrix keys. The following keys list the abbreviated headers used in the Content Selection Matrixes (See 30.) and their definitions. These headers are listed singly or in combination in the matrixes to indicate operator and/or upper levels of maintenance for the technical manuals.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX C

OP - Operator (-10 level)
UN - *Unit (-20 level)
DS - Direct Support (-30 level)
GS - General Support (-40 level)
DO - Depot/Overhaul (DMWR)

*A unit is normally made up of the operator/crew and the unit maintenance personnel. Unit is used herein to mean the unit (-20 level) maintenance only.

20. APPLICABLE DOCUMENTS. This section is not applicable to this appendix.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

Equipment Name/Nomenclature_____

| | OP 10 | OP UN 12 | OP UN DS 13 | OP UN DS GS 14 | REMARKS |
|---|---|---|---|---|---|
| FRONT MATTER | | | | | |
| Front cover | R | R | R | R | |
| Warning summary (if warnings in TM) | R | R | R | R | |
| Change sheet (for changes only) | — | — | — | — | |
| Title block page | R | R | R | R | |
| Table of contents | R | R | R | R | |
| How to use this manual | R | R | R | R | |
| **CHAPTER 1 INTRODUCTION** | R | R | R | R | |
| Section I GENERAL INFORMATION | R | R | R | R | |
| Scope | R | R | R | R | |
| Maintenance forms, records, and reports | R | R | R | R | |
| Reporting equipment improvement recommendations (EIR) | R | R | R | R | |
| Corrosion prevention and control (CPC) | R | R | R | R | |
| Destruction of Army materiel to prevent enemy use | GFI* | GFI | GFI | GFI | |
| Preparation for storage or shipment | R | R | R | R | |
| Warranty information | — | — | — | — | |
| Nomenclature cross-reference list | — | — | — | — | |
| List of abbreviations | — | — | — | — | |
| Quality assurance (QA) | — | — | — | — | |
| Safety, care, and handling | R | R | R | R | |
| Nuclear hardness | — | — | — | — | |
| Security measures for electronic data | — | — | — | — | |
| Calibration | — | — | — | — | |
| Section II REPAIR PARTS, SPECIAL TOOLS, TEST, MEASUREMENT, AND DIAGNOSTIC EQUIPMENT, AND SUPPORT EQUIPMENT | NR | R | R | R | |
| Section III EQUIPMENT DESCRIPTION AND DATA | R | R | R | R | |
| Equipment characteristics, capabilities, and features | R | R | R | R | |
| Location and description of major components | R | R | R | R | |
| Differences between models | — | — | — | — | |
| Equipment data | R | R | R | R | |
| Equipment configuration | — | — | — | — | |
| Section IV THEORY OF OPERATION | R | R | R | R | |
| **CHAPTER 2 OPERATING INSTRUCTIONS** | R | R | R | R | |
| Section I DESCRIPTION AND USE OF OPERATOR'S CONTROLS AND INDICATORS | R | R | R | R | |
| Section II PREVENTIVE MAINTENANCE CHECKS AND SERVICES (PMCS) AND MANDATORY REPLACEMENT PARTS | R | R | R | R | |
| Introduction to PMCS table | R | R | R | R | |
| Mandatory replacement parts | — | — | — | — | |
| Preventive maintenance checklist (PMC) | — | — | — | — | |
| Precombat checklist (PCL) | — | — | — | — | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

| | OP 10 | OP UM 12 | OP UM DS 13 | OP UM DS GS 14 | REMARKS |
|---|---|---|---|---|---|
| Section III OPERATION UNDER USUAL CONDITIONS | R | R | R | R | |
| Site and shelter requirements | — | — | — | — | |
| Assembly and preparation for use | R | R | R | R | |
| Initial adjustments, before use, daily checks, and self test | — | — | — | — | |
| Operating procedure | R | R | R | R | |
| Decals and instruction plates | — | — | — | — | |
| Operating auxiliary equipment | — | — | — | — | |
| Preparation for movement | — | — | — | — | |
| Section IV OPERATION UNDER UNUSUAL CONDITIONS | R | R | R | R | |
| Unusual environment/weather | R | R | R | R | |
| Fording and swimming | R | R | R | R | |
| Emergency procedures | R | R | R | R | |
| Nuclear, biological, and chemical (NBC) decontamination procedures | — | — | — | — | |
| Jamming and electronic countermeasures (ECM) procedures | — | — | — | — | |
| Section V FUNCTIONAL CHECKS | — | — | — | — | |
| **CHAPTER 3 OPERATOR MAINTENANCE INSTRUCTIONS** | R | R | R | R | |
| Section I LUBRICATION INSTRUCTIONS | R | R | R | R | |
| To be included in manual | — | — | — | — | |
| Not applicable | — | — | — | — | |
| Section II TROUBLESHOOTING | R | R | R | R | |
| Malfunction index | — | — | — | — | |
| Section III OPERATOR MAINTENANCE PROCEDURES | R | R | R | R | |
| **CHAPTER 4 INSPECTION AND TEST OF CONVENTIONAL AND CHEMICAL AMMUNITION OR COMPONENTS CONTAINING RADIOACTIVE MATERIALS** | NR | NR | — | — | |
| Section I GENERAL | NR | NR | — | — | |
| Section II CLASSIFICATION OF MATERIEL DEFECTS | NR | NR | — | — | |
| Section III VISUAL INSPECTION | NR | NR | — | — | |
| **CHAPTER 5 AUXILIARY EQUIPMENT MAINTENANCE INSTRUCTIONS** | — | — | — | — | |
| **CHAPTER 6 AMMUNITION/CLASS V MATERIAL** | — | — | — | — | |
| **CHAPTER 7 FOREIGN AMMUNITION (NATO)** | — | — | — | — | |



Source: https://assist.dla.mil -- Downloaded: 202610-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX C

30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

| | OP 10 | OP UM 12 | OP UM DS 13 | OP UM DS GS 14 | REMARKS |
|---|---|---|---|---|---|
| **CHAPTER 8 UNIT MAINTENANCE INSTRUCTIONS** | NR | R | R | R | |
| Section I SERVICE UPON RECEIPT | NR | R | R | R | |
| Section II EQUIPMENT CHECK PROCEDURES OR EQUIPMENT/USER FITTING INSTRUCTIONS | NR | — | — | — | |
| Section III PREVENTIVE MAINTENANCE CHECKS AND SERVICES (PMCS), LUBRICATION INSTRUCTIONS, AND MANDATORY REPLACEMENT PARTS | NR | R | R | R | |
| Section IV TROUBLESHOOTING | NR | R | R | R | |
| Malfunction index | NR | — | — | — | |
| Section V UNIT MAINTENANCE PROCEDURES | NR | R | R | R | |
| Section VI PREPARATION FOR STORAGE OR SHIPMENT | NR | R | R | R | |
| **CHAPTER 9 DIRECT SUPPORT MAINTENANCE INSTRUCTIONS** | NR | NR | R | R | |
| Section I TROUBLESHOOTING | NR | NR | R | R | |
| Malfunction index | NR | NR | — | — | |
| Section II DIRECT SUPPORT MAINTENANCE PROCEDURES | NR | NR | R | R | |
| Section III PRE-EMBARKATION INSPECTION OF MATERIEL IN UNITS ALERTED FOR OVERSEAS MOVEMENT | NR | NR | GFI | GFI | |
| **CHAPTER 10 GENERAL SUPPORT MAINTENANCE INSTRUCTIONS** | NR | NR | NR | R | |
| Section I TROUBLESHOOTING | NR | NR | NR | R | |
| Malfunction index | NR | NR | NR | — | |
| Section II GENERAL SUPPORT MAINTENANCE PROCEDURES | NR | NR | NR | R | |
| **CHAPTER 11 AMMUNITION MAINTENANCE INSTRUCTIONS** | NR | — | — | — | |
| **CHAPTER 12 ADMINISTRATIVE STORAGE** | NR | GFI | GFI | GFI | |
| **APPENDIXES:** | | | | | |
| **REFERENCES** | — | — | — | — | |
| **MAINTENANCE ALLOCATION CHART (MAC)** | NR | R | R | R | |
| **TOOL IDENTIFICATION LIST** | NR | R | R | R | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

| | OP 10 | OP UM 12 | OP UM DS 13 | OP UM DS GS 14 | REMARKS |
|---|---|---|---|---|---|
| COMPONENTS OF END ITEM (COEI) AND BASIC ISSUE ITEMS (BII) LISTS | — | — | — | — | |
| ADDITIONAL AUTHORIZATION LIST (AAL) | — | — | — | — | |
| REPAIR PARTS AND SPECIAL TOOLS LIST | NR | — | — | — | |
| EXPENDABLE AND DURABLE ITEMS LIST | — | — | — | — | |
| STOWAGE AND DECAL/DATA PLATE GUIDE | — | — | — | — | |
| ON-VEHICLE EQUIPMENT LOADING PLAN | — | — | — | — | |
| LUBRICATION INSTRUCTIONS | — | — | — | — | |
| ILLUSTRATED LIST OF MANUFACTURED ITEMS | NR | — | — | — | |
| TORQUE LIMITS | NR | — | — | — | |
| AMMUNITION MARKING INFORMATION | NR | — | — | — | |
| MANDATORY REPLACEMENT PARTS | NR | — | — | — | |
| OTHER APPENDIXES | — | — | — | — | |
| OTHER BACK MATTER: | | | | | |
| GLOSSARY | — | — | — | — | |
| ALPHABETICAL INDEX | — | — | — | — | |
| AUTHENTICATION PAGE | GFI | GFI | GFI | GFI | |

*GFI: Government-furnished information - if information is to be included, it will be provided by the contracting activity.

NOTE: The above selected requirements, identified by an "R" for "Required," are a mandatory part of this contract. "NR" indicates that the requirement is "Not Required."

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

Equipment Name/Nomenclature_____

| | UM 20 | UM DS 23 | UM DS GS 24 | REMARKS |
|---|---|---|---|---|
| **FRONT MATTER** | | | | |
| Front cover | R | R | R | |
| Warning summary (if warnings in TM) | R | R | R | |
| Change sheet (for changes only) | — | — | — | |
| Title block page | R | R | R | |
| Table of contents | R | R | R | |
| How to use this manual | R | R | R | |
| **CHAPTER 1 INTRODUCTION** | R | R | R | |
| Section I GENERAL INFORMATION | R | R | R | |
| Scope | R | R | R | |
| Maintenance forms, records, and reports | R | R | R | |
| Reporting equipment improvement recommendations (EIR) | R | R | R | |
| Corrosion prevention and control (CPC) | R | R | R | |
| Destruction of Army materiel to prevent enemy use | GFI* | GFI | GFI | |
| Preparation for storage or shipment | R | R | R | |
| Warranty information | — | — | — | |
| Nomenclature cross-reference list | — | — | — | |
| List of abbreviations | — | — | — | |
| Quality assurance (QA) | — | — | — | |
| Safety, care, and handling | R | R | R | |
| Nuclear hardness | — | — | — | |
| Security measures for electronic data | — | — | — | |
| Calibration | — | — | — | |
| Section II REPAIR PARTS, SPECIAL TOOLS, TEST, MEASUREMENT, AND DIAGNOSTIC EQUIPMENT, AND SUPPORT EQUIPMENT | R | R | R | |
| Section III EQUIPMENT DESCRIPTION AND DATA | R | R | R | |
| Equipment characteristics, capabilities, and features | R | R | R | |
| Location and description of major components | R | R | R | |
| Differences between models | — | — | — | |
| Equipment data | R | R | R | |
| Equipment configuration | — | — | — | |
| Section IV THEORY OF OPERATION | R | R | R | |
| **CHAPTER 2 INSPECTION AND TEST OF CONVENTIONAL AND CHEMICAL AMMUNITION OR COMPONENTS CONTAINING RADIOACTIVE MATERIALS** | NR | — | — | |
| Section I GENERAL | NR | — | — | |
| Section II CLASSIFICATION OF MATERIEL DEFECTS | NR | — | — | |
| Section III VISUAL INSPECTION | NR | — | — | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

| | UN 20 | UM DS 23 | UN DS GS 24 | REMARKS |
|---|---|---|---|---|
| Section IV FUNCTION TESTING | NR | — | — | |
| Section V EVALUATION OF DEFECTS | NR | — | — | |
| Section VI CLASSIFICATION OF DEFECTS | NR | — | — | |
| Section VII DISPOSITION OF LOTS | NR | — | — | |
| **CHAPTER 3 AUXILIARY EQUIPMENT MAINTENANCE INSTRUCTIONS** | — | — | — | |
| **CHAPTER 4 AMMUNITION/CLASS V MATERIAL** | — | — | — | |
| **CHAPTER 5 FOREIGN AMMUNITION (NATO)** | — | — | — | |
| **CHAPTER 6 UNIT MAINTENANCE INSTRUCTIONS** | R | R | R | |
| Section I SERVICE UPON RECEIPT | R | R | R | |
| Section II EQUIPMENT CHECK PROCEDURES OR EQUIPMENT/USER FITTING INSTRUCTIONS | — | — | — | |
| Section III PREVENTIVE MAINTENANCE CHECKS AND SERVICES (PMCS), LUBRICATION INSTRUCTIONS, AND MANDATORY REPLACEMENT PARTS | R | R | R | |
| Section IV TROUBLESHOOTING | R | R | R | |
| Malfunction index | — | — | — | |
| Section V UNIT MAINTENANCE PROCEDURES | R | R | R | |
| Section VI PREPARATION FOR STORAGE OR SHIPMENT | R | R | R | |
| **CHAPTER 7 DIRECT SUPPORT MAINTENANCE INSTRUCTIONS** | NR | R | R | |
| Section I TROUBLESHOOTING | NR | R | R | |
| Malfunction index | NR | — | — | |
| Section II DIRECT SUPPORT MAINTENANCE PROCEDURES | NR | R | R | |
| Section III PRE-EMBARKATION INSPECTION OF MATERIEL IN UNITS ALERTED FOR OVERSEAS MOVEMENT | NR | GFI | GFI | |
| **CHAPTER 8 GENERAL SUPPORT MAINTENANCE INSTRUCTIONS** | NR | NR | R | |
| Section I TROUBLESHOOTING | NR | NR | R | |
| Malfunction index | NR | NR | — | |
| Section II GENERAL SUPPORT MAINTENANCE PROCEDURES | NR | NR | R | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

## APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

| | UM 20 | UM DS 23 | UM DS GS 24 | REMARKS |
|---|---|---|---|---|
| CHAPTER 9 AMMUNITION MAINTENANCE INSTRUCTIONS | — | — | — | |
| CHAPTER 10 ADMINISTRATIVE STORAGE | GFI | GFI | GFI | |
| APPENDIXES: | | | | |
| REFERENCES | — | — | — | |
| MAINTENANCE ALLOCATION CHART (MAC) | R | R | R | |
| TOOL IDENTIFICATION LIST | R | R | R | |
| REPAIR PARTS AND SPECIAL TOOLS LIST | — | — | — | |
| EXPENDABLE AND DURABLE ITEMS LIST | — | — | — | |
| ILLUSTRATED LIST OF MANUFACTURED ITEMS | — | — | — | |
| TORQUE LIMITS | — | — | — | |
| AMMUNITION MARKING INFORMATION | — | — | — | |
| MANDATORY REPLACEMENT PARTS | — | — | — | |
| OTHER APPENDIXES | — | — | — | |
| OTHER BACK MATTER: | | | | |
| GLOSSARY | — | — | — | |
| ALPHABETICAL INDEX | — | — | — | |
| AUTHENTICATION PAGE | GFI | GFI | GFI | |

*GFI: Government-furnished information - if information is to be included, it will be provided by the contracting activity.

NOTE: The above selected requirements, identified by an "R" for "Required," are a mandatory part of this contract. "NR" indicates that the requirement is "Not Required."

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

Equipment Name/Nomenclature_____

| (AVUM/AVIM AIRCRAFT) | 23 | REMARKS |
|---|---|---|
| FRONT MATTER | | |
| Front cover | R | |
| Warning summary (if warnings in TM) | R | |
| Change sheet (for changes only) | — | |
| Title block page | R | |
| Table of contents | R | |
| How to use this manual | R | |
| CHAPTER 1 INTRODUCTION | R | |
| Section I GENERAL INFORMATION | R | |
| Scope | R | |
| Maintenance forms, records, and reports | R | |
| Reporting equipment improvement recommendations (EIR) | R | |
| Corrosion prevention and control (CPC) | R | |
| Destruction of Army materiel to prevent enemy use | GFI* | |
| Preparation for storage or shipment | R | |
| Warranty information | — | |
| Nomenclature cross-reference list | — | |
| List of abbreviations | — | |
| Quality assurance (QA) | — | |
| Safety, care, and handling | R | |
| Nuclear hardness | — | |
| Security measures for electronic data | — | |
| Calibration | — | |
| Section II REPAIR PARTS, SPECIAL TOOLS, TEST, MEASUREMENT, AND DIAGNOSTIC EQUIPMENT, AND SUPPORT EQUIPMENT | R | |
| Section III EQUIPMENT DESCRIPTION AND DATA | R | |
| Equipment characteristics, capabilities, and features | R | |
| Location and description of major components | R | |
| Differences between models | — | |
| Equipment data | R | |
| Equipment configuration | — | |
| Section IV THEORY OF OPERATION | R | |
| Section V SERVICING | R | |
| Section VI LUBRICATION | R | |
| Section VII HANDLING, JACKING, MOORING, HOISTING, AND SLING LOADING | R | |
| Section VIII PREVENTIVE MAINTENANCE INSPECTIONS | R | |
| Section IX OVERHAUL AND RETIREMENT SCHEDULE | R | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

| (AVUM/AVIM AIRCRAFT) | 23 | REMARKS |
|---|---|---|
| CHAPTER 2 MAINTENANCE INSTRUCTIONS | R | |
| Section I TROUBLESHOOTING | __ | |
| Section II MAINTENANCE PROCEDURES | R | |
| APPENDIXES: | | |
| REFERENCES | __ | |
| MAINTENANCE ALLOCATION CHART (MAC) | R | |
| TOOL IDENTIFICATION LIST | R | |
| REPAIR PARTS AND SPECIAL TOOLS LIST | __ | |
| EXPENDABLE AND DURABLE ITEMS LIST | __ | |
| ILLUSTRATED LIST OF MANUFACTURED ITEMS | __ | |
| TORQUE LIMITS | __ | |
| AMMUNITION MARKING INFORMATION | __ | |
| MANDATORY REPLACEMENT PARTS | __ | |
| AIRCRAFT INVENTORY MASTER GUIDE | R | |
| STORAGE OF AIRCRAFT | R | |
| WIRING DIAGRAMS | R | |
| WEIGHT AND BALANCE (AVIM) | R | |
| OTHER BACK MATTER: | | |
| GLOSSARY | __ | |
| ALPHABETICAL INDEX | __ | |
| AUTHENTICATION PAGE | GFI | |

(Refer also to MIL-STD-361-8, paragraph 5.10, for -T manual for -23 aircraft TM.)

*GFI: Government-furnished information - if information is to be included, it will be provided by the contracting activity.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX C

30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

NOTE: The above selected requirements, identified by an "R" for "Required," are a mandatory part of this contract. "NR" indicates that the requirement is "Not Required."

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

Equipment Name/Nomenclature_____

| | DS 30 | DS GS 34 | GS 40 | REMARKS |
|---|---|---|---|---|
| **FRONT MATTER** | | | | |
| Front cover | R | R | R | |
| Warning summary (if warnings in TM) | R | R | R | |
| Change sheet (for changes only) | — | — | — | |
| Title block page | R | R | R | |
| Table of contents | R | R | R | |
| How to use this manual | R | R | R | |
| **CHAPTER 1 INTRODUCTION** | R | R | R | |
| Section I GENERAL INFORMATION | R | R | R | |
| Scope | R | R | R | |
| Maintenance forms, records, and reports | R | R | R | |
| Reporting equipment improvement recommendations (EIR) | R | R | R | |
| Corrosion prevention and control (CPC) | R | R | R | |
| Destruction of Army materiel to prevent enemy use | GFI* | GFI | GFI | |
| Preparation for storage or shipment | R | R | R | |
| Warranty information | — | — | — | |
| Nomenclature cross-reference list | — | — | — | |
| List of abbreviations | — | — | — | |
| Quality assurance (QA) | — | — | — | |
| Safety, care, and handling | R | R | R | |
| Nuclear hardness | — | — | — | |
| Security measures for electronic data | — | — | — | |
| Calibration | — | — | — | |
| Section II REPAIR PARTS, SPECIAL TOOLS, TEST, MEASUREMENT, AND DIAGNOSTIC EQUIPMENT, AND SUPPORT EQUIPMENT | R | R | R | |
| Section III EQUIPMENT DESCRIPTION AND DATA | R | R | R | |
| Equipment characteristics, capabilities, and features | — | — | — | |
| Location and description of major components | — | — | — | |
| Differences between models | — | — | — | |
| Equipment data | — | — | — | |
| Equipment configuration | — | — | — | |
| Section IV THEORY OF OPERATION | — | — | — | |
| **CHAPTER 2 INSPECTION AND TEST OF CONVENTIONAL AND CHEMICAL AMMUNITION OR COMPONENTS CONTAINING RADIOACTIVE MATERIALS** | — | — | — | |
| Section I GENERAL | — | — | — | |
| Section II CLASSIFICATION OF MATERIEL DEFECTS | — | — | — | |
| Section III VISUAL INSPECTION | — | — | — | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

| | DS 30 | DS GS 34 | GS 40 | REMARKS |
|---|---|---|---|---|
| Section IV FUNCTION TESTING | — | — | — | |
| Section V EVALUATION OF DEFECTS | — | — | — | |
| Section VI CLASSIFICATION OF DEFECTS | — | — | — | |
| Section VII DISPOSITION OF LOTS | — | — | — | |
| **CHAPTER 3 AUXILIARY EQUIPMENT MAINTENANCE INSTRUCTIONS** | — | — | — | |
| **CHAPTER 4 AMMUNITION/CLASS V MATERIAL** | — | — | — | |
| **CHAPTER 5 FOREIGN AMMUNITION (NATO)** | — | — | — | |
| **CHAPTER 6 DIRECT SUPPORT MAINTENANCE INSTRUCTIONS** | R | R | NR | |
| Section I TROUBLESHOOTING | R | R | NR | |
| Malfunction index | — | — | NR | |
| Section II DIRECT SUPPORT MAINTENANCE PROCEDURES | R | R | NR | |
| Section III PREPARATION FOR STORAGE OR SHIPMENT | R | R | NR | |
| Include instructions | — | — | NR | |
| Refer to unit maintenance manual | — | — | NR | |
| Section IV PRE-EMBARKATION INSPECTION OF MATERIEL IN UNITS ALERTED FOR OVERSEAS MOVEMENT | GFI | GFI | NR | |
| **CHAPTER 7 GENERAL SUPPORT MAINTENANCE INSTRUCTIONS** | NR | R | R | |
| Section I TROUBLESHOOTING | NR | R | R | |
| Malfunction index | NR | — | — | |
| Section II GENERAL SUPPORT MAINTENANCE PROCEDURES | NR | R | R | |
| Section III PREPARATION FOR STORAGE OR SHIPMENT | NR | NR | R | |
| Include instructions | NR | NR | — | |
| Refer to unit maintenance | NR | NR | — | |
| Section IV PRE-EMBARKATION INSPECTION OF MATERIEL IN UNITS ALERTED FOR OVERSEAS MOVEMENT | NR | NR | GFI | |
| Include instructions | NR | NR | — | |
| Refer to direct support maintenance manual | NR | NR | — | |
| **CHAPTER 8 AMMUNITION MAINTENANCE INSTRUCTIONS** | — | — | — | |
| **CHAPTER 9 ADMINISTRATIVE STORAGE** | GFI | GFI | GFI | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

| | DS 30 | DS GS 34 | GS 40 | REMARKS |
|---|---|---|---|---|
| APPENDIXES: | | | | |
| REFERENCES | — | — | — | |
| MAINTENANCE ALLOCATION CHART (MAC) | NR | NR | NR | |
| TOOL IDENTIFICATION LIST | R | R | R | |
| REPAIR PARTS AND SPECIAL TOOLS LIST | — | — | — | |
| EXPENDABLE AND DURABLE ITEMS LIST | — | — | — | |
| ILLUSTRATED LIST OF MANUFACTURED ITEMS | — | — | — | |
| TORQUE LIMITS | — | — | — | |
| AMMUNITION MARKING INFORMATION | — | — | — | |
| MANDATORY REPLACEMENT PARTS | — | — | — | |
| OTHER APPENDIXES | — | — | — | |
| OTHER BACK MATTER: | | | | |
| GLOSSARY | — | — | — | |
| ALPHABETICAL INDEX | — | — | — | |
| AUTHENTICATION PAGE | GFI | GFI | GFI | |

*GFI: Government-furnished information - if information is to be included, it will be provided by the contracting activity.

NOTE: The above selected requirements, identified by an "R" for "Required," are a mandatory part of this contract. "NR" indicates that the requirement is "Not Required."

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

Equipment Name/Nomenclature_____

| | (DMWR) | DO 50 | REMARKS |
|---|---|---|---|
| **FRONT MATTER** | | | |
| Front cover | | R | |
| Warning summary (if warnings in DMWR) | | R | |
| Change sheet (for changes only) | | — | |
| Title block page | | R | |
| Table of contents | | R | |
| How to use this manual | | R | |
| **CHAPTER 1 INTRODUCTION** | | R | |
| Section I GENERAL INFORMATION | | R | |
| Scope | | R | |
| Reporting equipment improvement recommendations (EIR) | | — | |
| Warranty information | | — | |
| Nomenclature cross-reference list | | — | |
| List of abbreviations | | — | |
| Quality assurance | | — | |
| Safety, care, and handling | | R | |
| Nuclear hardness | | — | |
| Engineering change proposals | | R | |
| Deviations and exceptions | | R | |
| Section II EQUIPMENT DESCRIPTION | | R | |
| Equipment characteristics, capabilities, and features | | R | |
| Location and description of major components | | R | |
| Differences between models | | — | |
| Equipment data | | R | |
| Equipment configuration | | — | |
| Section III MOBILIZATION REQUIREMENTS | | R | |
| **CHAPTER 2 TECHNICAL SUPPORT REQUIREMENTS** | | R | |
| Section I SUPPORT ITEMS | | R | |
| Facilities | | R | |
| Special tools and equipment | | R | |
| Fabricated tools and equipment | | R | |
| Section II MANDATORY REPLACEMENT PARTS, CRITICAL SAFETY ITEMS, REPAIR PARTS, AND MODIFICATIONS | | R | |
| Mandatory replacement parts list | | R | |
| Critical safety items list | | — | |
| Repair parts and special tools | | R | |
| Modifications | | — | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

| (DM&R) | DO 50 | REMARKS |
|---|---|---|
| Section III STANDARDS | R | |
| Quality of material | R | |
| Electromagnetic compatibility standards | | |
| Electrostatic discharge (ESD) | | |
| Nuclear hardness | | |
| Reliability, availability, maintainability (RAM) requirements | | |
| **CHAPTER 3 PRESHOP ANALYSIS** | R | |
| Section I GENERAL | R | |
| Scope | R | |
| Checking attached documents | R | |
| Unpacking and special handling | R | |
| External inspection | R | |
| Component checklist | | |
| Cleaning and preservation | R | |
| Section II PRESHOP ANALYSIS PROCEDURES | R | |
| **CHAPTER 4 OVERHAUL PROCEDURES** | R | |
| Section I SCOPE, GENERAL SAFETY, AND GENERAL INSPECTION | R | |
| Scope | R | |
| General safety precautions | | |
| General inspection procedures | | |
| Overhaul operation flowchart | | |
| Section II OVERHAUL PROCEDURES FOR (ENTER ITEM/ASSEMBLY) | R | |
| Section III FINAL TESTING | R | |
| Scope | R | |
| Inspection | R | |
| Lubrication | R | |
| Final testing | R | |
| Final painting, refinishing, and marking | R | |
| **CHAPTER 5 QUALITY ASSURANCE REQUIREMENTS** | R | |
| Responsibility statement | R | |
| Definitions | R | |
| Special requirements for inspection tools and equipment | | |
| Certification requirements | | |
| In-process inspections statement | R | |
| Acceptance inspections statement | R | |
| First article inspection | | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# APPENDIX C

## 30. CONTENT SELECTION MATRIXES FOR TECHNICAL MANUALS MANDATORY/OPTIONAL REQUIREMENTS.

| (DMWR) | DO 50 | REMARKS |
|---|---|---|
| **CHAPTER 6 PRESERVATION, PACKAGING, AND MARKING** | R | |
| Packaging information | R | |
| Special instructions | R | |
| **APPENDIXES:** | | |
| **REFERENCES** | __ | |
| **REPAIR PARTS AND SPECIAL TOOLS LIST** | __ | |
| **EXPENDABLE AND DURABLE ITEMS LIST** | __ | |
| **DEPOT MOBILIZATION REQUIREMENTS** | GFI* | |
| **OTHER APPENDIXES** | __ | |
| **OTHER BACK MATTER:** | | |
| **GLOSSARY** | __ | |
| **ALPHABETICAL INDEX** | __ | |
| **AUTHENTICATION PAGE** | GFI | |

*GFI: Government-furnished information - if information is to be included, it will be provided by the contracting activity.

NOTE: The above selected requirements, identified by an "R" for "Required," are a mandatory part of this contract. "NR" indicates that the requirement is "Not Required."

Completed by:_____
(authorized signature)

Publications Activity_____Date_____



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

**CUSTODIAN:**

Army - TM

**PREPARING ACTIVITY:**

Army - TM

**(PROJECT TMSS 0276-12)**

**REVIEW ACTIVITIES:**

Army - AL, AR, AT, AV, CR,
CU, EA, ER, ME, MI, SC

**USER ACTIVITY:**

Army - MD



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

## INSTRUCTIONS

1. The preparing activity must complete blocks 1,2,3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4,5,6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

**NOTE:** This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

| I RECOMMEND A CHANGE: | 1. DOCUMENT NUMBER<br>MIL-M-63008B(TM) | 2. DOCUMENT DATE *(YYMMDD)*<br>920715 |
|---|---|---|

3. DOCUMENT TITLE
**Acquisition/Preparation Requirements**

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

| a. NAME *(Last, First, Middle Initial)* | b. ORGANIZATION | |
|---|---|---|
| c. ADDRESS *(Include Zip Code)* | d. TELEPHONE *(Include Area Code)*<br>(1) Commercial<br>(2) AUTOVON *(If applicable)* | 7. DATE SUBMITTED *(YYMMDD)* |

8. PREPARING ACTIVITY

| a. NAME<br>**USAMC Materiel Readiness Support Activity** | b. TELEPHONE *(Include Area Code)*<br>(1) Commercial **(606) 293-3469**<br>(2) AUTOVON **745-3469** |
|---|---|
| c. ADDRESS *(Include Zip Code)*<br>**ATTN: AMXMD-EP (TMSS)**<br>**Lexington, KY 40511-5101** | IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT:<br>Defense Quality and Standardization Office<br>5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466<br>Telephone (703) 756-2340 AUTOVON 289-2340 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:24Z
Check the source to verify that this is the current version before use.