INCH-POUND

MIL-D-51559(EA)
AMENDMENT 1
16 March 1993

MILITARY SPECIFICATION

DECONTAMINATING APPARATUS, PORTABLE, 14 LITER, M13 (PRACTICE)

This amendment forms a part of MIL-D-51559(EA), dated 10 October 1991, and is approved for use by the U.S. Army Edgewood Research, Development and Engineering Center, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1:

After list of Federal Specifications add the following:

"MILITARY

MIL-P-15011 - Pallets, Material Handling, Wood Post Construction, 4-Way Entry"

Under "STANDARDS, MILITARY": Add the following in sequence:

"MIL-STD-129 - Marking For Shipment and Storage
MIL-STD-147 - Palletized Unit Loads".

2.1.2, Under "DRAWINGS": Delete "5-51-610 - Palletization and Marking (Practice)".

AMSC N/A FSC 4230

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:04Z
Check the source to verify that this is the current version before use.

PAGE 3

3.4: Delete in its entirety and substitute the following:

"**3.4 Spray characteristics.** With the plastic container filled with a glycerin and water solution, at room conditions the apparatus shall be capable of being primed with no more than 10 strokes of the pump piston. With the wand held horizontally a minimum of 4 feet above the outlet of the glycerin/water filled plastic container, spray shall be projected a horizontal distance of at least 3 feet and no leakage shall occur when the pump is activated and tested in accordance with 4.4.6.1."

3.6: Delete in its entirety.

3.7: Renumber as "3.6".

PAGE 4

4.3.3: Delete "**(see 6.4)**".

PAGE 5

4.4.3: Delete "**(see 6.4)**" from the title.

PAGE 7

4.4.5(a), Minor 202, Under "**REQUIREMENT PARAGRAPH**": Delete "3.7" and substitute "3.6".

PAGE 8

4.4.5(b), Under "DRAWING NUMBER": Delete "5-51-610".

PAGE 9

4.4.6: Delete "**(see 6.4)**" from the title.

4.4.6.1(a): Delete in its entirety and substitute the following:

"(a) Prepare a solution of 50 percent glycerin and water. Fill the empty plastic container (Drawing 5-51-598) with 14.0 (+0.5 or -0) liters of solution. Assemble the

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:04Z
Check the source to verify that this is the current version before use.

hose, pump, wands, and brush and attach the hose to the filled plastic container in accordance with the operating instructions (Drawing 5-51-571)."

PAGE 10

5.3, lines 3 and 4: Delete "When required, the palletization unit load shall be marked in accordance with Drawing 5-51-610." and substitute "When palletization is required, the palletized unit load shall be marked in accordance with MIL-STD-129."

5.4: Delete in its entirety and substitute the following:

"**5.4 Unitization.** For level A and B packing, a uniform quantity of practice apparatus, packed as specified in 5.2.1 and 5.2.2 shall be palletized in accordance with the load type I requirements of MIL-STD-147, using type I, class 1, style 1 or 1a, 4-way entry, MIL-P-15011 pallets. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding methods C and D, and applicable storage aids in accordance with MIL-STD-147. The pallet pattern shall be selected in accordance with appendix B of MIL-STD-147. Wood preservative is required."

PAGE 11

6.4: Delete in its entirety.

6.5: Delete in its entirety.

6.6: Renumber as "6.4".

6.7: Renumber as "6.5".

Custodian:

Army - EA

Preparing activity:

Army - EA

Project No. 4230-A100

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:04Z
Check the source to verify that this is the currentversion before use.