MILITARY SPECIFICATION SHEET

CABINET, STORAGE, STEEL: MAP REPRODUCTION, DOUBLE DOOR, WALL; TYPE I

The complete requirements for procuring the cabinet described herein shall consist of this document and the issue in effect of Specification MIL-C-40060.

REQUIREMENTS:

Dimensions and configuration shall be as shown on figures 1 and 2.

COMPONENTS:

Doors, hinges, handle, positive catch, shelf, rubber corners, retaining rod, socket, and mounting plates shall be as specified herein and MIL-C-40060 as applicable.

Cabinet door handle. The handle for operating the closing mechanism shall be made of steel, cast iron, or aluminum. Ferrous material shall be plated or treated to resist corrosion.

Shelf. Shelf shall be nonadjustable.

Three way catch. The catch shall be a positive three way, right hand door device. The catch shall engage the cabinet through the top and bottom flanges of the door, and the cam-tongue catch shall engage the left hand door flange.

Mounting plates. The wall cabinets shall each have four mounting plates, 0.074 inch in thickness (No. 14 U.S.S. Gage), made of carbon steel. The plate shall be spot welded to the back inside of the cabinets. Key hole slots conforming to and compatible with those on the mounting plates shall be cut or punched out of the back of the cabinets.

Rubber corners. Extruded or molded rubber corners shall be secured to the cabinet with metal screws and washer retainers and shall cover the two lower front corners of the cabinet.

Retaining rods. Retaining rods as shown on figure 1 shall be removable and shall not interfere with the opening and closing of the cabinet doors.

Sockets. The retaining rod sockets shall be fabricated of steel and shall be spot welded to the inside wall of the cabinet as shown on figure 1.

FSC 7125

Source: https://assist.dla.mil -- Downloaded: 202640-21T19:07Z
Check the source to verify that this is the currenversion before use.

MIL-C-40060/1(GL)

Custodian:

Army - GL

Review activities:


Army - ME, NS


Preparing activity:

Army - GL

Project No. 7125-A054/1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:07Z
Check the source to verify that this is the current version before use.










FIGURE 1 CABINET, STORAGE, STEEL, MAP REPRODUCTION, DOUBLE DOOR, WALL: TYPE I

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:07Z
Check the source to verify that this is the current version before use.





WALL CABINETS	A	B
TYPE I	22 3/4	30

FIGURE 2 CABINET, STORAGE, STEEL, BACK DETAIL AND MOUNTING BRACKET, TYPE I

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:07Z
Check the source to verify that this is the current version before use.