MIL-C-40009D
AMENDMENT-3
9 January 1986
SUPERSEDING
AMENDMENT-2
28 September 1984

MILITARY SPECIFICATION

CABINETS, STORAGE: REPAIR PARTS AND TOOLS

This amendment forms a part of Military Specification MIL-C-40009D dated 21 June 1968, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, Under "SPECIFICATIONS FEDERAL": Delete the following:

"QQ-S-698 - Steel, Sheet and Strip, Low Carbon.
TT-P-636 - Primer Coating, Alkyd, Wood and Ferrous Metal.
PPP-P-1010 - Packaging, Packing, and Marking: Benches, Bins, Cabinets, and Worktables; General Specification for."

Add the following:

"TT-P-664 - Primer Coating, Synthetic, Rust-Inhibiting, Lacquer-Resisting"

Under "SPECIFICATIONS MILITARY": Add the following:

"MIL-B-45977 - Bins, Cabinets, Shelving, And Work Tables, Packaging Of."

Under "STANDARDS FEDERAL": Add the following:

"FED-STD-H28 - Screw-Thread Standards for Federal Services."

FSC 7125

AMSC: N/A

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:01Z
Check the source to verify that this is the current version before use.

2.2: Delete and substitute:

"2.2 Other publications. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this document to the extent specified herein.

AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI)

A135.4 - Basic Hardboard.
A208.1 - Mat-Formed Wood Particle Board.

(Application for copies should be addressed to American National Standards Institute, 1430 American National Standards Institute, 1430 Broadway, New York, NY 10018.)

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

A 366 - Steel, Carbon, Cold-Rolled Sheet, Commercial Quality.
A 569 - Steel, Carbon (0.15 Maximum, Percent) Hot-Rolled Sheet and Strip, Commercial Quality.
D 2016 - Standard Methods of Test for Moisture Content of Wood.

(Application for copies should be addressed to American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

(Technical society and technical association documents are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)"

3.1: Delete and substitute:

* "3.1 First article. When specified in the contract or purchase order, a sample shall be subjected to first article inspection (see 4.2, 6.2, and 6.4)."

3.2, line 4, after "manufacturer": Add "(see 6.2)".

3.2.1.1, line 2: Delete "QQ-S-698" and substitute "ASTM A 569 and ASTM A 366".

3.2.1.3, line 2, after "type II": Add "class 2, grade A".

3.2.2, line 2: Delete "26" and substitute "50".

Line 3: Delete "8" and substitute "10".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:01Z
Check the source to verify that this is the current version before use.

PAGE 4 (cont'd)

After "content": Add "conforming to ANSI A208.1".

3.2.3: Delete and substitute:

"3.2.3 Hardboard. Hardboard for cabinet top veneers shall be a minimum 1/8 inch thick, class 1 tempered, conforming to ANSI A135.4. The hardboard of types I and V cabinets shall be smooth on two sides. For type IV cabinets, the hardboard shall be smooth on one side."

3.2.4: Delete and substitute:

"3.2.4 Particleboard. Particleboard for cabinet tops shall conform to ANSI A208.1, with the following indicated requirements and applications.

a. Particleboard core - type 1, grade 1-M-2.

b. Particleboard face and back veneers - type 1, grade 1-M-2, 3/8 inch thick, sanded two sides."

PAGE 5

3.2.6: Delete and substitute:

"3.2.6 Primer. Primer shall conform to composition L of TT-P-664."

3.2.7, line 1, after "to": Add "type I, II or III,".

3.2.7 line 2: Delete "X24087" and substitute: "24087".

3.3.2, line 7: Delete "Handbook H28" and substitute: "FED-STD-H28 ".

PAGE 6

3.3.6, after the third sentence: Add "Two drawer guides shall be furnished for each drawer in all cabinets. The sides of the cabinets may be used as guides for drawers adjacent to the sides. When the applicable drawings do not specifically define the configuration of the guides, the configuration shall be in accordance with the manufacturer's standard practice."

PAGE 7

3.3.8, at the end of third sentence: Add "or last link interlocked in hole of locking bar".

3.3.9, line 9: Delete "eased to eliminate sharpness" and substitute "rounded with 1/64 inch minimum radius".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:01Z
Check the source to verify that this is the current version before use.

PAGE 8

3.3.9.1, line 2: Delete "8" and substitute "10".

3.4.1: Delete and substitute:

"3.4.1 Surface preparation. Prior to painting, metal surfaces of the cabinets shall be cleaned and treated in accordance with method I through VI or type III or IV of TT-C-490."

3.4.2: Delete last sentence.

PAGE 10

4.2: Delete and substitute:

"4.2 First article inspection. When a first article is required (see 6.2), it shall be examined for the defects specified in 4.3.3.1 and 4.3.3.2 and tested for the characteristics specified in 4.4.1 and 4.4.2. The presence of any defect or failure to pass any test shall be cause for rejection of the first article."

4.3.2.1, line 2: Delete "-62".

PAGE 11

Table II: Delete last defect under "Composite wood tops" and substitute "Edges and corners not rounded with 1/64 inch minimum radius".

PAGE 13

* 4.3.3.3: Delete last sentence and substitute:

"In addition, when a preproduction sample is not required (waived), the initial production unit shall be tested in accordance with 4.4.2 (vibration testing) with no evidence of failure. The initial production unit regardless of type and class (supplied, assembled or unassembled) shall be vibration tested as specified in 4.4.2 when first article testing is waived."

4.3.4: Delete and substitute:

"4.3.4 Packaging inspection. The inspection shall be in accordance with the quality assurance provisions of MIL-B-45977."

4.4.2, after last sentence: Add "Any nonconformance shall constitute failure to pass this test."

Delete 5, 5.1 and 5.2 in their entirety and substitute:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:01Z
Check the source to verify that this is the current version before use.

"5. PACKAGING

5.1 Preservation. Preservation shall be level A or Commercial as specified (see 6.2).

5.1.1 Levels A and Commercial. The cabinet shall be preserved in accordance with the applicable requirements of MIL-B-45977.

5.2 Packing. Packing shall be level A, B or Commercial as specified (see 6.2).

5.2.1 Levels A, B and Commercial. The cabinet shall be packed in accordance with the applicable requirements of MIL-B-45977.

* 5.3 Markings. In addition to any special marking required in the contract or purchase order, shipments shall be marked in accordance with the requirements of MIL-B-45977."

6.2 (c): Delete and substitute:

"(c) When a first article is required (see 3.1, 4.2 and 6.4)."

6.2 (e): Delete.

6.2 (f): Delete "3.3.1" and substitute "3.3.11.1".

6.2 (g): Delete and substitute:

"(g) Selection of applicable levels of preservation and packing (see 5.1 and 5.2)."

Add the following new paragraphs:

"6.4 First article. When a first article is required it shall be inspected and approved under the appropriate provisions of FAR 52.209. The first article should be a preproduction sample consisting of one complete cabinet. The contracting officer should include specific instructions in all acquisition documents, regarding arrangements for inspection and approval of the first article.

6.5 Recycled material. It is encouraged that recycled material be used when practical as long as it meets the requirements of the document (see 3.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:01Z
Check the source to verify that this is the current version before use.

6.6 Changes from previous issue. The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue."

Custodians:

Army - GL
Air Force - 99

Review activities:

Army - AR
Air Force - 84, 85
DLA - GS

User activities:

Army - ME
Navy - MC

Preparing activity:

Army - GL

Project No. 7125-0115

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T19:01Z
Check the source to verify that this is the current version before use.