MIL-M-16125C
AMENDMENT 4
6 January 1987
SUPERSEDING
MIL-M-16125C
INT. AMENDMENT 3(SH)
20 October 1978

MILITARY SPECIFICATION

METERS, ELECTRICAL, FREQUENCY

This amendment forms a part of MIL-M-16125C, dated 21 February 1963, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

At bottom of page: Add the following statement:

* "Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, Naval Sea Systems Command, SEA 5523, Department of the Navy, Washington, DC 20362-5101 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter."

1.2.1.2.2.2, line 5: Delete "8" and substitute "3".

PAGE 2

2.1: Military Specification MIL-E-15090, delete "11" and substitute "111".

* 3.1: Delete and substitute:

"3.1 First article. When specified in the contract or purchase order, a sample shall be subjected to first article inspection (see 4.3 and 6.3)."

PAGE 3

3.5.1.2.1, line 3: Delete "11" and substitute "111."

AMSC N/A FSC 6625
DISTRIBUTION STATEMENT A Approved for public release; distribution unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:20Z
Check the source to verify that this is the current version before use.

PAGE 6

3.21: Delete and substitute:

"3.21 Shock (high-impact). When high-impact-shock resistant meters are tested in accordance with 4.3.16, no screws, bearings, pivots, windows, or other parts shall become loosened, cracked (except as specified herein), or unduly damaged. Minor cracking or distortion of pivots will be permissible only when conformance to the post shock performance has been demonstrated. Cracking of glass windows will be permissible only when readability of the complete scale is retained and no fragment has become dislodged. The permanent change in indication based on calibration made after resetting the pointer to zero or null position (if applicable) shall not exceed the value specified (see 3.24)."

PAGE 7

3.24.1, figure: Delete dimension "1.250 ± .375" and substitute "0.625 ± 0.125."

PAGE 10

4.1: Delete and substitute:

* "4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

* 4.1.1: Add as new paragraph:

"4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material."

Source: https://assist.dla.mil - Downloaded: 2026-10-18T08:20Z
Check the source to verify that this is the current version before use.

* 4.2: Delete and substitute:

"4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

(a) First article inspection (see 4.3).
(b) Quality conformance inspection (see 4.4)."

* 4.2.1.1, lines 1 and 2: Delete "qualification" and substitute "first article."

PAGE 11

4.3: Delete and substitute:

* "4.3 First article tests. First article tests shall consist of tests specified herein."

* 4.3.1, lines 2, 10, 11, 16 and table I: Delete "qualification" and substitute "first article".

* 4.3.1.1, line 2 and table II: Delete "qualification" and substitute "first article", Footnote 1, at the bottom of the page: Delete in its entirety.

PAGE 12

* 4.3.4.1, line 1: Delete "qualification" and substitute "first article."

PAGE 15

* 6.3: Delete and substitute:

"6.3 First article. When a first article inspection is required, the items should be a first article sample. The first article should consist of two or three units. The contracting officer should include specific instructions in acquisition documents regarding arrangements for examinations, approval of first article test results and disposition of first articles. Invitations for bids should provide that the Government reserves the right to waive the requirement for samples for first article inspection to those bidders offering a product which has been previously acquired or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval is presently appropriate for the pending contract."

PAGE 16

* 6.4: Delete in its entirety.

Notice: Delete in its entirety.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:20Z
Check the source to verify that this is the current version before use.

NOTE: The margins of this amendment are marked with asterisks to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Army - CR
Navy - SH
Air Force - 99

Review activities:
Army - MI
Air Force - 11

User activities:
Army - ME
Navy - MC

Preparing activity:
Navy - SH
(Project 6625-0686)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T08:20Z
Check the source to verify that this is the current version before use.