MIL-B-43998B
AMENDMENT-2
6 August 1985
SUPERSEDING
AMENDMENT-1
13 June 1984

MILITARY SPECIFICATION

BATH UNIT, AUTOMATED, MULTI-HEAD

This amendment forms a part of Military Specification MIL-B-43998B, dated 27 July 1983, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 2.1, under "SPECIFICATIONS FEDERAL": Delete "TT-E-529, TT-I-1795 and TT-W-572" and their titles.

PAGE 2

* 2.1, under "SPECIFICATIONS MILITARY": Add the following:

"MIL-T-704 - Treatment and Painting of Material

MIL-W-13518 - Wood Preservative: Tetrachlorophenol and Pentachlorophenol, Surface Sealing Compound

MIL-C-46168 - Coating, Aliphatic Polyurethane, Chemical Agent Resistant"

* 2.1, under "STANDARDS": Delete

"FEDERAL

FED-STD-595 - Colors".

Under "DRAWINGS": Delete "LABORATORIES" and substitute "CENTER".

Delete "6-1-6294" and substitute "6-1-8211".

Delete "6-1-6299".

Delete "6-1-6300" and substitute "6-1-8199

FSC 4510

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:20Z
Check the source to verify that this is the current version before use.

PAGE 2 (cont'd)

Delete "6-1-6305".

Delete "6-1-6466" and substitute "6-1-8300 - Container No. 1, Bath Unit, AMH".

* Delete "6-1-6485" and substitute "6-1-8320 - Container No. 2, Bath Unit, AMH".

PAGE 4

3.4, line 2: Delete "on the drawings listed".

Lines 2 and 3: Delete "6299. The complete bath unit system shall be as shown on Drawing 6-1-6300." and substitute "8199 and all subsidiary drawings and parts lists pertaining thereto".

Lines 8 and 9: Delete "Surfaces shall be prepared, primed and enameled after fabrication and tests as specified on Drawing 6-1-6305".

* Line 12: Delete "6466" and substitute "8301".

* Last line: Delete "6485" and substitute "8321".

PAGE 5

3.5.5, line 2: Delete "6294" and substitute "8211".

PAGE 12

* 5.2.1.1, sixth and seventh sentences: Delete and substitute:

"The exterior and interior of the wood surfaces shall be cleaned and treated in accordance with type B of MIL-T-704, using type I, class 2 of MIL-W-13518. The exposed metal surfaces shall be cleaned and treated in accordance with type F or type G of MIL-T-704. All exterior surfaces shall be painted camouflage green 383, conforming to type II of MIL-C-46168. The word "CARC" and the month and year of application shall be stencilled in 1 inch block letters, using lusterless black paint conforming to type II of MIL-C-46168, on the outside of the container directly below the marking required in 5.3.1."

5.2.1.2, line 4: Delete "6466" and substitute "8300".

Delete "6485" and substitute "8320".

* 5.3.1, lines 1 thru 4: Delete and substitute:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:20Z
Check the source to verify that this is the current version before use.

PAGE 12 (cont'd)

"For level A shipping containers as specified in 5.2.1.1, the following additional marking shall be stencilled on the top of the container in 1 inch high block letters using lusterless white paint conforming to type II of MIL-C-46168:

PAGE 13

* 6.3, line 2: Delete "DAR 7-104.55" and substitute "FAR 52.209".

NOTE: The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the previous amendment.

Custodians:

Army - GL
Air Force - 99

Preparing activity:

Army - GL

Project No. 4510-0224

Review activities:

Army - MD, ME
Air Force - 84
DLA - CS

User activity:

Navy - MC

☆U.S. GOVERNMENT PRINTING OFFICE: 1985 — 505-038/23604

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:20Z
Check the source to verify that this is the current version before use.