[INCH-POUND]
A-A-59479
16 December 1999
SUPERSEDING
MIL-D-12313C
17 June 1971

COMMERCIAL ITEM DESCRIPTION

DIMMER, LAMP, MEDIUM SCREW BASE AND SOCKET, IN-LINE SOCKET

The General Services Administration has authorized the use of this commercial item description as a replacement for MIL-D-12313C for all federal agencies.

1. SCOPE. This commercial item description (CID) covers in-line socket style lamp dimmers with a medium screw base and socket to be used in dimming 120-volt, 60-hertz incandescent lamps rated at 150 watts maximum. These dimmers are installed in-line between the incandescent lamp bulb and the lamp socket.

2. CLASSIFICATION. The dimmers shall be of the following types and colors. The type and color to be furnished shall be as specified (see 7.2(b)).

Type I - Incremental control
Type II - Infinitely variable control

Color A - Beige
Color B - Black

3. SALIENT CHARACTERISTICS

3.1 General requirements. The dimmer shall be rated at 150 watts for use on a 120-volt, single-phase, 60-hertz circuit. The dimmer shall conform to Underwriters Laboratory (UL) 20, "Standard for Safety General-Use Snap Switches". The dimmer shall be capable of operating with a portable generator system having a floating ground.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any other data which may improve this document should be sent to: Defense Supply Center Richmond (DSCR), ATTN: DSCR-VBD, 8000 Jefferson Davis Highway, Richmond, VA 23297-5610.

AMSC N/A FSC 6250

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:15Z
Check the source to verify that this is the current version before use.

3.2 Body. The dimmer shall have a molded thermoplastic body that houses a switch and control circuitry with external and internal medium base threads located on opposite ends.

3.3 Threads. The external medium base screw threads shall conform to American National Standards Institute (ANSI) C81.61, "Electrical Lamp Bases", and the internal threads shall conform to ANSI C81.62, "Lampholders for Electric Lamps".

3.4 Control circuitry. The dimmer shall be provided with an on/off switch and solid state control circuitry for brightness level control. Unless otherwise specified (see 7.2 (c)), type I dimmers shall provide a minimum of three levels of brightness control. Type II dimmers shall provide infinitely variable brightness level control from maximum brightness to off.

3.5 Dimensions. The dimmer shall not exceed a diameter of 2.3 inches and a length of 3.5 inches.

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description; conform to the producer’s own drawings, specifications, standards, and quality assurance practices; and be the same product as that which the supplier offers for sale on the commercial market. The government reserves the right to require proof of such conformance.

5.1.1 Verification of conformance. Suitable verification of conformance to UL 20 shall be either the UL label on the product or certification of such conformance by an accredited testing laboratory satisfactory to the Government.

5.2 Bid samples. Two bid samples shall be provided unless otherwise specified in the contract or purchase order.

5.3 Warranty. Unless otherwise specified (see 7.2 (d)), the manufacturer’s standard commercial warranty, terms, and conditions shall apply.

6. PACKAGING

6.1 Preservation, packing, and marking. For acquisition purposes, the products shall be preserved, packed, and marked as specified in the acquisition order (see 7.2(e)).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:15Z
Check the source to verify that this is the current version before use.

6.1.1 Commercial. In the absence of detailed instructions in the contract or purchase order preservation and packing shall be in accordance with American Society for Testing and Materials (ASTM) D3951, "Standard Practice for Commercial Packaging".

7. NOTES

7.1 Sources of documents.

7.1.1 FAR. The FAR may be obtained from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402-0001.

7.1.2 ANSI standards. Copies of ANSI standards may be obtained from the American National Standards Institute, 11 West 42nd Street, New York, NY 10036.

7.1.3 ASTM standards. Copies of ASTM Standards may be obtained from the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959.

7.1.4 UL standards. Copies of UL standards may be obtained from Underwriters Laboratories Inc., 333 Pfingsten Road, Northbrook, IL 60062.

7.2 Ordering data. Acquisition documents must specify the following information:

a. Title, number, and date of this document
b. Type of dimmer required (see 2)
c. Brightness level control requirements for type I (see 3.4)
d. Warranty, if different (see 5.3)
e. Packaging requirements, specify (see 6.1)

7.3 Part identification number (PIN). The following part identification numbering system is for government purposes and does not constitute a requirement for the contractor.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:15Z
Check the source to verify that this is the current version before use.

7.4 Sources of supply. The manufacturers and/or suppliers listed below are known to supply products which meet the salient characteristics requirements of this document. Competition is not limited to the listed firms.

Eagle Electric Manufacturing Co.	Lamson Home Products
Home Equipment Manufacturing Co.	Sun Lighting Supply Co.

7.5 Subject terms (keyword listing).

Dimmer
Switch
Lamp

MILITARY INTEREST:

Custodian:
Army - CR4

CIVIL AGENCY
COORDINATING ACTIVITY:

GSA - 7FXE

Preparing activity:
DLA - GS

(Project 6250-1019)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:15Z
Check the source to verify that this is the current version before use.