NOT MEASUREMENT SENSITIVE

MIL-STD-904D
1 FEBRUARY 2023

SUPERSEDING
MIL-STD-904C
15 JULY 2010

DEPARTMENT OF DEFENSE STANDARD PRACTICE

DETECTION, IDENTIFICATION, AND PREVENTION OF PEST INFESTATION OF SUBSISTENCE

AMSC N/A

FSC 89GP

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

FOREWORD

1. This Military Standard is approved for use by all Departments and Agencies of the Department of Defense (DoD).

2. This Military Standard specifies technical requirements for inspection of subsistence and food service functions to ensure clean, wholesome food products that are free from physical contaminants and to prevent transmission of foodborne disease to members of the Armed Forces, their beneficiaries, and DoD civilians. While the U.S. Code contains the regulations pertaining to these matters, the purpose of this standard is to select and compile the particular requirements and verification provisions, which have uniquely military applications.

3. This standard is applicable to all elements within the DoD involved in the inspection of subsistence items purchased with either appropriated or non-appropriated funds. This standard will not be used to determine the capability of an establishment to produce or furnish products or services which are in compliance with specifications or other purchase documents.

4. Comments (recommendations, additions, and deletions) and any pertinent data, which may be of use in improving this document, should be addressed to Chief, Defense Health Agency Veterinary Service, 7700 Arlington Boulevard, Falls Church, Virginia 22042-5101.

5. Copies of this document are available online at https://assist.dla.mil/ or https://quicksearch.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

CONTENTS

PARAGRAPH		PAGE
	FOREWORD	ii
1	SCOPE	1
1.1	Scope	1
1.2	Application	1
2.	APPLICABLE DOCUMENTS	1
2.1	General	1
2.2	Government documents	1
2.2.1	Specifications, standards, and handbooks	1
2.2.2	Other Government documents, drawings and publications	1
2.3	Non-Government publications	3
2.4	Order of precedence	3
3.	DEFINITIONS	3
3.1	Accountable Officer	3
3.2	Aseptic technique	3
3.3	Black light	3
3.4	Categories of food inspection	3
3.5	Contamination	3
3.6	Conveyance	3
3.7	Decontamination	3
3.8	Dermestid	3
3.9	Entomologist	3
3.10	Farinaceous	4
3.11	Food inspection personnel	4
3.12	Government-owned subsistence	4
3.13	Infestation	4
3.14	Insect	4
3.15	Insect-free	4
3.16	Integrated Pest Management (IPM)	4
3.17	Integrated Pest Management Plan	4
3.18	Integrated Pest Management Program	4
3.19	Medical authority	4
3.20	Medical hold	4
3.21	Packaging	4

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

3.22	Packing	5
3.23	Pest	5
3.24	Pest management personnel	5
3.25	Recondition	5
3.26	Retail food facility	5
3.27	Secondary container	5
3.28	Shipping case	5
3.29	Surveillance inspection	5
3.30	Warranty action	5
3.31	Wholesale food facility	5
4.	GENERAL REQUIREMENTS	5
4.1	Integrated Pest Management (IPM)	5
4.2	Acceptance or rejection of contractor-owned subsistence at wholesale food facility	6
4.2.1	Packaging not breached	6
4.2.2	Contamination on packaging	6
4.3	Acceptance or rejection of Government-owned subsistence	6
4.3.1	Infestation prior to receipt	6
4.3.2	Infestation after receipt	6
4.3.2.1	Health standards for determining the disposition of infested subsistence	6
4.3.2.2	Rodent contamination	7
4.3.2.3	Bird contamination	7
4.3.2.4	Miscellaneous animal contamination	7
4.4	Acceptance or rejection of contractor-owned subsistence at a retail food facility	7
5.	DETAILED REQUIREMENTS	8
5.1	Inspection of subsistence subject to infestation	8
5.1.1	Sampling during inspection	8
5.1.2	Inspection methods	8
5.1.2.1	Closed-package inspection	8
5.1.2.2.1	Open-package methods for units of 10 lbs. or less	8
5.1.2.2.2	Open-package method for units greater than 10 lbs	8
5.1.2.3	Evidence collection techniques for open package inspection	9
5.2	Inspection of Government-owned subsistence.	9
5.2.1	Any receipt except purchase	9
5.2.2	Prior to shipment	9
5.2.3	During storage	9

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

5.3	Inspection of storage areas	10
5.3.1	Salvage/survey areas	10
5.3.2	Frequency of dry storage area inspections	10
5.3.3	Detection of insects in storage areas	10
5.3.4	Detection of rodents in storage areas	11
5.3.5	Detection of birds in storage areas	11
5.3.6	Detection of other animals in storage areas	11
5.4	Procedures following detection of infestation/contamination of Government-owned subsistence	11
5.4.1	Medical hold of infested/contaminated items	11
5.4.2	Identification and reporting of infestation	11
5.4.3	Eradication Procedures	11
5.4.3.1	Fumigation	11
5.4.3.2	Freezing	12
5.4.3.3	Procedures after fumigation or freezing	12
5.4.4	Disposition procedures for insect infested products	12
5.4.5	Disposition of rodent/bird/other animals contaminated products	13
5.5	Preventing infestation/contamination in storage facilities	13
5.5.1	Sanitation procedures	13
5.5.2	Warehousing practices	14
5.5.3	Pest proofing storage facilities	14
5.5.4	Rodent Proofing Ships	14
6.	NOTES	14
6.1	Intended use	14
6.2	Acquisition requirements	14
6.3	Subject term (key word) listing	15
6.4	Changes from previous issue	15

APPENDIX

A	LIST OF ITEMS WITH HIGH POTENTIAL FOR INFESTATION	16
B	LIST OF RECOMMENDED EQUIPMENT	18
C	LIST OF ENTOMOLOGY LABORATORIES	20
D	REFERENCES	24

CONCLUDING MATERIAL 27

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 Scope. This standard describes a set of practices that enable DoD personnel to effectively detect, prevent, and reduce the impact of infestation and contamination of subsistence items from exposure to insects, rodents, birds, or other animals. The practices described in this standard delineate inspection procedures, evidence collection techniques and equipment, sampling methods, and disposition procedures.

1.2 Application. This standard is applicable to elements within the DoD involved in the purchase, transportation, receipt, storage, and issuance of subsistence items.

2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in sections 3, 4, and 5 of this standard. This section does not include documents cited in other sections of this standard or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they should meet all specified requirements documents cited in sections 3, 4, or 5 of this standard, whether or not they are listed.

2.2 Government documents.

2.2.1 Specifications, standards, and handbooks. This subsection is not applicable to this standard.

2.2.2 Other Government documents, drawings and publications. The following Government documents form a part of this document to the extent specified herein. Unless otherwise specified, the issue is that cited in the solicitation or contract.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Federal Food, Drug and Cosmetic Act, 1938, as amended Public Law (PL) 107-188, Chapter IV.

FDA Food Safety Modernization Act, 2011

(Copies of these documents are available online at http://www.fda.gov under the Regulatory Information and Legislation links, or from the Superintendent of Public Documents, U. S. Government Publishing Office, Washington, DC 20401).

CODE OF FEDERAL REGULATIONS (CFR)

Title 21, Part 1250.3	-	Regulations under Certain Other Acts Administered by the Food and Drug Administration, Interstate Conveyance Sanitation, Subpart A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

(Copies available online at: https://www.govinfo.gov/app/collection/cfr_).

DEFENSE LOGISTICS AGENCY

DLAR 4155.37/AR 702-18/NAVSUPINST 4410.56B/AFMAN 23-232(IP)/MCO 4450.13B, Defense Logistics Agency Material Quality Control Storage Standards.

(Copy available online at: https://www.dla.mil/Portals/104/Documents/J5StrategicPlansPolicy/PublicIssuances/r4155.37.pdf).

DLAM 4145.12/TM 38-400/NAVSUP PUB 572/AF MAN 23-210/MCO 4450-14 Joint Service Manual (JSM) for Storage and Materials Handling.

(Copy available online at: https://www.dla.mil/portals/104/documents/j5strategicplanspolicy/publicissuances/m4145.12.pdf).

DEPARTMENT OF THE ARMY

AR 40-657/ NAVSUPINST 4355.4F/MCO P10110.31G, Veterinary/Medical Food Safety, Quality Assurance, and Laboratory Service

(Copy available online at: https://armypubs.army.mil/ProductMaps/PubForm/Details.aspx?PUB_ID=19).

DEPARTMENT OF THE NAVY

NAVMED P-5052-26, Shipboard Pest Management Manual, U.S. Navy.

(Copy available online at: https://www.med.navy.mil/Portals/62/Documents/BUMED/Directives/All%20Pubs/5052-26.pdf?ver=eJlMKJTNKX4FanXhz6xUgQ%3d%3d).

ARMED FORCES PEST MANAGEMENT BOARD (AFPMB)

AFPMB Technical Guide (TG) No. 11	-	Hydrogen Phosphide Fumigation with Aluminum Phosphide.
AFPMB Technical Guide (TG) No. 27	-	Stored Product Pest Monitoring Methods.
AFPMB Technical Guide (TG) No. 38	-	Protecting Meal, Ready-to-Eat (MREs) and other Subsistence

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

		during Storage.
AFPMB Technical Guide (TG) No. 41	-	Protection from Rodent-borne Diseases with Special Emphasis on Occupational Exposure to Hantavirus.

(Copies of all AFPMB TGs available online at: https://www.acq.osd.mil/eie/afpmb/).

2.3 Non-Government publications. The documents listed in Appendix D form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

2.4 Order of precedence. Unless otherwise noted herein or in the contract, in the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. DEFINITIONS

3.1 Accountable Officer. The person held accountable for receipt of food items at a given location.

3.2 Aseptic technique. Removing product without introducing contamination with microorganisms, using sterile gloves, utensils, containers, proper extraction and placement practices, etc.

3.3 Black light. An ultraviolet light used to detect rodent urine by virtue of its fluorescing properties, to validate other evidence of such contamination. Since many substances fluoresce, this test is primarily used for presumptive evidence only.

3.4 Categories of food inspection. The three broad classifications of food inspection performed by U.S. Army Veterinary Service personnel: Category I: Origin/Acceptance; Category II: Receipt; and Category III: Surveillance.

3.5 Contamination. The act or process of exposing a product to an adulterant or unwholesome material whether it is food pests, parts thereof, or their filth.

3.6 Conveyance. Any land or air carrier, or any vessel, as further defined in 21 CFR 1250.3.

3.7 Decontamination. Removal or reduction of contaminants or infested items from products or packaging. Often includes sanitizing of the container by cleaning, disinfecting, and rinsing, or repackaging.

3.8 Dermestid. Any beetle belonging to the family Dermestidae.

3.9 Entomologist. An individual with a bachelor's or higher degree in entomology (the

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

scientific study of insects).

3.10 Farinaceous. Made from, rich in, or consisting of starch or having a mealy or powdery texture.

3.11 Food inspection personnel. DoD medical personnel responsible for the inspection of subsistence.

3.12 Government-owned subsistence. Subsistence owned by either appropriated or non-appropriated DoD activities or instrumentalities.

3.13 Infestation. The presence of insects, rodents, birds, or other animals or parts thereof, or their wastes in or around subsistence such that the subsistence may be rendered unwholesome.

3.14 Insect. All arthropods belonging to the class Insecta.

3.15 Insect-free. No insects (alive or dead), or any evidence of infestation including parts, silks, and frass (wastes) thereof, visible during inspection of the subsistence.

3.16 Integrated Pest Management (IPM). A science-based, sustainable, *proactive*, decision-making process that identifies and reduces risks from pests and pest management-related strategies. IPM coordinates the use of pest biology, environmental information, and available technology to prevent unacceptable levels of pest damage using the most economical means, while minimizing risk to people, property, resources, and the environment. IPM provides an effective strategy for pest management in all arenas from developed agricultural, residential, and public lands to natural and wilderness areas.

3.17 Integrated Pest Management Plan. A long-range, well-defined planning and operational document that describes an installation or location's pest management program. Written installation or location pest management plans are required to establish and implement IPM.

3.18 Integrated Pest Management Program. The IPM program documented in the IPM plan at a facility or installation that employs IPM principles.

3.19 Medical authority. Army Veterinary Service or Air Force Public Health personnel whose duties include the authorization to condemn/dispose subsistence determined to be unwholesome or unfit for human consumption. These personnel are also the approval authority for the reconditioning procedures of subsistence.

3.20 Medical hold. Quarantine of contaminated or infested items from distribution, issue, or sale when determined to be unwholesome for human consumption by food inspection personnel. Medical hold items shall be released only when the food inspection personnel approve them to be released with documents based on laboratory test results or medical authority's approvals.

3.21 Packaging. The process whereby the individual item is protected by material such as cellulose casings (sausage items), cellophane (breads), cardboard cartons (eggs), cans (canned goods), and bottles (bottled goods). Also referred to as the primary container, which is the immediate container in which the product is packaged and which serves to protect, preserve, and maintain the

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

condition of the product. Packaging may or may not contact the food, such as outer packaging that bears the label.

3.22 Packing. The placing food into a container other than packaging the food, and includes re-packing and activities performed incidental to packing or re-packing a food (*e.g.*, activities performed for the safe or effective packing or re-packing of that food) such as sorting, culling, grading, and weighing or conveying incidental to packing or re-packing. Packing does not include activities that transform a raw agricultural commodity into a processed food.

3.23 Pest. Any insect, rodent, bird, or other animal that may render subsistence partially or wholly unwholesome for human consumption through infestation or contamination.

3.24 Pest management personnel. Military or civilian personnel trained to manage undesirable pests and certified (licensed) to use or apply pesticide chemicals.

3.25 Recondition. Elimination of contaminated packaging by cleaning and sanitizing the container as needed and repackaging to permit the issuing of the product.

3.26 Retail food facility. A facility that sells food products directly to consumers as its primary function. A retail food facility may manufacture/process, pack, or hold food if their primary function is to sell from that facility's food (including food that it manufactures/processes, packs, or holds), directly to consumers. A retail food facility includes grocery stores, convenience stores, and vending machine locations; it also includes certain farm-operated businesses selling food directly to consumers as their primary function.

3.27 Secondary container. The container in which one or more primary containers are packed.

3.28 Shipping case. The container in which the primary or secondary containers are placed to protect, preserve, and maintain the condition of the product during transit or storage.

3.29 Surveillance inspection. Inspections made to determine if Government-owned subsistence is wholesome and suitable for further storage, shipment, issue, sale, and consumption.

3.30 Warranty action. Administrative steps taken by the responsible contracting officer to recover losses from a contractor for subsistence products which were accepted, but for which evidence indicates infestation or contamination occurred prior to Government acceptance.

3.31 Wholesale food facility. A food facility whose primary function is to store and distribute food, such as food warehouses and distribution sites.

4. GENERAL REQUIREMENTS

4.1 Integrated Pest Management (IPM). The installation must promote the implementation of IPM and use practices that demonstrate IPM. To accomplish this, the installation pest management plan must emphasize and describe the use of IPM to provide sustainable pest management.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

4.2 Acceptance or rejection of contractor-owned subsistence at a wholesale food facility. Rejection upon delivery is required of any shipment of infested or contaminated subsistence from a commercial source, except under the conditions described in 4.2.1 and 4.2.2.

4.2.1 Packaging not breached. When food inspection personnel determine that the infestation or contamination has not breached the packaging of the product, and if the infestation or contamination is minimal, the accountable officer, with the concurrence of the medical authority, may accept the shipment under the below conditions (see 4.2.1 a-b).

a. There is an immediate urgent need for this shipment which cannot be met if the delivery is rejected.

b. If stored product pest insects were found in the products, below the acceptance level of infestation described in 4.3.2.1, the subsistence shall be fumigated at the contractor's expense prior to unloading or frozen at 0 ^{o}F for a minimum of two weeks prior to placement in the normal storage area in the warehouse. There can be difference in variation for a pallet of densely packed product vs. a single container of product. For guidance on freeze penetration and density of materials, refer to reference D.2.e. For Navy shipboard requirements during deployment, refer to NAVMED P-5052-26, Shipboard Pest Management Manual, U.S. Navy**.**

4.2.2 Contamination on packing. When contamination is detected only on packing, the shipment may be accepted under the below conditions (see 4.2.2 a-b).

a. The package or secondary container can be removed in an uncontaminated condition.

b. If it is possible to decontaminate packaging of contaminated units, decontamination shall be done at the contractor's expense with prior approval of the proposed decontamination method from the medical authority and contracting officer. The decontaminated products shall be frozen at 0 °F for a minimum of two weeks to kill all stages of insects potentially present within the products.

4.3 Acceptance or rejection of Government-owned subsistence. Government-owned subsistence acquired from a commercial source shall be rejected, condemned, and disposed of, or accepted, under the conditions described in 4.3.1 through 4.3.2.4.

4.3.1 Infestation prior to receipt. If Government-owned subsistence is infested or contaminated, and the condition is determined to have existed at the time of receipt, the accountable officer shall initiate warranty action and immediately arrange disposition of the subsistence with the contractor.

4.3.2 Infestation after receipt. If infestation or contamination of Government-owned subsistence is determined to have occurred after receipt, the requirements in 4.3.2.1 through 4.3.2.4 shall apply.

4.3.2.1 Health standards for determining the disposition of infested subsistence. The lot shall be condemned when:

a. At least one living or dead insect belonging to the genus *Trogoderma* or to other dermestid genera, or their shed skins, are found within the product itself (not external). Dermestid larvae shed

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

their skins 5-15 times before they become adults, and these skins remain covered in barbed hairs. If shed skins are found, there are barbed hairs in the product and the product requires removal. If an adult is found in the package, it either grew up there (meaning it was a larva and shed barbed hairs in the food), or it is a female that chewed into the package to lay eggs. If there are no larvae now, there may be larvae in the package in the future. Condemnation is required if adults are found in the food too.

b. An average of three or more living or dead insects belonging to the genera *Tribolium* and *Tenebrio* per pound of products is found within the packages inspected.

c. An average of seven or more living or dead insects per pound of product is found involving insects other than those belonging to the genus *Trogoderma* (or other dermestid genera) or the genus *Tribolium* (or other tenebrionid genera).

d. Excluding retail sales, if the level of insect infestation falls short of the standards in a through d above, the eradication procedures as specified in 5.4.3., shall be followed, and the subsistence shall be labeled with a warning as specified in 5.4.4.c.

4.3.2.2 Rodent contamination. Contaminated units (boxes, cases, bags) shall be condemned when:

a. Any evidence of rodent infestation/contamination is found within product packaging.

b. Penetration of packaging by rodent feces/urine is detected by the presence of urine stains or feces visible under normal light or black light.

c. The existence of a gnawed hole through the innermost layer of packaging is detected.

d. External contamination of waterproof containers (for example, cans) containing product is detected, unless it is possible to sanitize the container by cleaning, disinfecting, and rinsing it under the direction of the medical authority. Condemn the entire pallet of government owned subsistence when rework cost is estimated to exceed the value of the product salvaged.

4.3.2.3 Bird contamination. Any unit of product contaminated by bird parts/excreta shall be condemned unless the package has not been penetrated and it is possible to sanitize the container by cleaning, disinfecting, and rinsing or repacking it under the direction of the medical authority.

4.3.2.4 Miscellaneous animal contamination. Any unit of product contaminated by the feces or urine, or penetrated by the teeth or claws of any animal shall be condemned. Issuing the product is authorized if the package has not been penetrated and the container can be sanitized by cleaning, disinfecting, and rinsing or repacking under the direction of the medical authority.

4.4 Acceptance or rejection of contractor-owned subsistence at a retail food facility. Rejection upon delivery is required of any shipment of infested or contaminated subsistence from a commercial source.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 Inspection of subsistence subject to infestation. Perform inspection of subsistence items listed in Appendix A during off-loading at arrival, before reshipping, or upon request.

5.1.1 Sampling during inspection. During inspection, sampling for detection of infestation/contamination shall be conducted. Select samples from:

a. Products that are considered to have a high potential for infestation (see Appendix A).

b. Areas most likely to be infested/contaminated, such as outermost containers on the top and bottom of a stack, the areas closest to an established problem area, or the areas close to entry and gates or by walls and equipment.

c. Subsistence that has been stored near infested/contaminated products.

d. Aged items and products with damaged or breached packages/containers.

5.1.2 Inspection methods. Conduct closed and open-package inspections as appropriate, as described in 5.1.2.1 through 5.1.2.3. Adjust sample size selection from the standard in accordance with local command policies.

5.1.2.1 Closed-package inspection. All seams, tucks, and open areas of all samples shall be examined for the presence of insects using a focused light source and magnifier. The samples shall be scrutinized for small insect penetration holes and rodent, bird, or animal contamination/damage.

5.1.2.2 Open-package inspection. If insect infestation or contamination problems are suspected or discovered, an open-package inspection shall be performed to ascertain the nature of the problem, to determine the number of insects per pound inspected, and to obtain samples for laboratory identification. Segregate these products and place on medical hold until a final disposition can made.

5.1.2.2.1 Open-package methods for units of 10 lbs. or less. Open the entire contents of primary containers that weigh 10 pounds or less and examine for infestation or damage.

5.1.2.2.2 Open-package method for units greater than 10 lbs. Take a three-pound sample using an aseptic technique from the following locations when package units weigh 10 pounds or more:

a. Top of unit next to the opening.

b. Bottom of unit next to the seal or seam.

c. Adjacent to the tears or holes.

d. Products neighboring the inner surface of a package.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

5.1.2.3 Evidence collection techniques for open package inspection. When an open package examination method is used, screen the resulting sample for insects and, if found, the preserve the insect samples for identification by an entomologist. (Call the servicing Entomology lab for specifics, and to ensure compliance with federal regulations). Collect as follows:

a. Spread the sample thinly on an examination table covered with light-colored disposable paper or on a white-colored food chopping board. Shake the product through the proper size sieve (see Appendix B) onto the paper or the chopping board.

b. Using a high intensity light source and magnifier, isolate any live or dead insects using tweezers or a brush dipped in alcohol. Pick up immature or adult insects other than moths with the brush or tweezers and place them in screw-top vials filled with ethyl alcohol. Place adult moths, and any other suspected contaminants, etc., in screw top containers, pillboxes, or petri dishes of an appropriate size, without any type of liquid preservatives. Seal the sample containers with sealing tapes to prevent a breach. Use tissue paper to protect dry specimens. Additional information is available in DSCPM 4155.6, Subsection 218.2 (see Appendix D). Samples submitted to Navy Entomology laboratories should follow the guidance contained in NAVMED P-5052-26.

5.2 Inspection of Government-owned subsistence. Subsistence inspections shall be performed to determine suitability for further storage, shipment, issue, sale, or consumption. The types of inspections performed are as specified in 5.2.1 through 5.2.3 and as defined in AR 40-657/ NAVSUPINST 4355.4F/MCO P10110.31G (see 2.2.2). Air Force users see D.3.a. and b. of Appendix D.

5.2.1 Any receipt except purchase. The conveyance, and the subsistence it contains, shall be closely examined to detect infestation/contamination which may have occurred during transport. Subsistence shipped to or from tropical climates shall be subjected to especially thorough inspection in accordance with quarantine and transport procedures, or the host nation requirements. During warm periods of the year, subsistence shipped via rail car should be fumigated while in transit if permitted by the label. The fumigation procedures contained in AFPMB TG No.11 shall be followed. Upon arrival of fumigated rail cars, the receiving officer shall notify pest management personnel who shall ensure that the conveyance is detoxified prior to unloading.

5.2.2 Prior to shipment. Government-owned subsistence destined for shipping and the shipping conveyance shall be inspected for infestation/contamination before loading, prior inspection at receipt and during storage notwithstanding. Guidance for naval vessels is in the U.S. Navy Shipboard Pest Control Manual (see 2.2.2).

5.2.3 During storage. Subsistence in storage shall be examined for infestation and contamination on a cyclical basis, giving special attention to the subsistence items listed in Appendix A. Inspection frequency shall be determined by the medical authority (in conjunction with the local pest management personnel) based on specific or changing environmental conditions, infestation history, and status of facility sanitation. General guidance is listed in 5.2.3 a-b.

a. Cool temperatures, negative findings for pests, and good sanitation practices are justification to reduce the frequency of inspection of subsistence for infestation.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

b. Uncontrolled high humidity, high-risk packaging, warm and extended storage times shorten insect developmental time and are justification for more frequent inspection of subsistence subject to infestation. Poor sanitation/facility maintenance or any recent pest infestation/activity either in subsistence or in the storage area is justification to increase the inspection of subsistence to a monthly or shorter interval.

5.3 Inspection of storage areas. DLAM 4145.12 (see 2.2.2) provides guidelines for an effective stored products pest management program.

5.3.1 Salvage/survey areas. Salvage/survey areas should be located away from stored food items and should have adequate cleaning materials.

5.3.2 Frequency of dry storage area inspections. Unless otherwise directed by the medical authority, subsistence dry storage areas shall be routinely inspected at least monthly by food inspection personnel for general condition of sanitation, sanitary practice of warehouse management, structural fails, and pest infestations. Joint inspections of these areas shall be conducted quarterly, with pest management and other appropriate medical authority personnel.

5.3.3 Detection of insects in storage areas. All shipments of subsistence items carry the potential to infest storage areas, even though there is no apparent evidence of insects. Inspectors shall bring an intensive light source, magnifier, disposable gloves, sample container, camera, needle nose pliers with cutting blade (to cut zip-ties that often hold rodent bait stations together for inspection) and permanent marker for collecting samples. Inspections shall be performed as follows:

a. Warehouse windows shall be checked for flying insects.

b. Floors, walls, and pallets, shall be examined for insects, both live and dead, or their evidence, such as silks and frass, that have emerged from subsistence items. Insect harborages, and food sources such as spilled foods, trash, surplus wood pallets, and packing materials, shall be checked, as well as grooves and gaps in shelving.

c. Insect Pheromone/Food Attractant Traps (PFAT) shall be used in the surveillance program where practical, in accordance with AFPMB TG 27, Stored-Product Pest Monitoring Methods.

d. Sacked and boxed farinaceous items shall be checked around the end seals and stitching.

e. Grain-based rodent bait boxes shall be checked for signs of activity.

f. Insect bait stations, PFAT, and light traps shall be monitored by pest management personnel, in accordance with the Pest Management Plan.

g. If insects are discovered, specimens shall be collected and prepared in accordance with 5.1.2.3. Not all insects require submission - coordination is required with the supporting entomology department for guidance on submission.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

5.3.4 Detection of rodents in storage areas. Storage areas shall be monitored for signs of rodent infestation, such as: droppings (size and age); runways (along walls, steps, and rafters); rub marks (fresh or aged); burrows (fresh or old); gnawing (recent or weathered); and tracks (sharp and distinct or dust covered). A black light is one of many tools in rodent inspection. It should not be the definitive diagnosis, but if fluorescence is seen, further investigation of the legitimacy of an infestation is required. If a black light is used, use a reliable product (with the appropriate training), or one that is recommended by a Pest Management Consultant, in accordance with DoDI 4150.07.

5.3.5 Detection of birds in storage areas. Monitor storage areas for signs of bird infestation, such as droppings, feathers, and nesting materials. Routinely inspect the topmost stacks of subsistence for bird droppings, regardless of bird visibility.

5.3.6 Detection of other animals in storage areas. Signs of the presence of other animals in a subsistence warehouse include seeing the animals, or finding droppings, hair, or damaged products. The animals shall be located and removed by the appropriate animal control activity. Potential animal entrances shall be located and sealed.

5.4 Procedures following detection of infestation or contamination of Government-owned subsistence. Follow the procedures in 5.4.1 through 5.4.4 when infested or contaminated Government-owned subsistence is discovered. Initiate warranty action if applicable.

5.4.1 Medical hold of infested/contaminated items. Infested or contaminated items shall be placed on medical hold by food inspection personnel. These items shall be segregated and covered with plastics by warehouse personnel, until further notified by food inspection personnel. Food inspection personnel shall provide accountable officers documentation for guidance on condemnation/release of the medical hold items, based upon the identification of pests by a DoD entomologist.

5.4.2. Identification and reporting of infestation. To enable DoD to accurately assess and manage stored subsistence losses, all insect infestations shall be identified and reported. If the sample is from DLA owned stocks, the submission of specimens to an entomologist for identification should be accompanied by a DD Form 1222. Copies of DD Form 1222, Request For and Results of Tests, can be downloaded from the following web site: https://www.esd.whs.mil/Portals/54/Documents/DD/forms/dd/dd1222.pdf . Instructions on how to complete a DD Form 1222 are located at DSCPM 4155.6, subsection 207.1. For all other samples, Service requirements will dictate which form to use.

5.4.3 Eradication Procedures. Eradication procedures include freezing, and fumigation of subsistence as outlined in 5.4.3.1 and 5.4.3.2.

5.4.3.1 Fumigation. Infested subsistence that is not immediately destroyed, frozen, or removed shall be promptly fumigated by pest management personnel in accordance with AFPMB TG No. 11. Meal, Ready-to-Eat (MRE) rations and other operational rations packaged in foil or laminated pouches should not be fumigated without guidance of the medical authority in accordance with AFPMB TG No. 38. If the insect levels exceed those required in 4.3.2.1 or, if the appropriate authority elects not to recoup the infested subsistence, determine disposition immediately to prevent further infestation.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

Fumigation aboard ship is conducted under special circumstances only and requires the approval of a Navy Medical Entomologist.

5.4.3.2 Freezing. Freezing infested subsistence at 0 °F for a minimum of two weeks, which kills the insects and their eggs, is an acceptable alternative to fumigation. If the insect levels exceed those required in 4.3.2.1 or if the appropriate authority elects not to recoup the infested subsistence, determine disposition immediately to prevent further infestation.

5.4.3.3 Procedures after fumigation or freezing. Once the fumigated subsistence is aerated and the area is declared safe by pest management personnel, or freezing has been conducted as stated, the effectiveness of the fumigation or freezing and the fitness of the subsistence for consumption shall be determined so that a disposition recommendation can be made. An estimate of the degree of infestation shall be made based on the criteria located in Table I.

TABLE I. Sample Sizes for post-fumigation/post freezing inspection.

Lot Size (Primary Containers or Packages)	Sample Size
2 to 15	2
16 to 30	3
51 to 150	5
151 to 500	8
501 to 3,200	13
3,201 to 35,000	20
35,001 to 500,000	32
500,001 and over	50

5.4.4 Disposition procedures for insect infested products. After the infesting insect is identified, and the infestation does not exceed the requirements of 4.3.2.1., the infested subsistence shall be subject to the following actions:

a. Infested subsistence, whether in depots, warehouses, or on installations, shall not be shipped to another potential user. If not suitable for local use, it shall be destroyed.

b. If an inspection reveals that product that is in urgent need is within the safe tolerances in accordance with 4.2.2.1., a recommendation may be made by food inspection personnel to the accountable officer that the product be issued after it is fumigated or held at 0 °F for a minimum of two weeks.

c. The exterior of the shipping containers shall be marked in the following manner to inform the final user of the product's condition:

"This product has been found to contain insects which were killed by fumigation or freezing. Food inspection personnel have examined this product and have found it to be in conformance with approved health standards, as specified in MIL-STD-904 and have declared it fit for human consumption."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

d. Known infested product will not be sold in retail stores.

e. If an infested product within the safe tolerances in accordance with 4.3.2.1 is intended to *be disposed of,* a recommendation may be provided by food inspection personnel to the accountable officer that the product be held at 0 ^{o}F for a minimum of four days before disposition, for the prevention of further infestations on new products or within the storage area.

f. When the identified stored product pests are invasive or subject to quarantine in the area, the disposition procedure must comply with applicable Federal, State, local, and host nation laws or contracts.

5.4.5 Disposition of rodent/bird/other animal contaminated products. Subsistence found with rodent, bird, or other animals' contaminants is unfit for human consumption. When the contaminants are limited to the packaging/container, the products may be accepted, after a thorough decontamination procedure. Use caution when handling rodent contaminated materials. (Note: The major concern is transmission of highly contagious disease via aerosolization of particles, such as Hantavirus transmission via aerosolized rodent urine/feces). AFPMB TG 41 provides additional information on this topic (see 2.2.2).

a. Protective gloves, eye protection, and an N95 mask shall be used to minimize the risk of zoonotic infection from rodent urine and feces. Verify appropriate fit and use of the N95 mask through an occupational health or equivalent respiratory protection program.

b. Decontaminate the surface of infested packages with a chlorine solution or with other food safe/grade sanitizers or sanitizers authorized for use in the food industry. Refer to TB MED 530/NAVMED P-5010-1/AFMAN 48-147_IP, Tri-Service Food Code, for additional guidance on chlorine concentrations.

c. Before disposing of the contaminated items, seal any holes to prevent leakage, or place damaged packages in a plastic bag.

d. If entire pallets are condemned, sealing them with plastic sheeting is recommended. Segregate damaged materials for reimbursement or dispose of them in accordance with local laws and policies.

5.5 Preventing infestation and contamination in storage facilities. Perform the control measures in 5.5.1 through 5.5.4 to decrease the incidence and severity of pest infestation of stored subsistence.

5.5.1 Sanitation procedures. Housekeeping and sanitation practices, such as immediate clean-up of spilled items, disposal or repair of damaged containers, daily sweeping of floors, and frequent cleaning of all shelving and equipment shall be routinely performed. Perform weekly or monthly cleaning of floors, with hot or cold water, steam, or vacuum cleaners. Maintain the area outside the warehouse in sanitary condition: trash, heavy vegetation and debris, or surplus wooden pallets can be potential insect harborages, and shall be moved if found. Routinely perform sanitation inspections in accordance with the frequency described in 5.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

5.5.2 Warehousing practices. Perform the warehousing practices listed below to reduce opportunities for infestation/contamination.

a. Elevated shelves shall be at least six inches above the floor to allow for proper cleaning and inspection.

b. Pallets and shelves shall be located at least 18 inches from walls to allow access for cleaning and inspections and to reduce harborages.

c. Subsistence shall be stacked in a manner that minimizes crushing that may damage packages or packaging.

d. Subsistence items shall be rotated to prevent heavy infestation.

e. Bagged animal foods (to include bird seed) shall be stored in a separate area from other subsistence items because of their propensity for infestation.

f. "First-In, First-Out" (FIFO) procedures shall be followed, when practical.

g. Garbage containers shall be properly covered with covers or lids and be emptied and cleaned daily.

h. Equipment for controlling temperature, moisture, and airflow, such as fans, ventilating machines, etc. shall be operated when practical. Improvement of drainage and installation of vents helps airflow, thus aiding in temperature and moisture controls. Daily temperature logs should be kept by warehouse employees.

5.5.3 Pest proofing storage facilities. All military subsistence storage facilities shall be constructed so that rodent, insect, and bird entry/harborages are minimized. All exterior openings larger than 1/4 inch shall be sealed with cement, 26-gauge or thicker sheet metal, or 1/4-inch hardware cloth. Windows must be properly installed with screening. Structural harborages such as double walls, spaces between floors, drop ceilings, and boxed-in pipes or beams, shall be completely sealed or eliminated. Exhaust fans should be covered with operable louvers or 16-mesh screening. Door sweeps, air curtains, hanging plastic strips should also be considered for use, provided air curtains are routinely inspected and calibrated.

5.5.4 Rodent Proofing Ships. Ships should use all methods of preventing the infestation of rodents by utilizing rat guards in accordance with ASTM F1099M, Standard Specification for Rat Guards, Ship's (METRIC).

6. NOTES

6.1 Intended use. This standard is intended to ensure that food products procured by the DoD for use by Armed Forces personnel are safe and do not pose health risks.

6.2 Acquisition requirements. Acquisition documents should specify the title number and date of this standard.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

6.3 Subject term (key word) listing.

Bait Station Bird
Chlorine
Contamination
Entomologist
Food inspection
Fumigation
Mice
Pest Management Program
Rats
Receipt Inspections
Rodents
Surveillance Inspection

6.4 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue because of the extent of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

APPENDIX A
LIST OF ITEMS WITH HIGH POTENTIAL FOR INFESTATION

A.1. SCOPE

A.1.1 Scope. The information contained herein is intended for guidance to identify items that have a high potential for infestation. Items packaged in glass or cans are not susceptible to infestation unless infested prior to or during packaging. This list is not all-inclusive.

A.2 Subsistence items with high potential for infestation.

a. Bakery and fry mixes.

b. Bakery products.

c. Candy (especially chocolate and nuts).

d. Cocoa & cocoa beverage powder.

e. Coffee beans.

f. Cookies & crackers.

g. Dehydrated soups, vegetables & gravy mixes.

h. Dried fruits and nuts.

i. Dried meats and fish.

j. Dry beans & peas.

k. Dry milk & powdered dairy drinks.

l. Dry pet food, including birdseed and laboratory animal food.

m. Fresh fruits and vegetables.

n. Grains (flour, cornmeal, grits, rice, barley, rolled oats, wheat base, popcorn, farina, and corn starch).

o. Granola bars.

p. Grated cheese.

q. Operational rations not packaged in cans, including assembled and unitized rations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

r. Pasta products (macaroni, spaghetti, noodles, vermicelli, etc.).

s. Prepared breakfast cereals.

t. Prepared coconut.

u. Spices.

v. Tea (especially herbal types).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

APPENDIX B
LIST OF RECOMMENDED EQUIPMENT

B.1 SCOPE

B.1.1 Scope. This appendix is not a mandatory part of the standard. The information contained herein is intended for guidance only. This appendix lists equipment recommended to perform inspections of subsistence for infestation. This list is not all inclusive.

B.2 Equipment. The following equipment is recommended for pest surveillance by inspection personnel. Consult local supply personnel to obtain the proper equipment before performing inspections for infestation.

a. Alcohol proof pen or label sticker to label of sample containers.

b. Balance, trip, 2,000-grain capacity and weight set, balance, 100 to 1,000 gram.

c. Brush, small, to transfer insects.

d. Ethyl or methyl alcohol, reagent-grade to kill and preserve insects.

e. Flashlight, right angle, or any portable high-intensity light source.

f. Gloves, single use, commercially available.

g. Magnifier (Reading Glass).

h. Mask, N95.

i. Paper, disposable, white or light colored, in rolls at least 3 feet wide.

j. Paperboard shipping container.

k. Parafilm sealing sheets or tape to seal sample containers.

l. Petri dishes, commercially available.

m. Pill boxes, commercially available.

n. Pipette, disposable or laboratory wash bottle to decant alcohol to vials.

o. Scalpel to open sample bags.

p. Tape, to reseal sampled bags that are larger than 10 pounds.

q. Tweezers, commercially available.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

APPENDIX B

r. U.S. Standard Sieve Series No. 5 and a ½- inch sieve for bulk products such as pasta products. Retain the product on the mesh while allowing the insects to fall.

s. U.S Standard Sieve Series Nos.10, 20, for granular products such as meals.

t. U.S. Standard Sieve Series Nos. 20, 30, 40, for powdery products such as flour. The size of the sieve mesh should be large enough to allow the product to pass through while retaining the insects on the mesh.

u. Vials, screw cap, 9 ml or 3 ml.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

APPENDIX C
LIST OF ENTOMOLOGY LABORATORIES

C.1. SCOPE

C.1.1 Scope. This appendix provides a list of laboratories available to inspection personnel to send insect samples for identification.

TABLE C-I. Entomology Laboratories.

Organization - Army	Location	Contact
Army Public Health Center MD	Environmental Health Sciences and Engineering Directorate, Bldg. E-5800 ATTN: ESD 8252 Blackhawk Rd., Aberdeen Proving Ground, MD 21010-5403	Com: (410) 436-3613 DSN: 584-3613 Pesticide hotline (410) 436-3773
Public Health Command - Atlantic (PHC-A) MD	U.S. Army Public Health Command - Atlantic, Entomological Sciences Division ATTN: MCHB-AN Building 4411 Llewellyn Avenue Fort Meade, MD 21755-5225	Com: (301) 677-3932 DSN: 312-622-3932 Email: usarmy.meade.medcom-ph-a.list.esd@mail.mil
WRAIR MD	503 Robert Grant Ave, Silver Spring, MD 09281	Com: (301) 319-9317/2046/9977
Walter Reed Biosystematics Unit (WRBSU) MD	Museum Support Center, MRC 534, Smithsonian Institution, 4210 Silver Hill Road, Suitland, MD 20746-2863	Com: (301) 319-3083
Public Health Command - Central (PHC-C) TX	DoD Food Analysis & Diagnostic Laboratory (FADL), Public Health Command Region - South, 2899 Schofield Road, Suite 2630, Ft Sam Houston, TX 78234-7583	Com: (210) 221-5154 DSN: 584-3773
Public Health Command - Pacific (PHC-P) WA	Department of the Army, Commander Public Health Command - Pacific, ATTN: Medical Entomology, 9030 5th ST and Blaine Ave., Tacoma, WA. 98431	Com: (253) 966-0401 DSN: 312-347-0401 Email: usarmy.shafter.medcom-ph-p.list.phc-p-entomology@mail.mil

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

TABLE C-I. Entomology Laboratories - Continued.

Army	Location	Contact
Public Health Command - Pacific (PHC-P) Camp Zama Japan	U.S. Army Public Health Command - Pacific, Entomology Service Line, ATTN: MCHB-RP-EEN, Unit 45006 APO AP 96343-5006	Com: 011-81-46-407-8489 DSN: 315-263-8489 Group Email: usarmy.shafter.medcom-ph-p.list.phc-p-entomology@mail.mil
65th Medical BDE /MEDDAC Korea	Camp Humphreys FHP-PM, USAMEDDAC-K, 65TH Medical Brigade, Unit #15281, BLDG P3033, RM 221 APO AP 96271-5281	DSN: 315-737-2473 COM: 82-503-337-2473
5th Medical Detachment Korea	5th Medical Detachment, Unit# 15247, APO AP 96251-5247 S. Korea	DSN: 315-737-2202
154th Medical Detachment Korea	154th Medical Detachment, Unit # 15515, APO, AP 96218-5515 S. Korea	DSN: 315-737-4701
Public Health Command -Europe (PHC-E) Landstuhl, Germany	Shipping (couriers): Public Health Command-Europe ATTN: Entomological Sciences Program Kirchberg Kaserne Gebäude 3809, Raum W104, D-66849 Landstuhl, Germany US Mail: Public Health Command-Europe, ATTN: Entomological Sciences Program Unit 33105, APO AE 09180	(OCONUS) Com: 011-49-06371-6464 9764/9811/ 9909 GERMANY: 06371-9464 9764/9811/9909 DSN: 314-590-9764/ 9811/9909 Group email: usarmy.landstuhl.medcom-ph-e.mbx.ehs-esd@mail.mil
U.S. Army Medical Research Directorate -Africa Kenya, Africa	American Embassy Attention: MRU /MRDA UN Avenue, Gigiri P.O Box 606-00629 Village Market	254-740-349472
Armed Forces Research Institute of Medical Sciences Thailand	Department of The Army, Attn: Entomology Dept., AFRIMS BANGKOK, Unit 45204, APO, AP 96502	Com: +662-696-2700

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

TABLE C-I. Entomology Laboratories - Continued.

Navy	Location	Contact
Navy Entomology Center of Excellence (NECE) Jacksonville	NECE Naval Air Station (NAS) Box 43, Jacksonville, FL 32212-0043, or: 937 Child St Jacksonville, FL 32212	DSN: 942-2424 Com: (904) 542-2424 Email: NECE-CND@med.navy.mil
Navy Environmental Preventive Medicine Unit (NEPMU)-2 Norfolk	NEPMU-TWO 1285 West D. St. Bldg. U-238 Norfolk, VA 23511-3394	DSN: 377-6600 Com: (757) 953-6600 Email: usn.hampton-roads.navhospporsva.list.nepmu2norfolk-vector@mail.mil
NEPMU-5 San Diego	NEPMU-FIVE 3235 Albacore Alley, San Diego, CA 92136	DSN: 526-7070 Com: (619) 556-7070
NEPMU-6 Hawaii	NEPMU-SIX 385 South Ave., Bldg. 618, JBPHH, HI 96860	DSN: 315-471-0237 Com: (808) 471-0237 Email: usn.jbphh.navenpvntmedusixhi.list.nepmu6@mail.mil
NEPMU-7 Rota, Spain	NEPMU-SEVEN Attn: Entomology PSC 819 Box 67, FPO AE 09645-0025	DSN: 314-727-2230 Com: 011-34-956-82-2230 Email: NEPMU7@eu.navy.mil
NAMRU-6 Lima, Peru	NAMRU-6 3230 Lima Pl. Washington, D.C. 2051-3230	Com: (301) 273-9494 Peru landline: 1614 4141 Email: usn.lima-emb.namrusixlimape.list.namru6-ent-lima-group@mail.mil

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

TABLE C-I. Entomology Laboratories - Continued.

Air Force	Location	Contact
USAF School of Aerospace Medicine /PHR Ohio	2510 5th Street, Wright-Patterson AFB, OH 45433-7913	DSN: 312-798-3078/3195 Com: (937)-938-3078/3195
18 Medical Group/18 Operational Medical Squadron Kadena AB, Okinawa	Theater Preventive Medicine Flight Attn: Medical Entomology Unit 5213, Box 10, APO, AP 96368-5213	Com: None DSN: 315-634-2515/2638

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

APPENDIX D
REFERENCES

D.1. SCOPE

D.1.1 Scope. This appendix is not a mandatory part of the standard. The information contained herein is intended for guidance only. This list is not all inclusive.

D.2 Entomological References. The references listed below are suggested for use by personnel involved in the inspection of subsistence. These references are for information only and should not be used as a substitute for qualified entomological guidance.

a. Bennet, G., Corrigan, R., and Owens, J. (Eds.). (1997). Truman's Scientific Guide to Pest Management Operations, 7th Edition. Advanstar Communications, Inc. Available online at: https://www.amazon.com/Trumans-Scientific-Guide-Operations/dp/0979398614.

b. Buckle, A.P., and Smith, R.H. (Eds.). (1996). Rodent Pests and Their Control. CAB International, 2nd Edition. Available online at: https://www.cabi.org/cabebooks/ebook/20153154910.

c. Gorham, J.R., (Ed.) Ecology and Management of Food-Industry Pests. (1991). Available online at: https://www.amazon.com/Ecology-Management-Food-Industry-Technical-Bulletin/dp/0935584455/ref=sr_1_1?keywords=9780935584455&linkCode=qs&qid=1655215884&s=books&sr=1-1.

d. Gorham, J. Richard (Ed.). Principles of Food Analysis for Filth, Decomposition, and Foreign Matter. FDA Technical Bulletin No. 1, Second Ed. (1985). Available online at: https://www.amazon.com/Principles-Analysis-Decomposition-Foreign-Matter/dp/0318191938/ref=sr_1_1?keywords=Principles+Food+Analysis+Filth%2C+Decomposition%2C+Foreign+Matter&qid=1655402781&s=books&sr=1-1.

e. Mallis, Arnold and Moreland, Dan (Eds.). (1997). Handbook of Pest Control: The Behavior, Life History, and Control of Household Pests, 8th Edition, Mallis Handbook & Technical training Co. Available online at: https://www.amazon.com/Mallis-Handbook-Pest-Control-10th/dp/1890561029.

f. Principal Storage Pests. (Illustrated guide, color). Degesch America. (2018). Available online at: https://degeschamerica.com/product/principal-storage-pest-booklet/. Foldout guide available online at: https://www.degeschamerica.com/product/principal-storage-pest-wall-chart/.

g. Stored Grain Insects. (Agriculture Handbook No. 500). (1986). Available online at: https://www.ars.usda.gov/ARSUserFiles/2863/pdfdocuments/StoredGrainInsects.pdf.

h. Timm, Robert M., Hygnstrom, Scott E., Larson, Gary E. (Ed.). (1986). Prevention and Control of Wildlife Damage. Cooperative Extension Service, University of Nebraska, Lincoln. Available online at: https://digitalcommons.unl.edu/icwdmhandbook/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

APPENDIX D

D.3 Government documents.

a. DSCPM 4155.6, Subsection 218.2, Defense Personnel Support Center Inspection Manual, Destination (Surveillance) Inspection, Entomological Laboratory Identification Services. Available online at: https://www.dla.mil/Portals/104/Documents/TroopSupport/Subsistence/Rations/qapubs/sub4155/218-2.pdf.

b. AFI 48-116, Food Safety Program. Available online at: https://www.static.e-publishing.af.mil/production/1/af_sg/publication/afi48-116/afi48-116.pdf.

c. AR 30-22, Army Food Program. Available online at: https://www.armypubs.army.mil/epubs/DR_pubs/DR_a/pdf/web/ARN7458_R30_22_FINAL.pdf.

d. AR 40-656, Veterinary Surveillance Inspection of Subsistence. Available online at: https://www.armypubs.army.mil/ProductMaps/PubForm/Details.aspx?PUB_ID=18.

e. TB MED 530/NAVMED P-5010-1/AFMAN 48-147_IP, Tri-Service Food Code, Available online at: https://armypubs.army.mil/epubs/DR_pubs/DR_a/pdf/web/ARN15052_TB_MED_530_FINAL.pdf.

f. ASTM-D-996, Standard Terminology of Packaging and Distribution Environments. Available for purchase online at: https://www.astm.org/products-services/standards-and-publications.html.

g. ASTM-F-1099M, Standard Specification for Rat Guards, Ship's (METRIC). Available for purchase online at: https://www.astm.org/products-services/standards-and-publications.html.

h. U.S. Department of Agriculture. (1991). Insect and Mite Pests in Food: An Illustrated Key, (USDA Agricultural Handbook No. 655). Available online in two volumes at: https://www.ars.usda.gov/ARSUserFiles/2863/pdfdocuments/Gorham%201991%20V1.pdf.

i. Centers for Disease Control. Cleaning Up After Rodents. Available online at: https://www.cdc.gov/rodents/cleaning/index.html.

D.4 Other documents not cited in this text.

a. DoD 4150.07-I, DoD Pest Management Program. Available online at: https://www.acq.osd.mil/eie/afpmb/.

b. Armed Forces Pest Management Board (AFPMB) Technical Guide (TG) No. 5, Integrated Pest Management for Food Service Managers. Available online at: https://www.acq.osd.mil/eie/afpmb/index.html.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

c. Armed Forces Pest Management Board (AFPMB) Technical Guide (TG) No. 18, Installation Integrated Pest Management Program Guide. Available online at: https://www.acq.osd.mil/eie/afpmb/index.html.

d. Armed Forces Pest Management Board (AFPMB) Technical Guide (TG) No. 29, Integrated Pest Management (IPM) in and around Buildings. Available online at: https://www.acq.osd.mil/eie/afpmb/index.html.

e. Army Public Health Center (APHC) Stored Product Pest Fact Sheets. Available online at: https://www.phc.amedd.army.mil/topics/envirohealth/epm/Pages/APHC-Entomology-Products.aspx.

f. Army Public Health Center (APHC) Stored Product Pest Key and Stored Product Pest Chart. Available online at: https://www.phc.amedd.army.mil/topics/envirohealth/epm/Pages/APHC-Entomology-Products.aspx.

g. Food Defect Levels Handbook, Department of Health and Human Services, Food and Drug Administration, Food Service Sanitation Branch. Available online at: https://www.fda.gov/food/ingredients-additives-gras-packaging-guidance-documents-regulatory-information/food-defect-levels-handbook.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army – MD2
Navy - SA
Air Force - 03

Preparing Activity:
Army- MD2
Project No. 89GP-2021-001

Review activities:
Navy – MC, SH
DLA - SS

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities change, you should verify the currency of information above using the ASSIST online database at https://assist.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:11Z
Check the source to verify that this is the current version before use.