# MILITARY STANDARD

## PARTS CONTROL PROGRAM

TO ALL HOLDERS OF MIL-STD-965A:

1. THE FOLLOWING PAGES OF MIL-STD-965A HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED:

| NEW PAGE | DATE | SUPERSEDED PAGE | DATE |
|---|---|---|---|
| 11 | 11 February 1988 | 11 | 10 September 1987 |
| 11a | 11 February 1988 | 11a | 10 September 1987 |
| 12 | 13 December 1985 | 12 | Reprinted without change |

2. RETAIN THIS NOTICE AND INSERT BEFORE TABLE OF CONTENTS.

3. Holders of MIL-STD-965A will verify that page changes and additions indicated above have been entered. This notice page will be retained as a check sheet. This issuance, together with appended pages, is a separate publication. Each notice is to be retained by stocking points until the military standard is completely revised or canceled.

Custodians:
Army - MI
Navy - AS
Air Force - 10
DLA - DH

Review activities:
Army - AL, AM, AR, AT, AV, CR, ER, ME, MR
Navy - EC, MC, OS, SA, SH, TD
Air Force - 11, 13, 14, 15, 17, 18, 19, 26
DLA - CS, ES, GS, IS

User activity:
Army - GL

Preparing activity:
Air Force - 10

Agent:
DLA - ES

(Project MISC-0096)



DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Document https://assist.dla.mil - Downloaded: 2026-10-23T20:13Z
Check the source to verify that this is the current version before use.

| | FSC | PART CATEGORY NAME | RESPONSIBLE MPCAG |
|---|---|---|---|
| | 5999 | Miscellaneous electrical and electronic components: Holder, electrical card and support; mounting pad; printed circuit board; EMI gasketing material; delay lines; extractors; heat sink; retainer-ejector card; and wire mesh | DESC |
| | 6010 | Fiber optic conductors | DESC |
| | 6015 | Fiber optic cables | DESC |
| | 6020 | Fiber optic cable assemblies and harnesses | DESC |
| | 6030 | Fiber optic devices | DESC |
| | 6060 | Fiber optic interconnectors | DESC |
| | 6070 | Fiber optic accessories and supplies | DESC |
| | 6080 | Fiber optic kits and sets | DESC |
| ** | 6135 | Batteries, primary (non-rechargeable) | LABCOM |
| | 6140 | Batteries, secondary (rechargeable) | DGSC |
| | 6145 | Wire and cable, electrical | DESC |
| | 6150 | Electrical power cords and grounding straps | DGSC |
| | 6210 | Lighting devices | DGSC |
| | 6240 | Electric lamps | DGSC |
| | 6350 | Horns, bells, buzzers, and sirens | DGSC |
| | 6625 | Meters, electrical indicating | DESC |
| | 6645 | Time totalizing meters | DGSC |
| | 6680 | Mechanical fluid flow and quantity measuring devices | DGSC |
| | 6685 | Pressure, temperature, humidity measuring, and controlling devices | DGSC |
| | 9150 | Oils and greases, cutting, lube, hydraulic including synthetics | DGSC |
| | 9320 | Rubber fabricated materials | DGSC |
| | 9330 | Plastic fabricated materials | DGSC |

6.4.1 MPCAG contact points.

6.4.1.1 Contract code assignment.

a. Air Force and other government agencies:

Commander
Defense Electronics Supply Center
ATTN: DESC-EPA
Dayton, OH 45444-5290

Telephone: (513) 296-5431
Autovon: 986-5431

b. Army and Navy:

Commander
Defense Electronics Supply Center
ATTN: DESC-EPB
Dayton, OH 45444-5291

Telephone: (513) 296-5445
Autovon: 986-5445

6.4.1.2 Mechanical parts.

Commander
Defense Industrial Supply Center
ATTN: DISC-ESM
Philadelphia, PA 19111-5000

Telephone: (215) 697-4395/3007
Autovon: 442-4395/3007

Commander
Defense Construction Supply Center
ATTN: DCSC-SS(P/C)
Columbus, OH 43216-5000

Telephone: (614) 238-4144
Autovon: 850-4144

** Only the FSC identified with a double asterisk shall be forwarded to LABCOM (see 6.4.1.4).

Supersedes page 11 of Notice 1 of 10 September 1987



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:13Z
Check the source to verify that this is the current version before use.

6.4.1.3 Electrical and electronic parts.

Commander
Defense Electronics Supply Center
ATTN: DESC-EP
Dayton, OH 45444-5289

Telephone: (513) 296-5116
Autovon: 986-5116

Commander
Defense General Supply Center
ATTN: DGSC-SEA
Richmond, VA 23297-5000

Telephone: (804) 275-4742
Autovon: 695-4742

6.4.1.4 Primary batteries (non-rechargeable). Parts in FSC 6135 are to be forwarded to the Army:

Commander
US Army Laboratory Command
Power Sources Division
ATTN: SLCET-PB
Ft Monmouth, NJ 07703-5000

Telephone: (201) 544-4211
Autovon: 995-4211

6.4.1.5 Government Furnished Baseline (GFB) and military bulletin (MIL-BUL-103).

Commander
Defense Electronics Supply Center
ATTN: DESC-EPE
Dayton, OH 45444-5292

Telephone: (513) 296-8047
Autovon: 986-8047

Commander
Defense Industrial Supply Center
ATTN: DISC-ESM
Philadelphia, PA 19111-5000

Telephone: (215) 697-4395/3007
Autovon: 442-4395/3007

6.5 Other FSCs managed by the Defense Logistics Agency (DLA). For all other FSCs managed by DLA, part information may be requested from the appropriate Defense Supply Center.

6.6 General equipment specifications. Examples of general equipment specifications which directly or indirectly reference standard parts are: MIL-STD-454, MIL-STD-1515, MIL-E-4158, MIL-E-5400, MIL-E-8983, MIL-T-21200, MIL-I-983, MIL-P-11268, MIL-E-11991, MIL-E-16400, MIL-F-18870, MIL-T-28800, FAA-G-2100, etc.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:13Z
Check the source to verify that this is the current version before use.

SECTION I - GENERAL APPLICATION PARTS
SUBSECTION A - MECHANICAL

CONTRACT NO. F12345-84-C-1234 FSC ABCD

(Verbal description of items covered in this section)

| Index no. 1/ | Description | Document no. | FSCM | Part number | FSCM | Remarks | Use code |
|---|---|---|---|---|---|---|---|
| A0001B | Adptr, al al, .250 fem pipe thd to .250 male fld | 2A156 | 99999 | 2A156-4-4<br>62742-12 | 99999<br>12346 | | |
| 0002 | Adptr, tube to hose, lp nose, part of AN6270 1/2 tube size | MIL-A-38726 | 96906 | MS27404-8D | 96906 | Critical part, long lead time | |

SECTION I - GENERAL APPLICATION PARTS
SUBSECTION B - ELECTRICAL AND ELECTRONIC

CONTRACT NO: F12345-84-C-1234 FSC 5910

CAPACITORS, TANTALUM

| Index no. | Description | Document no. | FSCM | Part number | FSCM | Remarks | Use code |
|---|---|---|---|---|---|---|---|
| 0006 | Cap, ta, sld, 22 - 330 µF, 6-100 V dc, CSR-13 | MIL-C-39003/1 | 81349 | M39003/01-**** | 81349 | Failure rate level S, QPL available, critical part, reverse voltage | |
| 0007A | Cap, ta, sld 0.47 - 18 µF 6-75 V dc, CSR-09 | MIL-C-39003/2 | 81349 | M39003/02-**** | 81349 | Failure rate level S, QPL available | |
| A0010 | Cap, ta, foil, 4 - 500 µF 15 - 150 V dc | 92A643 | 99999 | 92A643-1-2<br>130J46-3<br>439X-72J20 | 99999<br>12345<br>23456 | Critical part, high cost and long lead time | |

1/ Alpha prefix may be used to denote subcontractor, subsystem, board, etc. Alpha suffix should be used to denote resubmissions for reconsideration, document changes, etc.

FIGURE 1. Sample format for Program Parts Selection List (PPSL).

Reprinted without change



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:13Z
Check the source to verify that this is the current version before use.