
FED. SUP CLASS
1680



(A) -11 DROPLINE/BOOT ASSY

NOTES

1. BOOT:
   MATERIAL: TOP AND BOTTOM PANEL, CLOTH, COATED, NYLON, WATERPROOF, PER MIL-C-20696, TY III, CLASS 5, COLOR: BLACK; THREAD, NYLON, PER V-T-295, TY I, CL A, SIZE E, COLOR: WHITE,
   (A) MARKING INK: YELLOW, MIL-I-6903, AND SHALL HAVE A pH FACTOR OF 5.0 TO 8.5.
2. DIMENSIONS IN INCHES. TOLERANCES SHALL BE ±1/32, UNLESS OTHERWISE SPECIFIED.
3. STITCHING SHALL BE IN ACCORDANCE WITH FED. STD. NO. 751, TYPE 301, 6 TO 8 STITCHES PER INCH. BACKSTITCH 1/2 INCH MINIMUM.
   (A) MARKING SHALL BE IAW MIL-STD-130.
4. MS PART NUMBER. THE MS PART NUMBER FOR THE DROPLINE/BOOT ASSY SHALL BE MS14175-11; FOR THE BOOT MS14175-1.
5. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BIDS, OR REQUEST FOR PROPOSAL EXCEPT THAT REFERENCED ADOPTED INDUSTRY DOCUMENTS SHALL GIVE THE DATE OF THE ISSUE ADOPTED.
6. FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.

(A) DENOTES CHANGE

This military standard is approved for use by NAVAL AIR SYSTEMS COMMAND, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

APPROVED 20 DEC 1976 REVISED (A) 31 JULY 1980


P.A. NAVY - AS (Other Cost)	TITLE: DROPLINE/BOOT ASSY RIGID SEAT SURVIVAL KIT	MILITARY STANDARD MS14175(AS)
PROCUREMENT SPECIFICATION: MIL-S-81018(AS)	SUPERSEDES: 36H1323-3 IN PART (06736)	SHEET 1 OF 4 (A)

DD FORM 1 JAN 72 672-1 (Limited coordination) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.


PROJECT NO. 1680-N479

Source: https://assist.dla.mil -- Downloaded: 202610-23T13:36Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1680



-1 BOOT
(2 REQD PER -11 DROPLINE/BOOT ASSY)



APPROVED 20 DEC 1976 REVISED (A) FOR CHANGES SEE SHEETS 1 THROUGH 4


This military standard is approved for use by NAVAL AIR SYSTEMS COMMAND, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS Other Cust	TITLE: DROPLINE, BOOT ASSY RIGID SEAT SURVIVAL KIT	MILITARY STANDARD MS14175(AS)
PROCUREMENT SPECIFICATION MIL-S-81018(AS)	SUPERSEDES: 36H1323-3 IN PART (06736)	SHEET 2 OF 4 (A)


DD FORM 672-1 (Limited coordination) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 202610-23T13:36Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1680



STEP 3



STEP 4

This military standard is approved for use by NAVAL AIR SYSTEMS COMMAND, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

APPROVED 20 DEC 1976 REVISED (A) FOR CHANGES SEE SHEETS 1 THROUGH 4


P.A. NAVY - AS Other Cust	TITLE DROPLINE/BOOT ASSY RIGID SEAT SURVIVAL KIT	MILITARY STANDARD MS14175(AS)
PROCUREMENT SPECIFICATION MIL-S-81018(AS)	SUPERSEDES 36H1323-3 IN PART (06736)	SHEET 3 OF 4 (A)

DD FORM 1 MAR 72 672-1 (Limited coordination)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 202610-23T13:36Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
1680



STEP 5



STEP 6

APPROVED 20 DEC 1976 REVISED (A) FOR CHANGES SEE SHEETS 1 THROUGH 4

This military standard is approved for use by NAVAL AIR SYSTEMS COMMAND, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

P.A. NAVY - AS Color Coat	TITLE: DROPLINE/BOOT ASSY RIGID SEAT SURVIVAL KIT	MILITARY STANDARD MS14175(AS)
PROCUREMENT SPECIFICATION MIL-S-81018(AS)	SUPERSEDES: 36H1323-3 IN PART (06736)	SHEET 4 OF 4 (A)

DD FORM 1 MAR 72 672-1 (Limited coordination) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

NAVAL AIR DEVELOPMENT CENTER

Source: https://assist.dla.mil -- Downloaded: 202610-23T13:36Z
Check the source to verify that this is the current version before use.