INCH-POUND

A-A-60030

24 May 2022

COMMERCIAL ITEM DESCRIPTION

WASHERS, CADMIUM AND HEXAVALENT-CHROMIUM FREE

The General Services Administration has authorized the use of this commercial item description by all federal agencies.

1 SCOPE. This commercial item description (CID) covers washers containing no cadmium nor hexavalent-chromium in their finishes.

2 CLASSIFICATION

2.1 Types.

Type I	-	Washer, Flat, Reduced Outside Diameter (use AIA/NAS620)
Type II	-	Washer, Flat (use AIA/NAS1149)
Type III	-	Washer, Flat (use AIA/NASM970)
Type IV	-	Washer, Flat, Metal, Round, General Purpose (use AIA/NASM15795)
Type V	-	Washer, Countersunk and Plain, High Strength (use AIA/NASM20002)
Type VI	-	Washer, Lock, Flat, Internal Tooth (use AIA/NASM35333)
Type VII	-	Washer, Lock-Spring, Helical, Regular (Medium) Series (use AIA/NASM35338)

3 SALIENT CHARACTERISTICS.

3.1 Materials. Washers shall be manufactured as specified in the Aerospace Industry Association (AIA) documents listed above, by type, except the plating/finishes shall be cadmium free and hexavalent-chromium free finishes as specified herein. The use of recovered materials made in compliance with regulatory requirements is acceptable provided all requirements of this CID are met.

Comments, suggestions, or questions on this document should be addressed to U.S. Army DEVCOM Ground Vehicle Systems Center, ATTN: Standardization, FCDD-GVS-SAT, MS #268, 6501 E. 11 Mile Road, Warren, MI 48397-5000 or send email to usarmy.detroit.devcom-gvsc.mbx.standardization@army.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

FSC 5310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

3.2 Dimensions. Dimensions for all designated type of washers apply after plating/finishing.

3.3 Finish/plating. Finish/plating types for each type of washer shall be designated as in 7.1.1. The finishes/plating options for all designated types of washers are listed below:

a. Alloy steel – shall be Zn-Ni plated in accordance with MIL-PRF-32647, Type K16.
b. Aluminum alloy – chemically treated in accordance with MIL-DTL-5541, Type II, Class 3 or MIL-DTL-81706, Type II, Class 3; or anodized in accordance with MIL-PRF-8625, Type IC or IIB, Class 1. Sealers (clear or any color) shall not contain hexavalent chromium.
c. Carbon steel – shall be finished with black oxide coating in accordance with MIL-DTL-13924, Class 1; or shall be Zn-Ni plated in accordance with MIL-PRF-32647, Type K16; or mechanically deposited zinc in accordance with ASTM B695, type is optional but, shall not contain hexavalent chromium.
d. CRES – shall be cleaned, descaled and passivated in accordance with SAE AMS 2700 Method 1, Type 8, or Method 2, post treatment is prohibited.
e. CRES 300 series only – shall be cleaned, descaled and passivated in accordance with SAE AMS 2700 Method 1, Type 6 or 7, or Method 2, post treatment is prohibited; or shall be finished with black oxide coating in accordance with MIL-DTL-13924, Class 4.
f. Phosphor bronze and tin-brass washers – shall be plated in accordance with MIL-PRF-32647, Type K16.

4 REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered, recycled, bio based, and environmentally preferable materials to the maximum extent practicable, in accordance with paragraph 23.403, 23.404(b) of the Federal Acquisition Regulation (FAR), or the sustainable acquisition of EO 13693; as applicable.

5 PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

5.2 Responsibility for inspection. The contractor is responsible for the performance of all inspections (examinations and tests).

5.3 Contractor certification. The contractor shall certify and maintain substantiating evidence the product offered meets the salient characteristics of this commercial item description and conforms to the producer's own drawings, specifications, workmanship standards, and quality assurance practices. Items with known defects shall not be submitted for Government acceptance. The Government reserves the right to perform or witness any of the inspections it deems necessary to ensure supplies and services conform to prescribed requirements.

6 PACKAGING. Preservation, packing, and marking shall be as specified in the contract or order.

7 NOTES

The following part or identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

7.1 Tables. The following Tables indicate new finish/plating PIN's which are Cadmium and hexavalent-chromium free for designated washers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.


7.1.1 Cadmium and hexavalent-chromium free PIN codes. Cadmium and hexavalent-chromium free part numbers shall be as identified by the examples herein and in conjunction with the associated AIA documents. The following finish/plating (cadmium and hexavalent-chromium free) codes are given:

QX - Steel – Zinc-Nickel, MIL-PRF-32647, Type K16
B1 - Steel – Black oxide, MIL-DTL-13924, Class 1
B - CRES – Black oxide, MIL-DTL-13924, Class 4
P5 - CRES – Passivate, AMS2700, Method 1 Type 6 or 7, or Method 2 with no post treatment.
P6 - CRES – Passivate, AMS2700, Method 1 Type 8, or Method 2 with no post treatment.
U - CRES – High purity aluminum MIL-DTL-83488, Class 2, Type I, with conversion coating per MIL-DTL-5541, Type II, Class 3 or MIL-DTL-81706, Type II, Class 3
W - CRES - Aluminum Coating NAS4006, Class NC
J - AL - Chemically treated MIL-DTL-5541, Type II, Class 3 or MIL-DTL-81706, Type II, Class 3
K - Aluminum – Anodize MIL-PRF-8625, Type IC or IIB, Class 1. Sealers (clear or any color) shall not contain hexavalent chromium.
H - No finish/plating

TABLE I – Type I (-1).
Reference NAS620

New A-A-60030 Part Number	Reference Part Number
AA60030-1-0QX	NAS620-0
AA60030-1-2QX	NAS620-2
AA60030-1-3LQX	NAS620-3L
AA60030-1-3QX	NAS620-3
AA60030-1-4LQX	NAS620-4L
AA60030-1-4QX	NAS620-4
AA60030-1-5LQX	NAS620-5L
AA60030-1-5QX	NAS620-5
AA60030-1-6LQX	NAS620-6L
AA60030-1-6QX	NAS620-6
AA60030-1-8LQX	NAS620-8L
AA60030-1-8QX	NAS620-8
AA60030-1-10LQX	NAS620-10L
AA60030-1-10QX	NAS620-10
AA60030-1-416LQX	NAS620-416L
AA60030-1-416QX	NAS620-416

Example of part number:



AA60030-1-10QX = an AIA/NAS620 – NO. 10 steel washer, Zinc-Nickel Type K16 plating, 0.063 inch thick, I.D. 0.345, and O.D. 0.195.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

TABLE II – Type II (-2).

Material		Reference (NAS1149) Material Code	Reference (NAS1149) Finish Code			New A-A-60030 Finish Code	
		CODE	FINISH	SPECIFICATION	CODE	FINISH	CODE
Alloy Steel	4130	G	CADMIUM PLATE	AMS-QQ-P-416, TYPE II, CLASS 2	P	ZINC-NICKEL TYPE K16	QX
Aluminum Alloy	2024-T3	D	ANODIZE	MIL-PRF-8625, TYPE I, TYPE IB, TYPE IC, TYPE II, TYPE IIB, CLASS 1	K	ANODIZE	K
			CHEMICAL TREAT	MIL-DTL-5541, TYPE I, CLASS 3	J	CHEMICALLY TREATED	J
	2024-T81	A	ANODIZE	MIL-PRF-8625, TYPE I, TYPE IB, TYPE IC, TYPE II, TYPE IIB, CLASS 1	K	ANODIZE	K
			CHEMICAL TREAT	MIL-DTL-5541, TYPE I, CLASS 3	J	CHEMICALLY TREATED	J
Carbon Steel	1020 1025	F	CADMIUM PLATE	AMS-QQ-P-416, TYPE II, CLASS 2	P	ZINC-NICKEL TYPE K16	QX

Example Part Numbers:

AA60030-2-D0432J = an AIA/NAS1149, 2024-T3 Aluminum washer, chemically treated, 0.250 nominal diameter, 0.032 THICK

AA60030-2- F1290QX = an AIA/NAS1149, carbon steel washer, Zinc-Nickel Type K16 finish, 0.750 nominal diameter, 0.090 thick.

TABLE III – Type III (-3).

New A-A-60030 Part Number 1/	Reference Part Number
AA60030-3-3QX	AN970-3
AA60030-3-4QX	AN970-4
AA60030-3-5QX	AN970-5
AA60030-3-6QX	AN970-6
AA60030-3-7QX	AN970-7
AA60030-3-8QX	AN970-8
AA60030-3-9QX	AN970-9
AA60030-3-10QX	AN970-10

1/ Cadmium free

Example Part Number:
AA60030-3-4QX = an AIA/NASM970 - 1/4 bolt size, 0.265 ØA, 1.125 ØD and 0.063 thick steel with a Zinc-Nickel Type K16 finish.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

TABLE IV – Type IV (-4).[1/]

New A-A-60030 Part Number	New A-A-60030 Part Number	Reference Dash number	
CRES 300 Series	ALUMINUM ALLOY	CRES 300 Series	AL Alloy
NEW Part Number (Passivate Hex-Chrome Free)	NEW Part Number (Hex-Chrome Free Anodize)	Passivate	Anodize
AA60030-4-801P5	AA60030-4-744J	MS15795-801	MS15795-744
AA60030-4-844P5	AA60030-4-701J	MS15795-844	MS15795-701
AA60030-4-802P5	AA60030-4-702J	MS15795-802	MS15795-702
AA60030-4-803P5	AA60030-4-756J	MS15795-803	MS15795-756
AA60030-4-804P5	AA60030-4-703J	MS15795-804	MS15795-703
AA60030-4-805P5	AA60030-4-704J	MS15795-805	MS15795-704
AA60030-4-806P5	AA60030-4-705J	MS15795-806	MS15795-705
AA60030-4-845P5	AA60030-4-706J	MS15795-845	MS15795-706
AA60030-4-856P5	AA60030-4-745J	MS15795-856	MS15795-745
AA60030-4-807P5	AA60030-4-707J	MS15795-807	MS15795-707
AA60030-4-841P5	AA60030-4-741J	MS15795-841	MS15795-741
AA60030-4-846P5	AA60030-4-746J	MS15795-846	MS15795-746
AA60030-4-847P5	AA60030-4-747J	MS15795-847	MS15795-747
AA60030-4-848P5	AA60030-4-748J	MS15795-848	MS15795-748
AA60030-4-849P5	AA60030-4-749J	MS15795-849	MS15795-749
AA60030-4-857P5	AA60030-4-708J	MS15795-857	MS15795-708
AA60030-4-850P5	AA60030-4-742J	MS15795-850	MS15795-742
AA60030-4-808P5	AA60030-4-709J	MS15795-808	MS15795-709
AA60030-4-842P5	AA60030-4-750J	MS15795-842	MS15795-750
AA60030-4-809P5	AA60030-4-751J	MS15795-809	MS15795-751
AA60030-4-851P5	AA60030-4-752J	MS15795-851	MS15795-752
AA60030-4-852P5	AA60030-4-710J	MS15795-852	MS15795-710
AA60030-4-853P5	AA60030-4-711J	MS15795-853	MS15795-711
AA60030-4-858P5	AA60030-4-753J	MS15795-858	MS15795-753
AA60030-4-810P5	AA60030-4-712J	MS15795-810	MS15795-712
AA60030-4-854P5	AA60030-4-713J	MS15795-854	MS15795-713
AA60030-4-811P5	AA60030-4-754J	MS15795-811	MS15795-754
AA60030-4-812P5	AA60030-4-714J	MS15795-812	MS15795-714
AA60030-4-813P5	AA60030-4-715J	MS15795-813	MS15795-715
AA60030-4-814P5	AA60030-4-716J	MS15795-814	MS15795-716
AA60030-4-815P5	AA60030-4-717J	MS15795-815	MS15795-717
AA60030-4-816P5	AA60030-4-718J	MS15795-816	MS15795-718
AA60030-4-817P5	AA60030-4-719J	MS15795-817	MS15795-719
AA60030-4-818P5	AA60030-4-743J	MS15795-818	MS15795-743
AA60030-4-855P5	AA60030-4-755J	MS15795-855	MS15795-755
AA60030-4-819P5	AA60030-4-740J	MS15795-819	MS15795-740
AA60030-4-843P5	AA60030-4-720J	MS15795-843	MS15795-720
AA60030-4-840P5	AA60030-4-721J	MS15795-840	MS15795-721
AA60030-4-820P5	AA60030-4-722J	MS15795-820	MS15795-722
AA60030-4-821P5	AA60030-4-723J	MS15795-821	MS15795-723
AA60030-4-822P5	AA60030-4-724J	MS15795-822	MS15795-724
AA60030-4-823P5	AA60030-4-725J	MS15795-823	MS15795-725
AA60030-4-824P5	AA60030-4-726J	MS15795-824	MS15795-726
AA60030-4-825P5	AA60030-4-727J	MS15795-825	MS15795-727
AA60030-4-826P5	AA60030-4-728J	MS15795-826	MS15795-728
AA60030-4-827P5	AA60030-4-729J	MS15795-827	MS15795-729
AA60030-4-828P5	AA60030-4-730J	MS15795-828	MS15795-730
AA60030-4-829P5	AA60030-4-731J	MS15795-829	MS15795-731
AA60030-4-830P5	AA60030-4-732J	MS15795-830	MS15795-732

[1/] The purpose of this CID is to provide cadmium and hexavalent-chromium free fasteners, for all other finishes/plating options see AIA/NASM15795.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

TABLE IV – Type IV (-4) - Continued.

AA60030-4-831P5	AA60030-4-733J	MS15795-831	MS15795-733
AA60030-4-832P5	AA60030-4-734J	MS15795-832	MS15795-734
AA60030-4-833P5	AA60030-4-735J	MS15795-833	MS15795-735
AA60030-4-834P5	AA60030-4-736J	MS15795-834	MS15795-736
AA60030-4-835P5	AA60030-4-737J	MS15795-835	MS15795-737
AA60030-4-836P5	AA60030-4-738J	MS15795-836	MS15795-738
AA60030-4-837P5	AA60030-4-739J	MS15795-837	MS15795-739
AA60030-4-838P5		MS15795-838	
AA60030-4-839P5		MS15795-839	

Example Part Numbers:

AA60030-4-837P5 = an AIA/NASM15795 – CRES, 2.625 ØA, 5.000 ØD and 0.238 thick, passivated flat round washer.

AA60030-4-739J = an AIA/NASM15795 – Aluminum Alloy, 3.125 ØA, 5.500 ØD and 0.284 thick, chemically treated (hexavalent-chromium free) flat round washer.

TABLE V – Type V (-5).

NEW Part Number	NEW Part Number	Reference Part number	
COUNTERSUNK	PLAIN	COUNTERSUNK	PLAIN
AA60030-5-C4QX	AA60030-5-4QX	MS20002C4	MS20002-4
AA60030-5-C5QX	AA60030-5-5QX	MS20002C5	MS20002-5
AA60030-5-C6QX	AA60030-5-6QX	MS20002C6	MS20002-6
AA60030-5-C7QX	AA60030-5-7QX	MS20002C7	MS20002-7
AA60030-5-C8QX	AA60030-5-8QX	MS20002C8	MS20002-8
AA60030-5-C9QX	AA60030-5-9QX	MS20002C9	MS20002-9
AA60030-5-C10QX	AA60030-5-10QX	MS20002C10	MS20002-10
AA60030-5-C12QX	AA60030-5-12QX	MS20002C12	MS20002-12
AA60030-5-C14QX	AA60030-5-14QX	MS20002C14	MS20002-14
AA60030-5-C16QX	AA60030-5-16QX	MS20002C16	MS20002-16
AA60030-5-C18QX	AA60030-5-18QX	MS20002C18	MS20002-18
AA60030-5-C20QX	AA60030-5-20QX	MS20002C20	MS20002-20
AA60030-5-C22QX	AA60030-5-22QX	MS20002C22	MS20002-22
AA60030-5-C24QX	AA60030-5-24QX	MS20002C24	MS20002-24

Example Part Numbers:

A-A-60030-5-C16QX = an AIA/NASM20002 – Steel, 1.625 ØA, 1.025 – 1.010 ØB, 1.160 – 1.140 ØC and 0.078 thick, Zinc-Nickel Type K16 plated, countersunk washer.

A-A-60030-5-16QX = an AIA/NASM20002 – Steel, 1.625 ØA, 1.025 – 1.010 ØB and 0.062 thick, Zinc-Nickel Type K16 plated, plain washer.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

TABLE VI – Type VI (-6).

NEW Part Number			Reference Dash number		
CARBON STEEL	CORROSION RESISTANT STEEL		CARBON STEEL	CORROSION RESISTANT	
	COMP 410	300 SERIES		COMP 410	300 SERIES
			DASH NO.	DASH NO.	DASH NO.
AA60030-6-35QX	AA60030-6-69P5		MS35333-35	MS35333-69	---
AA60030-6-36QX	AA60030-6-70P5	AA60030-6-153P5	MS35333-36	MS35333-70	MS35333-153
AA60030-6-37QX	AA60030-6-71P5	AA60030-6-154P5	MS35333-37	MS35333-71	MS35333-154
AA60030-6-38QX	AA60030-6-72P5	AA60030-6-155P5	MS35333-38	MS35333-72	MS35333-155
AA60030-6-39QX	AA60030-6-73P5	---	MS35333-39	MS35333-73	---
AA60030-6-40QX	AA60030-6-74P5	---	MS35333-40	MS35333-74	---
AA60030-6-41QX	AA60030-6-75P5	---	MS35333-41	MS35333-75	---
AA60030-6-42QX	AA60030-6-76P5	---	MS35333-42	MS35333-76	---
AA60030-6-43QX	AA60030-6-77P5	---	MS35333-43	MS35333-77	---
AA60030-6-121QX	---	---	MS35333-121	---	---
AA60030-6-44QX	AA60030-6-78P5	---	MS35333-44	MS35333-78	---
AA60030-6-45QX	---	---	MS35333-45	---	---
AA60030-6-46QX	AA60030-6-80P5	---	MS35333-46	MS35333-80	---
AA60030-6-47QX	AA60030-6-81P5	---	MS35333-47	MS35333-81	---
AA60030-6-48QX	AA60030-6-82P5	---	MS35333-48	MS35333-82	---
AA60030-6-49QX	AA60030-6-83P5	---	MS35333-49	MS35333-83	---
AA60030-6-51QX	AA60030-6-85P5	---	MS35333-51	MS35333-85	---

Example Part Numbers:

AA60030-6-37QX = an AIA/NASM35333 – Steel, #6, Zinc-Nickel Type K16 plated, internal tooth lock washer.
AA60030-6-154P5 = an AIA/NASM35333 – 300 Series CRES, #6, passivated, internal tooth lock washer.

TABLE VII – Type VII (-7).

NEW Part Number (CAD Free)	NEW Part Number (CAD Free)	NEW Part Number (Hex-Chrome Free)	NEW Part Number (Hex-Chrome Free)	Reference Dash number				
Carbon Steel	PH BRZ or TIN BRS	CRES 300 (Series)	CRES 420	Carbon Steel		PH BRZ or TIN BRS	CRES 300 (Series)	CRES 420
Zinc-Nickel, Type K16	Zinc-Nickel, Type K16	Passivate 1/	Passivate 1/	CAD		CAD	Passivate	Passivate
AA60030-7-39QX	AA60030-7-96QX	AA60030-7-134P5	AA60030-7-153P5	MS35338-	39	96	134	153
AA60030-7-40QX	AA60030-7-97QX	AA60030-7-135P5	AA60030-7-154P5	MS35338-	40	97	135	154
AA60030-7-41QX	AA60030-7-98QX	AA60030-7-136P5	AA60030-7-155P5	MS35338-	41	98	136	155
AA60030-7-42QX	AA60030-7-99QX	AA60030-7-137P5	AA60030-7-156P5	MS35338-	42	99	137	156
AA60030-7-43QX	AA60030-7-100QX	AA60030-7-138P5	AA60030-7-157P5	MS35338-	43	100	138	157
AA60030-7-44QX	AA60030-7-101QX	AA60030-7-139P5	AA60030-7-158P5	MS35338-	44	101	139	158
AA60030-7-45QX	AA60030-7-102QX	AA60030-7-140P5	AA60030-7-159P5	MS35338-	45	102	140	159
AA60030-7-46QX	AA60030-7-103QX	AA60030-7-141P5	AA60030-7-160P5	MS35338-	46	103	141	160
AA60030-7-47QX	AA60030-7-104QX	AA60030-7-142P5	AA60030-7-161P5	MS35338-	47	104	142	161
AA60030-7-48QX	AA60030-7-105QX	AA60030-7-143P5	AA60030-7-162P5	MS35338-	48	105	143	162
AA60030-7-49QX	AA60030-7-106QX	AA60030-7-144P5	AA60030-7-163P5	MS35338-	49	106	144	163
AA60030-7-50QX	AA60030-7-107QX	AA60030-7-145P5	AA60030-7-164P5	MS35338-	50	107	145	164
AA60030-7-51QX	AA60030-7-108QX	AA60030-7-146P5	AA60030-7-165P5	MS35338-	51	108	146	165
AA60030-7-52QX	AA60030-7-109QX	AA60030-7-147P5	AA60030-7-166P5	MS35338-	52	109	147	166
AA60030-7-53QX	AA60030-7-110QX	AA60030-7-148P5	AA60030-7-167P5	MS35338-	53	110	148	167
AA60030-7-54QX	AA60030-7-111QX	AA60030-7-149P5	AA60030-7-168P5	MS35338-	54	111	149	168
AA60030-7-55QX	AA60030-7-112QX	AA60030-7-150P5	AA60030-7-169P5	MS35338-	55	112	150	169
AA60030-7-56QX	AA60030-7-113QX	AA60030-7-151P5	AA60030-7-170P5	MS35338-	56	113	151	170
AA60030-7-57QX	AA60030-7-114QX	AA60030-7-152P5	AA60030-7-171P5	MS35338-	57	114	152	171

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

1/ Passivate in accordance with ASTM B633 Fe/Zn 8 Type V or VI. (These passivation types are hexavalent chromium free.)

Example Part Numbers:

A-A-60030-7-55QX = an AIA/NASM35338 – Steel, #6, Zinc-Nickel Type K16 plated, internal tooth lock washer.

A-A-60030-7-150P5 = an AIA/NASM35338 – 300 Series CRES, #6, passivated, internal tooth lock washer.

7.2 Email addresses for source documents.

7.2.1 FAR: Copies of the Federal Acquisition Regulations are available online from https://www.acquisition.gov/browse/index/far.

7.2.2 Executive order (EO). Copies of the EO documents are available online from https://www.epa.gov/greeningepa/executive-order-13693.

7.2.3 Military specifications: Copies of military specifications are available online from https://quicksearch.dla.mil.

7.2.4 AIA documents: Copies of Aerospace Industry Association are available online from https://www.aia-aerospace.org/standards/.

7.2.5 ASTM Copies of American Society for Testing and Materials International Standards are available online from https://www.astm.org.

7.2.6 SAE documents: Copies of Society of Automotive Engineers International are available online from https://www.sae.org/standards.

7.3 Ordering data. The contract or order should specify the following:

a. Title, number and date of this CID.
b. Federal stock number, (if available).
c. Part number.

7.4 Key words:

a. Alloy steel
b. CRES
c. Aluminum alloy

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodian:
Army – AT
Navy – OS
Air Force – 71
DLA – GS

Review activities:
Army – AR, AV, CR4, MI
Navy – AS, MC, YD
DLA – GS7

CIVIL AGENCY COORDINATING ACTIVITY:
GSA-FAS

Preparing Activity:
Army – AT

(Project 5310-2022-022)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organization and responsibilities can change, you should verify the currency of the information above using the ASSIST database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.