INCH-POUND

A-A-60041

19 September 2022

COMMERCIAL ITEM DESCRIPTION

CLAMPS, HOSE, CADMIUM AND HEXAVALENT-CHROMIUM FREE

The General Services Administration has authorized the use of this commercial item description by all federal agencies.

1 SCOPE. This commercial item description (CID) covers clamps which shall not contain cadmium or hexavalent-chromium in their finishes.

2 CLASSIFICATION

2.1 Types.

Type I - NAS1924 - Clamp, Hose

3 SALIENT CHARACTERISTICS.

3.1 Materials. Clamps shall be manufactured as specified in the Aerospace Industry Association (AIA) documents listed in 2.1 by Type, except as noted, and the plating/finishes shall not contain cadmium and hexavalent-chromium as specified herein.

3.2 Dimensions. Dimensions for all designated types of clamps apply after plating/finishing. Refer to each individual NAS/NASM specification listed in 2.1 for detailed part geometry and tolerance requirements.

3.3 Finish code.

P5 - CRES – CRES or Austenitic Stainless Steel shall be cleaned, descaled and passivated in accordance with SAE AMS2700, Method 1, Type 6, 7 or 8 or Method 2; or ASTM A967/A967M, passivation treatments containing dichromate are prohibited. Post-cleaning treatment is prohibited. The finish for the hose clamps shall be designated in the contract or order.

3.4 Interchangeability. When AIA/NASM specifications list interchangeability parts, do not interchange parts containing cadmium or hexavalent-chromium with the cadmium and hexavalent-chromium free parts listed herein.

Comments, suggestions, or questions on this document should be addressed to U.S. Army DEVCOM Ground Vehicle Systems Center, ATTN: Standardization, FCDD-GVS-SAT, MS #268, 6501 E. 11 Mile Road, Warren, MI 48397-5000 or emailed to usarmy.detroit.devcom-gvsc.mbx.standardization@army.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

4 REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered, recycled, bio based, and environmentally preferable materials to the maximum extent practicable, in accordance with paragraph 23.403, 23.404(b) of the Federal Acquisition Regulation (FAR), or the sustainable acquisition of EO 13834; as applicable.

5 PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

5.2 Responsibility for inspection. The contractor is responsible for the performance of all inspections.

5.3 Contractor certification. The contractor shall certify and maintain substantiating evidence the product offered meets the salient characteristics of this commercial item description and conforms to the producer's own drawings, specifications, workmanship standards, and quality assurance practices. Items with known defects shall not be submitted for Government acceptance. The Government reserves the right to perform or witness any of the inspections it deems necessary to ensure supplies and services conform to prescribed requirements.

6 PACKAGING. Preservation, packing, and marking shall be as specified in the contract or order.

7 NOTES

The following part or identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

7.1 Table. The following Table indicates new finish/plating PIN's which are cadmium and hexavalent-chromium free for the designated clamps.

7.1.1 Cadmium and hexavalent-chromium free PIN codes. **Cadmium and hexavalent-chromium free** part numbers shall be as identified by the examples herein and in conjunction with AIA/NAS/NASM dash numbers listed (see 2.1).


TABLE I – Type I (-1) - Clamp, hose.

A-A-60041 Basic Part Number	Reference Dash Number (from NAS1924)	A-A-60041 Basic Part Number	Reference Dash Number (from NAS1924)
AA60041-1-22( )P5	NAS1924-22( )	AA60041-1-56( )P5	NAS1924-56( )
AA60041-1-24( )P5	NAS1924-24( )	AA60041-1-58( )P5	NAS1924-58( )
AA60041-1-26( )P5	NAS1924-26( )	AA60041-1-66( )P5	NAS1924-66( )
AA60041-1-30( )P5	NAS1924-30( )	AA60041-1-74( )P5	NAS1924-74( )
AA60041-1-34( )P5	NAS1924-34( )	AA60041-1-82( )P5	NAS1924-82( )
AA60041-1-38( )P5	NAS1924-38( )	AA60041-1-91( )P5	NAS1924-91( )
AA60041-1-44( )P5	NAS1924-44( )	AA60041-1-98( )P5	NAS1924-98( )
AA60041-1-46( )P5	NAS1924-46( )	AA60041-1-107( )P5	NAS1924-107( )
AA60041-1-48( )P5	NAS1924-48( )	AA60041-1-114( )P5	NAS1924-114( )

NOTES (see next page)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

PIN construction



Examples of part number:

AA60041-1-107-HP5	=	a NAS1924 - Hose clamp, 2.906-inch minimum inside dia., 3.281-inch maximum inside dia., austenitic or martensitic CRES, with lock wire hole, passivated.
AA60041-1-107-P5	=	a NAS1924 – Hose clamp, 2.906-inch minimum inside dia., 3.281-inch maximum inside dia., austenitic or martensitic CRES, without lock wire hole, passivated.

7.2 Source of documents.

7.2.1 FAR: Copies of the Federal Acquisition Regulations are available online from https://www.acquisition.gov/browse/index/far.

7.2.2 Executive order (EO). Copies of the EO documents are available online from https://www.epa.gov/greeningepa/executive-order-13834.

7.2.3 Military specifications: Copies of military specifications are available online from https://quicksearch.dla.mil.

7.2.4 Non-Government specifications: Copies of Aerospace Industry Association (AIA) publications are available online from https://www.aia-aerospace.org/standards/. Copies of American Society for Testing and Materials (ASTM) are available online from https://www.astm.org/. Copies of Society of Automotive Engineers (SAE) are available online from https://www.sae.org/standards/.

7.3 Ordering data. The contract or order should specify the following:

a. Title, number and date of this CID.
b. Federal stock number, (if available).
c. Material (CRES).
d. Part number (PIN).
e. Quantity.

7.4 Key words:

a. CRES
b. Plating
c. Passivated

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodian:
Army – AT
Navy – AS
Air Force – 71
DLA – CC

Review activities:
Army – AV, MI
Navy – CG, SA

CIVIL AGENCY COORDINATING ACTIVITY:
GSA-FAS

Preparing Activity:
Army – AT

(Project 4730-2022-037)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organization and responsibilities can change, you should verify the currency of the information above using the ASSIST database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.