INCH-POUND

A-A-60043

13 October 2022

COMMERCIAL ITEM DESCRIPTION

GROMMETS, CADMIUM AND HEXAVALENT-CHROMIUM FREE

The General Services Administration has authorized the use of this commercial item description by all federal agencies.

1 SCOPE. This commercial item description (CID) covers grommets containing no cadmium nor hexavalent-chromium in their finishes.

2 CLASSIFICATION

2.1 Types.

Type I - NASM20230 - Grommet, Metallic, Plain and Rolled Rim, With Washer, Type I and Type III

3 SALIENT CHARACTERISTICS.

3.1 Materials. Unless otherwise specified herein, the grommets shall be manufactured as specified in the Aerospace Industry Association (AIA) documents listed above by type with the exception of, the plating/finishes shall be free of cadmium and hexavalent-chromium finishes as specified herein. The use of recovered materials made in compliance with regulatory requirements is acceptable provided all requirements of this CID are met.

3.2 Dimensions. Dimensions for all designated types of grommets apply after plating/finishing and prior to any application of lubricants (if any). Refer to each individual NAS/NASM specification listed in Section 2.1 for detailed part geometry and tolerance requirements.

3.3 Hexavalent-chromium free PIN codes and finish/plating. Finish/plating for each type of grommet shall be specified in the contract. PIN codes and finish/plating for all designated as specified in the contract for the grommets is:

K - Anodized in accordance with MIL-PRF-8625, Type II. Sealers (clear or any color) containing hexavalent chromium shall be prohibited.

ZN - Brass grommets and washers shall be Zn-Ni plated in accordance with SAE AMS2461, Grade A, Class 2 or ASTM F1941/F1941M Fe/Zn-Ni 8BNS.

Comments, suggestions, or questions on this document should be addressed to U.S. Army DEVCOM Ground Vehicle Systems Center, ATTN: Standardization, FCDD-GVS-SAT, MS #268, 6501 E. 11 Mile Road, Warren, MI 48397-5000 or emailed to usarmy.detroit.devcom-gvsc.mbx.standardization@army.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

FSC 5325

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

3.4 Interchangeability. When AIA/NASM specifications list interchangeability parts, do not interchange parts containing cadmium or hexavalent-chromium with the cadmium and hexavalent-chromium free parts listed herein without design authority approval.

4 REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered, recycled, bio based, and environmentally preferable materials to the maximum extent practicable, in accordance with paragraph 23.403, 23.404(b) of the Federal Acquisition Regulation (FAR), or Federal Sustainability contained in EO 14057; as applicable.

5 PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

5.2 Responsibility for inspection. The contractor is responsible for the performance of all inspections (examinations and tests).

5.3 Contractor certification. The contractor shall certify and maintain substantiating evidence the product offered meets the salient characteristics of this commercial item description and conforms to the producer's own drawings, specifications, workmanship standards, and quality assurance practices. Items with known defects shall not be submitted for Government acceptance. The Government reserves the right to perform or witness any of the inspections it deems necessary to ensure supplies and services conform to prescribed requirements.

6 PACKAGING. Preservation, packaging, packing, and marking shall be as specified in the contract or order.

7 NOTES

The following part or identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

7.1 Table. In the following Table, new finish/plating codes which are Cadmium and hexavalent-chromium free for the designated grommet types.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

TABLE I. Type I (-1) Grommet, metallic, plain and rolled rim, with washer *.

PLAIN GROMMET ASSEMBLY PART/DASH NO.			
ALUMINUM ASSEMBLY ANODIZED		BRASS ASSEMBLY PLATED	
A-A-60043 Basic Part Number	Reference Part/Dash Number (from NASM20230)	A-A-60043 Basic Part Number Zinc-Nickel Plated	Reference Part/Dash Number (from NASM20230)
AA60043-1-A20J	MS20230-A20	AA60043-1-BP20ZN	MS20230-BP20
AA60043-1-A10J	MS20230-A10	AA60043-1-BP10ZN	MS20230-BP10
AA60043-1-A1J	MS20230-A1	AA60043-1-BP1ZN	MS20230-BP1
AA60043-1-A2J	MS20230-A2	AA60043-1-BP2ZN	MS20230-BP2
AA60043-1-A3J	MS20230-A3	AA60043-1-BP3ZN	MS20230-BP3
AA60043-1-A4J	MS20230-A4	AA60043-1-BP4ZN	MS20230-BP4
AA60043-1-A5J	MS20230-A5	AA60043-1-BP5ZN	MS20230-BP5

PLAIN GROMMET AND PLAIN WASHER DETAIL PART/DASH NO.							
ALUMINUM GROMMET ANODIZED		ALUMINUM WASHER CHEMICALLY TREATED OR ANODIZED		BRASS GROMMET PLATED		BRASS WASHER PLATED	
A-A-60043 Part Number	Reference Part/Dash Number (from NASM20230)	A-A-60043 Part Number	Reference Part/Dash Number (from NASM20230)	A-A-60043 Part Number Zinc-Nickel Plated	Reference Part/Dash Number (from NASM20230)	A-A-60043 Part Number Zinc-Nickel Plated	Reference Part/Dash Number (from NASM20230)
AA60043-1-GA20J	MS20230-GA20	AA60043-1-WA20J	MS20230-WA20	AA60043-1-GBP20ZN	MS20230-GBP20	AA60043-1-WBP20ZN	MS20230-WBP20
AA60043-1-GA10J	MS20230-GA10	AA60043-1-WA10J	MS20230-WA10	AA60043-1-GBP10ZN	MS20230-GBP10	AA60043-1-WBP10ZN	MS20230-WBP10
AA60043-1-GA1J	MS20230-GA1	AA60043-1-WA1J	MS20230-WA1	AA60043-1-GBP1ZN	MS20230-GBP1	AA60043-1-WBP1ZN	MS20230-WBP1
AA60043-1-GA2J	MS20230-GA2	AA60043-1-WA2J	MS20230-WA2	AA60043-1-GBP2ZN	MS20230-GBP2	AA60043-1-WBP2ZN	MS20230-WBP2
AA60043-1-GA3J	MS20230-GA3	AA60043-1-WA3J	MS20230-WA3	AA60043-1-GBP3ZN	MS20230-GBP3	AA60043-1-WBP3ZN	MS20230-WBP3
AA60043-1-GA4J	MS20230-GA4	AA60043-1-WA4J	MS20230-WA4	AA60043-1-GBP4ZN	MS20230-GBP4	AA60043-1-WBP4ZN	MS20230-WBP4
AA60043-1-GA5J	MS20230-GA5	AA60043-1-WA5J	MS20230-WA5	AA60043-1-GBP5ZN	MS20230-GBP5	AA60043-1-WBP5ZN	MS20230-WBP5


ROLLED GROMMET AND SPUR WASHER DETAIL PART/DASH NO.					
BRASS ASSEMBLY PLATED		BRASS GROMMET PLATED		BRASS WASHER PLATED	
A-A-60043 Part Number Zinc-Nickel Plated	Reference (from NASM20230)	A-A-60043 Part Number Zinc-Nickel Plated	Reference (from NASM20230)	A-A-60043 Part Number Zinc-Nickel Plated	Reference (from NASM20230)
AA60043-1-BPS10ZN	MS20230-BPS10	AA60043-1-GBPS10ZN	MS20230-GBPS10	AA60043-1-WBPS10ZN	MS20230-WBPS10
AA60043-1-BPS1ZN	MS20230-BPS1	AA60043-1-GBPS1ZN	MS20230-GBPS1	AA60043-1-WBPS1ZN	MS20230-WBPS1
AA60043-1-BPS2ZN	MS20230-BPS2	AA60043-1-GBPS2ZN	MS20230-GBPS2	AA60043-1-WBPS2ZN	MS20230-WBPS2
AA60043-1-BPS3ZN	MS20230-BPS3	AA60043-1-GBPS3ZN	MS20230-GBPS3	AA60043-1-WBPS3ZN	MS20230-WBPS3
AA60043-1-BPS4ZN	MS20230-BPS4	AA60043-1-GBPS4ZN	MS20230-GBPS4	AA60043-1-WBPS4ZN	MS20230-WBPS4
AA60043-1-BPS5ZN	MS20230-BPS5	AA60043-1-GBPS5ZN	MS20230-GBPS5	AA60043-1-WBPS5ZN	MS20230-WBPS5

* Grommets with "No Finish" or "Nickel plated" are not included in this CID because they do not contain cadmium or hexavalent-chromium.

NOTES (continued on next page)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

PIN construction



PIN examples:

AA60043-1-A20K	=	a NASM20230 – Grommet assembly (plain grommet and plain washer), aluminum, trade size number = 00, anodized.
AA60043-1-GA1K	=	a NASM20230 – Grommet (plain grommet only), aluminum, trade size number = 1, anodized.
AA60043-1-WA1K	=	a NASM20230 – Washer (plain washer only), aluminum, trade size number = 1, anodized.
AA60043-1-A20ZN	=	a NASM20230 – Grommet assembly (plain grommet and plain washer), aluminum, trade size number = 00, zinc nickel plated.
AA60043-1-GA1ZN	=	a NASM20230 – Grommet (plain grommet only), aluminum, trade size number = 1, zinc nickel plated.
AA60043-1-WA1ZN	=	a NASM20230 – Washer (plain washer only), aluminum, trade size number = 1, zinc nickel plated.

7.2 Source of documents.

7.2.1 FAR: Copies of the Federal Acquisition Regulations are available online from https://www.acquisition.gov/browse/index/far.

7.2.2 Executive order (EO). Copies of the EO documents are available online from https://www.epa.gov/greeningepa/executive-order-13693.

7.2.3 Military specifications: Copies of military specifications are available online from https://quicksearch.dla.mil.

7.2.4 AIA documents: Copies of Aerospace Industry Association are available online from https://www.aia-aerospace.org/standards/.

7.2.5 ASTM documents: Copies of American Society for Testing and Materials (ASTM) International are available online from https://www.astm.org/.

7.2.6 SAE documents: Copies of Society of Automotive Engineers (SAE) International are available online from https://www.sae.org/standards/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

7.3 Ordering data. The contract or order should specify the following:

a. Title, number and date of this CID.
b. National stock number, (if available).
c. Material (Aluminum or Brass).
d. Hexavalent-chromium and cadmium free part number (PIN) from this CID.
e. Quantity.

7.4 Key words:

a. Aluminum
b. Anodized
c. Brass
d. Plate
e. Plating
f. Steel
g. Zinc
h. Zinc Nickel

MILITARY INTERESTS:

Custodians:
Army – AT
Navy – AS
Air Force – 71
DLA – CC

Review activities:
Army – AR, AV, CR, MI
Navy – CG, MC, YD
Air Force – 03, 11, 70
DLA – GS4, GS7

CIVIL AGENCY COORDINATING ACTIVITY:
GSA-FAS

Preparing Activity:
Army – AT

(Project 5325-2022-023)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.