INCH-POUND

A-A-60050

28 November 2022

COMMERCIAL ITEM DESCRIPTION

FITTINGS, LUBRICATION, CADMIUM AND HEXAVALENT-CHROMIUM FREE

The General Services Administration has authorized the use of this commercial item description by all federal agencies.

1 SCOPE. This commercial item description (CID) covers lubrication fittings which shall not contain cadmium or hexavalent-chromium in their finishes.

2 CLASSIFICATION

2.1 Types.

Type I	-	SAE AS15006 - Fitting, Lubrication, Hydraulic, Leakproof, 1/8 Pipe Threads, Steel, Type VI

3 SALIENT CHARACTERISTICS.

3.1 Materials. Lubrication fittings shall be manufactured as specified in the Society of Automotive Engineers (SAE) International documents listed in 2.1 by type, except the plating/finishes shall not contain cadmium or hexavalent-chromium as specified herein (see 3.3).

3.2 Dimensions. Dimensions for all designated type of lubrication fittings apply after plating/finishing.

3.3 Hexavalent-chromium free Part or Identifying Number (PIN) codes and finish/plating options. PIN finish/plating codes for all designated types of lubrication fitting:

Z	-	Steel – shall be Zinc plated in accordance with ASTM B633, Fe/Zn 5, Type V or VI.
ZN	=	Steel - shall be zinc-nickel plated in accordance with SAE AMS2461, Type II, Grade A or Grade B or ASTM F1941/F1941M Fe/Zn-Ni 8BNS.

Comments, suggestions, or questions on this document should be addressed to U.S. Army DEVCOM Ground Vehicle Systems Center, ATTN: Standardization, FCDD-GVS-SAT, MS #268, 6501 E. 11 Mile Road, Warren, MI 48397-5000 or emailed to usarmy.detroit.devcom-gvsc.mbx.standardization@army.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

3.4 Interchangeability. When SAE specifications list interchangeability parts, do not interchange parts containing cadmium or hexavalent-chromium with the cadmium and hexavalent-chromium free parts listed herein without design authority approval.

4 REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered, recycled, bio based, and environmentally preferable materials to the maximum extent practicable, in accordance with paragraph 23.403, 23.404(b) of the Federal Acquisition Regulation (FAR), or Federal Sustainability contained in EO 14057; as applicable.

5 PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

5.2 Responsibility for inspection. The contractor is responsible for the performance of all inspections.

5.3 Contractor certification. The contractor shall certify and maintain substantiating evidence the product offered meets the salient characteristics of this commercial item description and conforms to the producer's own drawings, specifications, workmanship standards, and quality assurance practices. Items with known defects shall not be submitted for Government acceptance. The Government reserves the right to perform or witness any of the inspections it deems necessary to ensure supplies and services conform to prescribed requirements.

6 PACKAGING. Preservation, packing, and marking shall be as specified in the contract or order.

7 NOTES

The following part or identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor.


7.1 Table. The following Table indicates new finish/plating part identification numbers (PIN's) which are Cadmium and hexavalent-chromium free for the designated lubrication fittings.

TABLE I – Type I (-1) - Fitting, Lubrication, Hydraulic, Leakproof, 1/8 Pipe Threads, Steel.

New A-A-60050 Part Number	Reference Dash Number (SAE AS15006)
AA60050-1-1*	AS15006-1
AA60050-1-2*	AS15006-2
AA60050-1-3*	AS15006-3
AA60050-1-4*	AS15006-4
AA60050-1-5*	AS15006-5

Table notes:

PIN construction



(Table notes continued on next page.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

Examples of new part numbers:

AA60050-1-1ZN	=	an SAE AS15006 - steel lubrication fitting, 1/8-27 pipe thread size, straight, Zinc-Nickel plated.
AA60050-1-2Z	=	an SAE AS15006 - steel lubrication fitting, 1/8-27 pipe thread size, 30° elbow, zinc plated.
AA60050-1-3ZN	=	an SAE AS15006 - steel lubrication fitting, 1/8-27 pipe thread size, 65° elbow, Zinc-Nickel plated.
AA60050-1-4Z	=	an SAE AS15006 - steel lubrication fitting, 1/8-27 pipe thread size, 90° elbow, zinc plated.
AA60050-1-5ZN	=	an SAE AS15006 - steel lubrication fitting, 1/8-27 pipe thread size, 105° elbow, Zinc-Nickel plated.

7.2 Source of government documents.

7.2.1 FAR: Copies of the Federal Acquisition Regulations are available online from https://www.acquisition.gov/browse/index/far.

7.2.2 Executive order (EO). Copies of EO 14057 are available online from https://www.fedcenter.gov/_kd/go.cfm?destination=ShowItem&Item_ID=38808.

7.2.3 Military specifications: Copies of military specifications are available online from https://quicksearch.dla.mil.

7.3 Sources for Non-Government documents.

7.3.1 SAE documents: Copies of Society of Automotive Engineers (SAE) International documents are available online from https://www.sae.org/.

7.3.2 ASTM documents: Copies of American Society for Testing and Materials (ASTM) International documents are available online from https://www.astm.org/.

7.4 Ordering data. The contract or order should specify the following:

a. Title, number and date of this CID.
b. National stock number, (if available).
c. Material (steel alloy, steel, or aluminum).
d. Part number.
e. Quantity.

7.5 Key words:

a. Carbon Steel
b. Finish
c. Steel
d. Plating

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

CIVIL AGENCY COORDINATING ACTIVITY:
GSA-FAS

Custodian:
Army – AT
Navy – AS
Air Force – 71
DLA – CC

Preparing Activity:
Army – AT

(Project 4730-2023-003)

Review activities:
Army – AR, AV, CR, MI
Navy – CG, MC, YD
Air Force – 03, 11, 70
DLA – GS4, GS7

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.