INCH-POUND

A-A-60052

6 December 2022

COMMERCIAL ITEM DESCRIPTION

POST, CADMIUM AND HEXAVALENT-CHROMIUM FREE

The General Services Administration has authorized the use of this commercial item description by all federal agencies.

1 SCOPE. This commercial item description (CID) covers post which shall not contain cadmium or hexavalent-chromium in their finishes.

2 CLASSIFICATION

2.1 Types.

Type I - NAS1829 - Post, Electrical, Mechanical Equipment, Stud Type

3 SALIENT CHARACTERISTICS.

3.1 Materials. Unless otherwise specified herein, the post shall be manufactured as specified in the Aerospace Industry Association (AIA) documents listed above by type with the exception of, the plating/finishes shall be free of cadmium and hexavalent-chromium finishes as specified herein. The use of recovered materials made in compliance with regulatory requirements is acceptable provided all requirements of this CID are met.

3.2 Dimensions. Dimensions for all designated types of post apply after plating/finishing.

3.3 Hexavalent-chromium free Part or Identifying Number (PIN) codes and finish/plating options. PIN finish/plating codes for all designated types of post:

J = Aluminum / aluminum alloy shall be chemically treated in accordance with MIL-DTL-5541, Type II, Class 1A. Sealers (clear or any color) containing hexavalent chromium shall be prohibited.

K = Aluminum / aluminum alloy shall be anodized in accordance with MIL-PRF-8625, Type IC, II or IIB, Class 1 or 2. Sealers (clear or any color) containing hexavalent chromium shall be prohibited.

P5 = CRES shall be cleaned, descaled and passivated in accordance with SAE AMS2700 Method 1, Type 6, 7, or 8, or Method 2. Post treatment is prohibited.

Comments, suggestions, or questions on this document should be addressed to U.S. Army DEVCOM Ground Vehicle Systems Center, ATTN: Standardization, FCDD-GVS-SAT, MS #268, 6501 E. 11 Mile Road, Warren, MI 48397-5000 or emailed to usarmy.detroit.devcom-gvsc.mbx.standardization@army.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

FSC 5340

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

QX = Carbon and Alloy steel shall be zinc-nickel plated in accordance with MIL-PRF-32647, Type K16
Z = Carbon and Alloy steel shall be zinc plated in accordance with ASTM B633, Fe/Zn 5, Type V or VI.
ZN = Brass shall be zinc-nickel plated in accordance with SAE AMS2461, Type II, Grade A or Grade B or ASTM F1941/F1941M Fe/Zn-Ni 8BNS.

3.4 Interchangeability. When AIA/NASM specifications list interchangeability parts, do not interchange parts containing cadmium or hexavalent-chromium with the cadmium and hexavalent-chromium free parts listed herein without design authority approval.

4 REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered, recycled, bio based, and environmentally preferable materials to the maximum extent practicable, in accordance with paragraph 23.403, 23.404(b) of the Federal Acquisition Regulation (FAR), or Federal Sustainability contained in EO 14057, as applicable.

5 PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

5.2 Responsibility for inspection. The contractor is responsible for the performance of all inspections.

5.3 Contractor certification. The contractor shall certify and maintain substantiating evidence the product offered meets the salient characteristics of this commercial item description and conforms to the producer's own drawings, specifications, workmanship standards, and quality assurance practices. Items with known defects shall not be submitted for Government acceptance. The Government reserves the right to perform or witness any of the inspections it deems necessary to ensure supplies and services conform to prescribed requirements.

6 PACKAGING. Preservation, packing, and marking shall be as specified in the contract or order.

7 NOTES

(This section contains information of a general or explanatory nature that is helpful, but is not mandatory.)

7.1 Table. The following new finish/plating part or identification numbering (PIN's) which are cadmium and hexavalent-chromium free for designated post.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

TABLE I. Type I (-1) post, electrical, mechanical equipment, stud type *.

W Width Across Flats	0.188			0.250					0 .375					
Hex Size Code	3			4					6					
L Length	PART NUMBERS A-A-60052													
0.188	AA60052-1-( )3A03	AA60052-1-( )3B03	AA60052-1-( )3C03	---	---	---	---	---	---	---	---	---	---	---
0.250	AA60052-1-( )3A04	AA60052-1-( )3B04	AA60052-1-( )3C04	AA60052-1-( )4C04	AA60052-1-( )4D04	AA60052-1-( )4E04	AA60052-1-( )4F04	AA60052-1-( )4G04	---	---	---	---	---	---
0.313	AA60052-1-( )3A05	AA60052-1-( )3B05	AA60052-1-( )3C05	AA60052-1-( )4C05	AA60052-1-( )4D05	AA60052-1-( )4E05	AA60052-1-( )4F05	AA60052-1-( )4G05	---	---	---	---	---	---
0.375	AA60052-1-( )3A06	AA60052-1-( )3B06	AA60052-1-( )3C06	AA60052-1-( )4C06	AA60052-1-( )4D06	AA60052-1-( )4E06	AA60052-1-( )4F06	AA60052-1-( )4G06	AA60052-1-( )6E06	AA60052-1-( )6F06	AA60052-1-( )6G06	AA60052-1-( )6H06	AA60052-1-( )6J06	
0.438	AA60052-1-( )3A07	AA60052-1-( )3B07	AA60052-1-( )3C07	AA60052-1-( )4C07	AA60052-1-( )4D07	AA60052-1-( )4E07	AA60052-1-( )4F07	AA60052-1-( )4G07	AA60052-1-( )6E07	AA60052-1-( )6F07	AA60052-1-( )6G07	AA60052-1-( )6H07	AA60052-1-( )6J07	
0.500	AA60052-1-( )3A08	AA60052-1-( )3B08	AA60052-1-( )3C08	AA60052-1-( )4C08	AA60052-1-( )4D08	AA60052-1-( )4E08	AA60052-1-( )4F08	AA60052-1-( )4G08	AA60052-1-( )6E08	AA60052-1-( )6F08	AA60052-1-( )6G08	AA60052-1-( )6H08	AA60052-1-( )6J08	
0.563	AA60052-1-( )3A09	AA60052-1-( )3B09	AA60052-1-( )3C09	AA60052-1-( )4C09	AA60052-1-( )4D09	AA60052-1-( )4E09	AA60052-1-( )4F09	AA60052-1-( )4G09	AA60052-1-( )6E09	AA60052-1-( )6F09	AA60052-1-( )6G09	AA60052-1-( )6H09	AA60052-1-( )6J09	
0.625	AA60052-1-( )3A10	AA60052-1-( )3B10	AA60052-1-( )3C10	AA60052-1-( )4C10	AA60052-1-( )4D10	AA60052-1-( )4E10	AA60052-1-( )4F10	AA60052-1-( )4G10	AA60052-1-( )6E10	AA60052-1-( )6F10	AA60052-1-( )6G10	AA60052-1-( )6H10	AA60052-1-( )6J10	
0.688	AA60052-1-( )3A11	AA60052-1-( )3B11	AA60052-1-( )3C11	AA60052-1-( )4C11	AA60052-1-( )4D11	AA60052-1-( )4E11	AA60052-1-( )4F11	AA60052-1-( )4G11	AA60052-1-( )6E11	AA60052-1-( )6F11	AA60052-1-( )6G11	AA60052-1-( )6H11	AA60052-1-( )6J11	
0.750	AA60052-1-( )3A12	AA60052-1-( )3B12	AA60052-1-( )3C12	AA60052-1-( )4C12	AA60052-1-( )4D12	AA60052-1-( )4E12	AA60052-1-( )4F12	AA60052-1-( )4G12	AA60052-1-( )6E12	AA60052-1-( )6F12	AA60052-1-( )6G12	AA60052-1-( )6H12	AA60052-1-( )6J12	
0.813	AA60052-1-( )3A13	AA60052-1-( )3B13	AA60052-1-( )3C13	AA60052-1-( )4C13	AA60052-1-( )4D13	AA60052-1-( )4E13	AA60052-1-( )4F13	AA60052-1-( )4G13	AA60052-1-( )6E13	AA60052-1-( )6F13	AA60052-1-( )6G13	AA60052-1-( )6H13	AA60052-1-( )6J13	
0.875	AA60052-1-( )3A14	AA60052-1-( )3B14	AA60052-1-( )3C14	AA60052-1-( )4C14	AA60052-1-( )4D14	AA60052-1-( )4E14	AA60052-1-( )4F14	AA60052-1-( )4G14	AA60052-1-( )6E14	AA60052-1-( )6F14	AA60052-1-( )6G14	AA60052-1-( )6H14	AA60052-1-( )6J14	
0.938	AA60052-1-( )3A15	AA60052-1-( )3B15	AA60052-1-( )3C15	AA60052-1-( )4C15	AA60052-1-( )4D15	AA60052-1-( )4E15	AA60052-1-( )4F15	AA60052-1-( )4G15	AA60052-1-( )6E15	AA60052-1-( )6F15	AA60052-1-( )6G15	AA60052-1-( )6H15	AA60052-1-( )6J15	
1.000	AA60052-1-( )3A16	AA60052-1-( )3B16	AA60052-1-( )3C16	AA60052-1-( )4C16	AA60052-1-( )4D16	AA60052-1-( )4E16	AA60052-1-( )4F16	AA60052-1-( )4G16	AA60052-1-( )6E16	AA60052-1-( )6F16	AA60052-1-( )6G16	AA60052-1-( )6H16	AA60052-1-( )6J16	
1.063	---	---	---	AA60052-1-( )4C17	AA60052-1-( )4D17	AA60052-1-( )4E17	AA60052-1-( )4F17	AA60052-1-( )4G17	AA60052-1-( )6E17	AA60052-1-( )6F17	AA60052-1-( )6G17	AA60052-1-( )6H17	AA60052-1-( )6J17	
1.125	---	---	---	AA60052-1-( )4C18	AA60052-1-( )4D18	AA60052-1-( )4E18	AA60052-1-( )4F18	AA60052-1-( )4G18	AA60052-1-( )6E18	AA60052-1-( )6F18	AA60052-1-( )6G18	AA60052-1-( )6H18	AA60052-1-( )6J18	
1.188	---	---	---	AA60052-1-( )4C19	AA60052-1-( )4D19	AA60052-1-( )4E19	AA60052-1-( )4F19	AA60052-1-( )4G19	AA60052-1-( )6E19	AA60052-1-( )6F19	AA60052-1-( )6G19	AA60052-1-( )6H19	AA60052-1-( )6J19	
1.250	---	---	---	AA60052-1-( )4C20	AA60052-1-( )4D20	AA60052-1-( )4E20	AA60052-1-( )4F20	AA60052-1-( )4G20	AA60052-1-( )6E20	AA60052-1-( )6F20	AA60052-1-( )6G20	AA60052-1-( )6H20	AA60052-1-( )6J20	
1.313	---	---	---	AA60052-1-( )4C21	AA60052-1-( )4D21	AA60052-1-( )4E21	AA60052-1-( )4F21	AA60052-1-( )4G21	AA60052-1-( )6E21	AA60052-1-( )6F21	AA60052-1-( )6G21	AA60052-1-( )6H21	AA60052-1-( )6J21	
1.375	---	---	---	AA60052-1-( )4C22	AA60052-1-( )4D22	AA60052-1-( )4E22	AA60052-1-( )4F22	AA60052-1-( )4G22	AA60052-1-( )6E22	AA60052-1-( )6F22	AA60052-1-( )6G22	AA60052-1-( )6H22	AA60052-1-( )6J22	
1.438	---	---	---	AA60052-1-( )4C23	AA60052-1-( )4D23	AA60052-1-( )4E23	AA60052-1-( )4F23	AA60052-1-( )4G23	AA60052-1-( )6E23	AA60052-1-( )6F23	AA60052-1-( )6G23	AA60052-1-( )6H23	AA60052-1-( )6J23	
1.500	---	---	---	AA60052-1-( )4C24	AA60052-1-( )4D24	AA60052-1-( )4E24	AA60052-1-( )4F24	AA60052-1-( )4G24	AA60052-1-( )6E24	AA60052-1-( )6F24	AA60052-1-( )6G24	AA60052-1-( )6H24	AA60052-1-( )6J24	
1.563	---	---	---	AA60052-1-( )4C25	AA60052-1-( )4D25	AA60052-1-( )4E25	AA60052-1-( )4F25	AA60052-1-( )4G25	AA60052-1-( )6E25	AA60052-1-( )6F25	AA60052-1-( )6G25	AA60052-1-( )6H25	AA60052-1-( )6J25	
1.625	---	---	---	AA60052-1-( )4C26	AA60052-1-( )4D26	AA60052-1-( )4E26	AA60052-1-( )4F26	AA60052-1-( )4G26	AA60052-1-( )6E26	AA60052-1-( )6F26	AA60052-1-( )6G26	AA60052-1-( )6H26	AA60052-1-( )6J26	
1.750	---	---	---	AA60052-1-( )4C28	AA60052-1-( )4D28	AA60052-1-( )4E28	AA60052-1-( )4F28	AA60052-1-( )4G28	AA60052-1-( )6E28	AA60052-1-( )6F28	AA60052-1-( )6G28	AA60052-1-( )6H28	AA60052-1-( )6J28	
1.875	---	---	---	AA60052-1-( )4C30	AA60052-1-( )4D30	AA60052-1-( )4E30	AA60052-1-( )4F30	AA60052-1-( )4G30	AA60052-1-( )6E30	AA60052-1-( )6F30	AA60052-1-( )6G30	AA60052-1-( )6H30	AA60052-1-( )6J30	
2.000	---	---	---	AA60052-1-( )4C32	AA60052-1-( )4D32	AA60052-1-( )4E32	AA60052-1-( )4F32	AA60052-1-( )4G32	AA60052-1-( )6E32	AA60052-1-( )6F32	AA60052-1-( )6G32	AA60052-1-( )6H32	AA60052-1-( )6J32	
2.250	---	---	---	---	---	---	---	AA60052-1-( )4G36	AA60052-1-( )6E36	AA60052-1-( )6F36	AA60052-1-( )6G36	AA60052-1-( )6H36	AA60052-1-( )6J36	
2.500	---	---	---	---	---	---	---	AA60052-1-( )4G40	AA60052-1-( )6E40	AA60052-1-( )6F40	AA60052-1-( )6G40	AA60052-1-( )6H40	AA60052-1-( )6J40	
2.750	---	---	---	---	---	---	---	AA60052-1-( )4G44	AA60052-1-( )6E44	AA60052-1-( )6F44	AA60052-1-( )6G44	AA60052-1-( )6H44	AA60052-1-( )6J44	
3.000	---	---	---	---	---	---	---	AA60052-1-( )4G48	AA60052-1-( )6E48	AA60052-1-( )6F48	AA60052-1-( )6G48	AA60052-1-( )6H48	AA60052-1-( )6J48	

* Polyamide (nylon) and "Tin" plated post are not included in this CID because they do not contain cadmium or hexavalent-chromium.
(-) material/finish codes differ in this CID from NAS1829.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

TABLE I. Type I (-1) post, electrical, mechanical equipment, stud type - Continued.


W Width Across Flats	0.188			0.250					0 .375				
Hex Size Code	3			4					6				
L Length	REFERENCE PART NUMBERS FROM NAS1829												
0.188	NAS1829( )3A03	NAS1829( )3B03	NAS1829( )3C03	---	---	---	---	---	---	---	---	---	---
0.250	NAS1829( )3A04	NAS1829( )3B04	NAS1829( )3C04	NAS1829( )4C04	NAS1829( )4D04	NAS1829( )4E04	NAS1829( )4F04	NAS1829( )4G04	---	---	---	---	---
0.313	NAS1829( )3A05	NAS1829( )3B05	NAS1829( )3C05	NAS1829( )4C05	NAS1829( )4D05	NAS1829( )4E05	NAS1829( )4F05	NAS1829( )4G05	---	---	---	---	---
0.375	NAS1829( )3A06	NAS1829( )3B06	NAS1829( )3C06	NAS1829( )4C06	NAS1829( )4D06	NAS1829( )4E06	NAS1829( )4F06	NAS1829( )4G06	NAS1829( )6E06	NAS1829( )6F06	NAS1829( )6G06	NAS1829( )6H06	NAS1829( )6J06
0.438	NAS1829( )3A07	NAS1829( )3B07	NAS1829( )3C07	NAS1829( )4C07	NAS1829( )4D07	NAS1829( )4E07	NAS1829( )4F07	NAS1829( )4G07	NAS1829( )6E07	NAS1829( )6F07	NAS1829( )6G07	NAS1829( )6H07	NAS1829( )6J07
0.500	NAS1829( )3A08	NAS1829( )3B08	NAS1829( )3C08	NAS1829( )4C08	NAS1829( )4D08	NAS1829( )4E08	NAS1829( )4F08	NAS1829( )4G08	NAS1829( )6E08	NAS1829( )6F08	NAS1829( )6G08	NAS1829( )6H08	NAS1829( )6J08
0.563	NAS1829( )3A09	NAS1829( )3B09	NAS1829( )3C09	NAS1829( )4C09	NAS1829( )4D09	NAS1829( )4E09	NAS1829( )4F09	NAS1829( )4G09	NAS1829( )6E09	NAS1829( )6F09	NAS1829( )6G09	NAS1829( )6H09	NAS1829( )6J09
0.625	NAS1829( )3A10	NAS1829( )3B10	NAS1829( )3C10	NAS1829( )4C10	NAS1829( )4D10	NAS1829( )4E10	NAS1829( )4F10	NAS1829( )4G10	NAS1829( )6E10	NAS1829( )6F10	NAS1829( )6G10	NAS1829( )6H10	NAS1829( )6J10
0.688	NAS1829( )3A11	NAS1829( )3B11	NAS1829( )3C11	NAS1829( )4C11	NAS1829( )4D11	NAS1829( )4E11	NAS1829( )4F11	NAS1829( )4G11	NAS1829( )6E11	NAS1829( )6F11	NAS1829( )6G11	NAS1829( )6H11	NAS1829( )6J11
0.750	NAS1829( )3A12	NAS1829( )3B12	NAS1829( )3C12	NAS1829( )4C12	NAS1829( )4D12	NAS1829( )4E12	NAS1829( )4F12	NAS1829( )4G12	NAS1829( )6E12	NAS1829( )6F12	NAS1829( )6G12	NAS1829( )6H12	NAS1829( )6J12
0.813	NAS1829( )3A13	NAS1829( )3B13	NAS1829( )3C13	NAS1829( )4C13	NAS1829( )4D13	NAS1829( )4E13	NAS1829( )4F13	NAS1829( )4G13	NAS1829( )6E13	NAS1829( )6F13	NAS1829( )6G13	NAS1829( )6H13	NAS1829( )6J13
0.875	NAS1829( )3A14	NAS1829( )3B14	NAS1829( )3C14	NAS1829( )4C14	NAS1829( )4D14	NAS1829( )4E14	NAS1829( )4F14	NAS1829( )4G14	NAS1829( )6E14	NAS1829( )6F14	NAS1829( )6G14	NAS1829( )6H14	NAS1829( )6J14
0.938	NAS1829( )3A15	NAS1829( )3B15	NAS1829( )3C15	NAS1829( )4C15	NAS1829( )4D15	NAS1829( )4E15	NAS1829( )4F15	NAS1829( )4G15	NAS1829( )6E15	NAS1829( )6F15	NAS1829( )6G15	NAS1829( )6H15	NAS1829( )6J15
1.000	NAS1829( )3A16	NAS1829( )3B16	NAS1829( )3C16	NAS1829( )4C16	NAS1829( )4D16	NAS1829( )4E16	NAS1829( )4F16	NAS1829( )4G16	NAS1829( )6E16	NAS1829( )6F16	NAS1829( )6G16	NAS1829( )6H16	NAS1829( )6J16
1.063	---	---	---	NAS1829( )4C17	NAS1829( )4D17	NAS1829( )4E17	NAS1829( )4F17	NAS1829( )4G17	NAS1829( )6E17	NAS1829( )6F17	NAS1829( )6G17	NAS1829( )6H17	NAS1829( )6J17
1.125	---	---	---	NAS1829( )4C18	NAS1829( )4D18	NAS1829( )4E18	NAS1829( )4F18	NAS1829( )4G18	NAS1829( )6E18	NAS1829( )6F18	NAS1829( )6G18	NAS1829( )6H18	NAS1829( )6J18
1.188	---	---	---	NAS1829( )4C19	NAS1829( )4D19	NAS1829( )4E19	NAS1829( )4F19	NAS1829( )4G19	NAS1829( )6E19	NAS1829( )6F19	NAS1829( )6G19	NAS1829( )6H19	NAS1829( )6J19
1.250	---	---	---	NAS1829( )4C20	NAS1829( )4D20	NAS1829( )4E20	NAS1829( )4F20	NAS1829( )4G20	NAS1829( )6E20	NAS1829( )6F20	NAS1829( )6G20	NAS1829( )6H20	NAS1829( )6J20
1.313	---	---	---	NAS1829( )4C21	NAS1829( )4D21	NAS1829( )4E21	NAS1829( )4F21	NAS1829( )4G21	NAS1829( )6E21	NAS1829( )6F21	NAS1829( )6G21	NAS1829( )6H21	NAS1829( )6J21
1.375	---	---	---	NAS1829( )4C22	NAS1829( )4D22	NAS1829( )4E22	NAS1829( )4F22	NAS1829( )4G22	NAS1829( )6E22	NAS1829( )6F22	NAS1829( )6G22	NAS1829( )6H22	NAS1829( )6J22
1.438	---	---	---	NAS1829( )4C23	NAS1829( )4D23	NAS1829( )4E23	NAS1829( )4F23	NAS1829( )4G23	NAS1829( )6E23	NAS1829( )6F23	NAS1829( )6G23	NAS1829( )6H23	NAS1829( )6J23
1.500	---	---	---	NAS1829( )4C24	NAS1829( )4D24	NAS1829( )4E24	NAS1829( )4F24	NAS1829( )4G24	NAS1829( )6E24	NAS1829( )6F24	NAS1829( )6G24	NAS1829( )6H24	NAS1829( )6J24
1.563	---	---	---	NAS1829( )4C25	NAS1829( )4D25	NAS1829( )4E25	NAS1829( )4F25	NAS1829( )4G25	NAS1829( )6E25	NAS1829( )6F25	NAS1829( )6G25	NAS1829( )6H25	NAS1829( )6J25
1.625	---	---	---	NAS1829( )4C26	NAS1829( )4D26	NAS1829( )4E26	NAS1829( )4F26	NAS1829( )4G26	NAS1829( )6E26	NAS1829( )6F26	NAS1829( )6G26	NAS1829( )6H26	NAS1829( )6J26
1.750	---	---	---	NAS1829( )4C28	NAS1829( )4D28	NAS1829( )4E28	NAS1829( )4F28	NAS1829( )4G28	NAS1829( )6E28	NAS1829( )6F28	NAS1829( )6G28	NAS1829( )6H28	NAS1829( )6J28
1.875	---	---	---	NAS1829( )4C30	NAS1829( )4D30	NAS1829( )4E30	NAS1829( )4F30	NAS1829( )4G30	NAS1829( )6E30	NAS1829( )6F30	NAS1829( )6G30	NAS1829( )6H30	NAS1829( )6J30
2.000	---	---	---	NAS1829( )4C32	NAS1829( )4D32	NAS1829( )4E32	NAS1829( )4F32	NAS1829( )4G32	NAS1829( )6E32	NAS1829( )6F32	NAS1829( )6G32	NAS1829( )6H32	NAS1829( )6J32
2.250	---	---	---	---	---	---	---	NAS1829( )4G36	NAS1829( )6E36	NAS1829( )6F36	NAS1829( )6G36	NAS1829( )6H36	NAS1829( )6J36
2.500	---	---	---	---	---	---	---	NAS1829( )4G40	NAS1829( )6E40	NAS1829( )6F40	NAS1829( )6G40	NAS1829( )6H40	NAS1829( )6J40
2.750	---	---	---	---	---	---	---	NAS1829( )4G44	NAS1829( )6E44	NAS1829( )6F44	NAS1829( )6G44	NAS1829( )6H44	NAS1829( )6J44
3.000	---	---	---	---	---	---	---	NAS1829( )4G48	NAS1829( )6E48	NAS1829( )6F48	NAS1829( )6G48	NAS1829( )6H48	NAS1829( )6J48

* Polyamide (nylon) and "Tin" plated post are not included in this CID because they do not contain cadmium or hexavalent-chromium.
(-) material/finish codes differ in this CID from NAS1829.

NOTES (continued on next page)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

PIN construction:



Examples of clean finish PIN's:

AA60052-1-J6E36	=	a NAS1829 – Aluminum alloy post, chemically treated, 0.375 hex, 0.1380-32 UNC-2, external/internal thread, 2.250-inch long.
AA60052-1-K6E36	=	a NAS1829 – Aluminum alloy post, anodized, 0.375 hex, 0.1380-32 UNC-2, external/internal thread, 2.250-inch long.
AA60052-1-P54C12	=	a NAS1829 – CRES post, passivated, 0.250 hex, 0.1120-40 UNC-2 external/internal thread, 0.750-inch long.
AA60052-1-QX4C12	=	a NAS1829 – Steel, post, zinc-nickel plated -Type K16, 0.250 hex, 0.1120-40 UNC-2 external/internal thread, 0.750-inch long.
AA60052-1-Z4C12	=	a NAS1829 - Steel, post, zinc plated, 0.250 hex, 0.1120-40 UNC-2 external/internal thread, 0.750-inch long.
AA60052-1-ZN4C12	=	a NAS1829 - Brass, post, zinc-nickel plated, 0.250 hex, 0.1120-40 UNC-2 external/internal thread, 0.750-inch long.

7.2 Source of documents.

7.2.1 FAR: Copies of the Federal Acquisition Regulations are available online from https://www.acquisition.gov/browse/index/far.

7.2.2 Executive order (EO). Copies of EO 14057 are available online from https://www.fedcenter.gov/_kd/go.cfm?destination=ShowItem&Item_ID=38808.

7.2.3 Military specifications: Copies of military specifications are available online from https://quicksearch.dla.mil.

7.3 Sources for non-Government documents.

7.3.1 AIA documents: Copies of Aerospace Industry Association are available online from https://www.aia-aerospace.org/standards/.

7.3.2 ASTM documents: Copies of American Society for Testing and Materials (ASTM) International documents are available online from https://www.astm.org.

7.3.3 SAE documents: Copies of SAE International documents are available online from https://www.sae.org.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.

7.4 Ordering data. The contract or order should specify the following:

a. Title, number and date of this CID.
b. National stock number, (if available).
c. Material (Aluminum, Brass, CRES, or Steel).
d. Hexavalent-chromium and cadmium free part number (PIN) from this CID.
e. Quantity.

7.5 Key words:

a. Aluminum
b. Anodized
c. Brass
d. Chemically treated
e. Plate
f. Plating
g. Steel
h. Zinc
i. Zinc-nickel

MILITARY INTERESTS:

Custodians:
Army – AT
Navy – AS
Air Force – 71
DLA – CC

Review activities:
Army – AR, AV, CR, MI
Navy – CG, MC, YD
Air Force – 03, 11, 70
DLA – GS4, GS7

CIVIL AGENCY COORDINATING ACTIVITY:
GSA-FAS

Preparing Activity:
Army – AT

(Project 5340-2023-003)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:33Z
Check the source to verify that this is the current version before use.